

PARTS LIST

CONFIDENTIAL

A.B.DICK COMPANY
WORLDWIDE HEADQUARTERS
6330 WEST TOUHY AVENUE
NILES, ILLINOIS 60714
(800) 752-5139 (847) 779-1900
FAX : (847) 647-6940

PNS-8107

Order No. : M5340 03 001
(Control No. : M5340 03 01-6)

Rev.21/Jan.'02 MP221141100

Printed in .Iranan

R,± L / SECTION INDEX

a .s.i/sEcTion

115	Bed section	110-170	
ff13	Main section	210-290	
	Feeder section	310-380	
• ✕ f113	Ink,water section	510-540	
	Electrical section	611-630	
1# 471	Accessories section	650-652	
f1R	Lubrication section	655-656	
—1f5. ~&O)+t.	Cover section etc.	680-840	
- >T')/ -S	Chain delivery section	860-895	
A #	Part number index		

Copyright 1990 A.B.Dick Company

All rights reserved. This publication may not be duplicated, reproduced, or transmitted (in whole or in part) in any form or by any means, electronic or mechanical, (including, without limitation, photocopy, facsimile, recording, or any information storage and retrieval system) without prior written consent of A.B.Dick Company.

Disclaimer of Warranties (Express and Implied)

While due care has been taken in the preparation of this manual, A.B.Dick Company makes no representation or warranties with respect to the adequacy or accuracy hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Further, A.B.Dick Company reserves the right to revise this publication and to make changes (both substantial and insubstantial in nature) in the contents hereof from time to time hereafter without obligation of A.B.Dick Company to notify any person or organization of such revisions or changes.

Safety Warning

Safety devices have been installed as original equipment for your protection and safety. The removal, disconnection, or alteration of any safety guard, protective cover, safety interlock, or other safety or protective device comprising part of the equipment described herein poses an undue safety hazard and the same is strictly prohibited.

Disclaimer of Liability

A.B.Dick Company disclaims any responsibility or liability for personal injury, death, or property damage caused by or arising out of (i) the removal, disconnection, or alteration of any safety guard, protective cover, safety interlock, or other safety or protective device comprising part of the equipment described herein, (ii) the use of any parts other than the parts supplied by A.B.Dick Company, or (iii) the failure of the person or persons operating the equipment described herein or servicing or repairing the same to observe all operating and safety procedures and warnings contained herein.

Trademarks

A.B.Dick is a registered trademark of A.B.Dick Company.

FCC Warning *(FCC Rules apply to U.S.A. only.)*

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

2-COLOR SMALL OFFSET PRESS

ABDICK® 9985

PARTS LIST

NOTICE

THIS MANUAL CONTAINS CONFIDENTIAL, PROPRIETARY AND NON-PUBLIC INFORMATION OF ITEK GRAPHIX CORP. DUPLICATION OR REPRODUCTION (IN WHOLE OR IN PART) OF THIS MANUAL OR DISCLOSURE HEREOF TO UNAUTHORIZED PERSONS WITHOUT THE PRIOR WRITTEN CONSENT OF ITEK GRAPHIX CORP. IS PROHIBITED.

PREFACE

Thank you for purchasing our offset press.

AWARNING

Never replace any parts other than the consumables shown in the machine operation edition "4-5 Supplies" in the operation manual. The replacement should be done by a service technician who has special knowledge and technical expertise through training, so consult the dealer who you purchased the machine from.

—

1

5

+

1



—

—

5

How to use the parts list

1. Section number

This parts list is divided into machine sections and each section has a number.

(Example) Section number

5340Z 230


The section number

The machine model number


* This number includes both the machine model number and the section number.

2. How to use the parts list


1) To find the part number(when ordering the part)



2) To find the section number and the position identification number of the part in the illustration when knowing the part number



To find the section number and the position identification number use the part number index at the end of this manual




Section No.	セクション名	Section name	Page
	< sy KS >	<Bed section>	
5340Z 110	'Zy 7 1, —IN	Bed frame	8
5340Z 170	;tt :J itreff	Pump piping	12
	<MASI>	<Main section>	
5340Z 210	X 1 1114Att.	1st cylinder pressure	16
5340 Z 220	X 2 gRAtt	2nd cylinder pressure	20
5340Z 230	EEIR	Impression cylinder	24
5340 Z 240	X 1 '1-kglq	1st blanket cylinder	28
5340 Z 245	X 2 AM	2nd blanket cylinder	32
5340 Z 250	lgt	Main drive	36
5340 Z 260	/3 A	Cam shaft	38
5340Z 290	*11171 ~1k	Main frame	40
	<MIMS>	<Feeder section>	
5340Z 310	Mgt'	Paper feed table	42
5340Z 312	Tattlekt	Multi-size paper pile board	44
5340Z 315	7-r —Y-7 1-1.,.	Feeder frame	46
5340Z 320	/'-A' —jj'—{ I.z'	Paper guide	48
5340Z 330	"< >WM	Suction drive	52
5340Z 350	74 — K D —5—	Feed roller	56
5340 Z 355	7 4 —Y-7tt — It	Feeder board	60
5340 Z 360	' —g-4:~j~--: > 9 :./	Paper insertion	66
5340Z 365	74 —Y—K 3L.	Feeder drum	70
5340Z 370	4t#41445*	Paper feed table lifting	74
5340Z 380	i \ -f 1- > 1- I:1—A; 74 — K Lig—	Height control bar, Feed lever	78
	<-f :i.t-, *31>	<Ink, Water section>	
5340Z 510	-f -'47 L'-1	Ink frame	82
5340Z 511	4 :it.771' > i>	Ink fountain	84
5340Z 512	t:/ 1, - 1 4 ://sp-7—	Oscillating roller	88
5340Z 513	4 :it.t ./L,--7-4 >Y1=I —5—	Ink oscillating roller	92
5340Z 514	-f > t. 7 t —.A I71-7 —	Ink from roller	96
5340Z 520	tM Lii \.—	Operation lever	100
5340 Z 530	7.1(72t> 7 :i1=1 —5—	Water fountain roller	104
5340Z 535	*7 71- —L. I:1— 7 —	Water form roller	108
5340Z 540	ligg9	Plate cylinder	112


Section No.		Section name	Page
	<'ER 611	<Electrical section>	
5340Z 611	mat _{sy}	Control box	116
5340Z 614	it/mint (1) *III*M	Sub control box (1) Single phase for U.S.A. and Canada	118
5340Z 615	7\$!O _{ffsy} (2) zt OWN	Sub control box (2) Single phase for Europe	120
5340Z 616	7\$007ttv (3)	Sub control box (3) Single phase except U.S.A , Canada, and Europe	122
5340Z 618	4!74!07ff (4) E-44E1	Sub control box (4) Three phase	124
5340Z 620		Operation panel	126
5340Z 630	WM%135 2	Static eliminator	128
	MAIRf413>	<Accessories section>	
5340Z 650	17J X8	Accessories	130
5340Z 652		Work organizer	132
	<WEIIS>	<Lubrication section>	
5340Z 655	it (OPS)	Lubrication (OPS)	134
5340Z 656	(NOPS)	Lubrication (NOPS)	136
	■Of<	<Cover section, etc.>	
5340Z 680		Tape inserter	138
5340Z 710	(OPS)	Cover (OPS)	140
5340Z 720	(NOPS)	Cover (NOPS)	144
5340Z 750	1	1st safety cover	148
5340Z 751		2nd safety cover	152
5340Z 755		Safety bar	154
5340Z 820	75>5 v1-53L4F	1st blanket cleaning	156
5340Z 825	Z277:i 7-y[-*If	2nd blanket cleaning	160
5340Z 828		Blanket cleaning drive	164
5340Z 830		Powder spray device	168
5340Z 840		Register punch	170
		<Chain delivery section>	
5340Z 860	7 (CD)	Frame (CD)	172
5340Z 870	, ttth (CD)	Drive, Driven shafts (CD)	174
5340Z 872	. .x-->Y ¹) :.)/ — (CD)	Chain gripper (CD)	178
5340Z 880	■-7/L*(CD)	Paper delivery table (CD)	180
5340Z 890	-Et±ifgge (CD)	Stand lifting drive (CD)	184
5340Z 892	Ft'-f F (CD)	Side guide (CD)	188
5340Z 895	A'v t ⁴ . (CD)	Back guide (CD)	192
	<611A1*- 31 >	<Part number index>	

BED FRAME


SECTION



Machine model No. 5340Z



fa 41F 4filii Operation side



ameoli Non operation side

BED FRAME

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	- 7 a t 9 / SET Na PART Na	SNA# / Mdt 91	COMPONENT PARTS	ip ART NAME a	MR CrY
1	5340 61 461	F5DA/JA".-		TRANSFORMER COVER	1
2	9642061414	J1"3	M6X14	SMALL PAN-HEAD SCREW M6X14	
3	9710060008	WNVP' / J"	M6	SPRING WASHER M6	4 I
4	9716060014	t5 b"	M6	PLAIN WASHER M6	4
5	98705051	F5DA DRB-12UL		TRANSFORMER DRB-12UL	1
6	5330 13 111-1	7"55")f.		BRACKET	8
7	9670102008	9"F*Nid.	M10X20	HEXAGON SOCKET BOLT M10X20	32
8	5290 14 120	D"1".941"-A		JACK BASE	6
9	9660100014	tvh M10		HEXAGON NUT M10	16
10	5340 11 110-3	1"VF"		BED	1
11	95101001-1	T-9-	1.5KW 3PH	MOTOR 1.5KW 3PH	1
		7\$9h.ht9"		U.S.A..CANADA	
11	97038-1	T-9-	1.5KW 3PH 200V	MOTOR 1.5KW 3PH 200V	1
12	9716080014	t5 13"	M8	PLAIN WASHER M8	4
13	9710080008	A"VP`h"	M8	SPRING WASHER M8	4
14	9672081614	WA797NNI/1-	M8X16	HEXAGON HEAD BOLT M8X16	4
15	5340 15 111	7 ⁰ -a-		PULLEY	1
17	9684060608	f)t f)'	M6X6	SET SCREW M6X6	2
18	5340 15 112	MI"-		COVER	1
19	9710050014	A "h"	M5	SPRING WASHER M5	15
20	9642051014	J1"Dv.)"	M5X10	SMALL PAN-HEAD SCREW M5X10	19
21	9672104514	c0h9404,h	M10X45	HEXAGON HEAD BOLT M10X45	6
22	9710100008	j"1	M10	SPRING WASHER M10	10
23	9672102514	ovh9VIDF	M10X25	HEXAGON HEAD BOLT M10X25	8
24	5330 11 181	7 ⁰ D-F		PLATE	4
25	5340 11 170-1	7(-9'-1"F"		FEEDER BED	1
26	5340 11 151	hA"-		COVER	1
27	5340 61 151-2	7"5"1.		BRACKET	1
28	95103006	1(DA"-9 FR-Z024-1.5K		INVERTER FR-Z024-1.5K	1
28	95103010	1ID1\"-9 FR-Z024-1.5K		INVERTER FR-Z024-1.5K UL	1
		7\$q1Jfh19"		U.S.A..CANADA	
28	95103011	1(DA"-9 FR-A220-1.5K		INVERTER FR-A220-1.5K	1
		CED3r,		FOR CE SPEC.	
29	5341 61 154-1	bV-		COVER	
29	5341 61 155	hA'-		COVER	1
		CED3r)		FOR CE SPEC.	
30	9670061208	9"FliNDF	M6X12	HEXAGON SOCKET BOLT M6X12	4
31	9670041608	VVF7liNDF	M4X16	HEXAGON SOCKET BOLT M4X16	4
34	99953-1	77) SP101A-1123HBT		FAN SP101A-1123HBT	1
35	9710030008	A"V/"V*	M3	SPRING WASHER M3	4
36	9642031414		M3X14	SMALL PAN-HEAD SCREW M3X14	4
37	9710050008	A"V/" / 3"4	M5	SPRING WASHER M5	2
38	5340 61 423	7""VF		BRACKET	1
39	5340 11 113	7"57VF		BRACKET	1
		Y\$9b.ht9'		U.S.A..CANADA	
39	5340 11 114	7"5;vh		BRACKET	1
		CED2')		FOR CE SPEC.	
40	95147	7"VD2 SR-7W-2		BUSHING SR-7W-2	
		7Plbfht9'		U.S.A..CANADA	
40	98899	7"VD/ SR-6P3-5		BUSHING SR-6P3-5	1
		CED3')		FOR CE SPEC.	
41	9670051008		M5X10	HEXAGON SOCKET BOLT M5X10	2
		7\$9h.ht9'		U.S.A..CANADA	
42	99776	i1'A"71'ld9-	FR-BIF	NOISE FILTER FR-BIF	1
43	9642042014	11"3D"	M4X20	SMALL PAN-HEAD SCREW M4X20	1
44	9710040008	A"V)"13"	M4	SPRING WASHER M4	5
45	9660040014	tVF	M4	HEXAGON NUT M4	5
46	5340 76 001-2	tflial")		OIL PAN	2
47	5340 11 152-1	1A'-		COVER	2

1`"A."71,-L

BED FRAME

SECTION

SECTION NUMBER

5340Z 110

*'gr-³ Au.64 1AMAts6ta15, 50141cattt At4fUr<t o
The dimension of the parts marked with a * differ depending on the press serial
number. when ordering parts, please inform us of the press serial number.

4alln12TNa

SAS#/
4W

COMPONENT PARTS 4:i ART NAME

MR
Q'tr

48 9716100014

t5/"1a4 M10

PLAIN WASHER M10


1 6

49 5344 74 314

4.VD2-9-(7)3()\$-W`D

NUMBER PLATE

1



PUMP PIPING

SECTION

SECTION NUMBER

* 0613d1 41, IctUMAtS. 6tzzo, <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	ti"/AP: a	T ^{Na} Na	4 i	/COMPONENT PARTS	ART NAME	RR ViY
	5290 16 200-4		i7-°:)	7° ASSY	AIR PUMP ASSY	1
				3.7.12.21-27.29-37.52-57.59-62.66.67		
	91100-2			ASSY	AIR PUMP ASSY	
				29.61.62		
1	5340 17 127		t"=-114-7	10X1.7X670	HOSE 10X17X670	1
2	91211		iti-AA"DF"	16	HOSE BAND 16	5
3	5290 34 152-1		:V7°J1,		NIPPLE	2
4	9670052008		Vh'VFVIDF	M5X20	HEXAGON SOCKET BOLT M5X20	2
5	5290 17 120-1		IY-9-ia11)		AIR TERMINAL	1
6	97034		1-9- 750W 200V		MOTOR 750W 200V	1
			/V' ' 200V		3 PHASE 200V	
6	97054		E-- SCL-KR 550W		MOTOR SCL-KR 550W	1
			9D9')	200V.208V.220V	1 PHASE 200V.208V.220V	
7	5290 16 311				BOTTLE	2
8	90904			5X5X28	KEY 5X5X28	1
					1 PHASE	
8	90906		A1'N9-	6X6X36	KEY 6X6X36	
					3 PHASE	
9	9710050008		)	1" M5	SPRING WASHER M5	7
10	9642051014		J1"D.D"	M5X10	SMALL PAN-.HEAD SCREW M5X10	1
11	9672051214		oVh9V10.	M5X12	HEXAGON HEAD BOLT M5X12	4
12	9664050014		far)tvf	M5	WING NUT M5	2
13	9710060008		vv/"13"	M6	SPRING WASHER M6	4
14	9716060014		t5iPh"4	M6	PLAIN WASHER M6	4
15	5290 17 113		A"11,7"		VALVE	1
16	9684061608		F E)"	M6X16	SET SCREW M6X16	2
18	5330 16 112-2		7°-1-		PULLEY	1
			9)9')	60HZ	1 PHASE 60HZ	
18	5340 16 111-1		T°-u-		PULLEY	1
			ID9')	60HZ	3 PHASE 60HZ	
18	5340 16 112-1		7°-u-		PULLEY	1
			/D9')	50HZ	3 PHASE 50HZ	
18	5340 16 113-1		7°-9-		PULLEY	1
				50HZ	1 PHASE 50HZ	
19	90101			A-35	V-BELT A-35	1
				60HZ	60HZ	
19	90102		Vh"11/F	A-36	V-BELT A-36	1
				50HZ	50HZ	
20	5340 17 113		A N°-iL		SPACER	2
21	5290 16 315		9VD1-		WASHER	2
22	5290 16 313		71(11/9-		FILTER	2
23	91240		=V7°III	3/4"	NIPPLE 3/4"	5
24	91233		i114"	3/4"	ELBOW 3/4"	1
25	5290 16 316				SCREW	2
26	5290 16 314		A7°99"		SPRING	2
27	5290 16 312		Ac" :i		PACKING	2
28	9672081614		oVh9V114-	M8X16	HEXAGON HEAD BOLT M8X16	4
29	5290 16 215-1		I7-°D7°		AIR PUMP	1
30	91237		zV7°11,	1/8"	NIPPLE 1/8"	1
31	91236		IWIi"	1/8"	ELBOW 1/8"	1
32	5290 16 411		n0-00		PIPE	1
33	5290 16 418		TN°Vt.		BRACKET	1
34	5290 16 417		7°5TVf		BRACKET	1
35	91234		ill4"	3/4"	ELBOW 3/4"	1
36	5290 16 212		+1V7°		CAP	2
37	91231		7°VD2	3/4"x3/8"	BUSHING 3/4"x3/8"	2
38	5340 17 123		D"Ghpit-A	9X15X580	HOSE 9X15X580	2
39	9410301608		A7°1:)9"t°)	3X16	SPRING PIN 3X16	2
40	5340 17 114		7t°7)1.4,		SPINDLE	1

\$°)7° A-03D

PUMP PIPING

セクション
SECTION

セクション番号

SECTION NUMBER

5340Z 170

* 7 Attstat icfabints6k6sitZlitzuett.AWUr<Mto
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	si3 g -g-	SET PART Na	SAVt/ 4kOZ*-4/ COMPONENT PARTS	PART NAME	Q'ty
41	5340 16 421	t".7.-Wh-A	15X22X1000	HOSE 15X22X1000	1
42	9642055014	t D D"	M5X50	SMALL PAN-HEAD SCREW M5X50	6
43	9650052014	711)5D D"	M5X20	SCREW M5X20	2
44	5300 12 224	70 ₁ -F		PLATE	2
45	5310 17.117-1	V7Z(5 ^o -99"1,-)		KNOB(DARK GRAY)	2
46	5300 17 116	hAN-		COVER	2
47	5290 17 115	77° 1D2"		SPRING	2
48	5340 17 112	At°Dh"lti		SPINDLE	1
49	91213	74-AA":)h" 19		HOSE BAND 19	2
50	5290 17 111	ANIO'N		VALVE	1
51	5290 17 119	95D7°		CLAMP	3
52	91251	t1r1l/1V7° 6		OIL CUP 6	1
53	5290 16 412-1	4tV7°		CAP	1
54	90502	0-1W" P-46		O-RING P-46	1
55	91150	■ll,		WICK	1
56	5290 16 414	li"hliti		BOTTLE	1
57	5290 16 413	tVF		NUT	1
58	5340 16 423	t"=-1 4-A 10X17X800		HOSE 10X17X800	1
59	91232	T-illfili" 3/4"		T-TYPE ELBOW 3/4"	1
60	91200	Ai-A:V7°11, P13/4"		HOSE NIPPLE PT3/4"	1
61	5290 16 226	70 ₉ -		PULLEY	1
62	9670081608	"Vf\$Nlit. M8X16		HEXAGON SOCKET BOLT M8X16	1
63	5340 17 125	D"LhAi-A 9X15X370		HOSE 9X15X370	2
64	5330 16 422	t"=-11fili-A 10X17X1000		HOSE 10X17X1000	1
65	9660060014	tVt M6		HEXAGON NUT M6	1
66	5290 16 416-1	/ANL/		NOZZLE	1
67	5290 16 419	711L'9-		FILTER	1

9"(1 h'")-fb

1ST CYLINDER PRESSURE


セクション

SECTION

t9:>4

SECTION NUMBER

5340Z 210



1 ST CYLINDER PRESSURE

SECTION

SECTION NUMBER

*v—onau.fatiztUMAYs6k6,ist3MITAtatAML c<MO.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	ALW/PART Na	81ru #/ ftt-W/COMPONENT	ART NAME	fitc Qty
5340 21 120Z	DA"- ASSY	LEVER ASSY	1	
	24,28			
5340 21 140Z	DA"- ASSY	LEVER ASSY	1	
	75,78			
5340 21 180	3i)1-fD"9 ASSY	ADJUSTMENT SHAFT ASSY	1	
	5-9,13			
5340 21 520Z	DA"- ASSY	LEVER ASSY	1	
	28,74			
5340 21 550Z-2	DA"- ASSY	LEVER ASSY	1	
	78,87			
5340 21 560	3r)t(t) ASSY	ADJUSTMENT PIN ASSY		
	14,18,102			
5340 21 570	D1'7h ASSY	SHAFT ASSY	1	
	94,95,105,106			
5340 21 630	D1'7h ASSY	SHAFT ASSY	1	
	7,13,114-116			
1 5340 21 191	A-11,	SCALE	1	
2 5290 22 318	f.)"	SCREW	1	
3 5300 22 317	70... F	PLATE	1	
4 5310 22 313-1	9" O11 (9"-99"D-)	DIAL(DARK GRAY)	1	
5 5340 21 182	hL	CAM	1	
6 9410302008	A7 °1)9"t) 3X20	SPRING PIN 3X20	1	
7 9410301608	A7 °1)9"t) 3X16	SPRING PIN 3X16	3	
8 5340 21 181	D1'7F	SHAFT	1	
9 9410302508	A7 U)9"t) 3X25	SPRING PIN 3X25	1	
10 9642040414	1" 1"3D" M4X4	SMALL PAN-HEAD SCREW M4X4	2	
11 9710040008	A"VI"h"* M4	SPRING WASHER M4	6	
12 5340 21 175	A7 U)9"	SPRING	2	
13 5340 21 183	5ivt-	RATCHET	2	
14 9660080014	tVF M8	HEXAGON NUT M8	8	
15 5321 22 121	\$"11,F	BOLT	2	
16 9684040408	1- E," M4X4	SET SCREW M4X4	1	
17 5290 37 433	A",),'	SPRING STUD	1	
18 9410301208	A7 °1)9"t) 3X12	SPRING PIN 3X12	1	
19 9710080008	A h"* M8	SPRING WASHER M8	5	
20 5340 21 131	1*	THRUSTER	1	
21 9684050508	F D" M5X5	SET SCREW M5X5	10	
22 5330 52 492	h)(h5-	LOCK COLLAR	4	
23 9721100008	E-1)9" E-10	E-RING E-10	5	
24 5340 21 120	JJGDA"-	CAM LEVER	1	
25 9670062508	M'YFAi"1bh M6X25	HEXAGON SOCKET BOLT M6X25	2	
26 5340 21 174	7"5hVF	BRACKET	1	
27 5340 21 130	3')t-ft)	ADJUSTMENT PIN	2	
28 5290 21 612	7"VD2	BUSHING	2	
29 9670052008	9 1/7ti 11,1- M5X20	HEXAGON SOCKET BOLT M5X20	6	
30 5340 21 112	A9VF"	STUD	1	
31 9410502008	A7 °9)9"t) 5X20	SPRING PIN 5X20	2	
32 9721120008	E-1)9" E-12	E-RING E-12	2	
33 5340 21 173	7-t	ARM	1	
34 5340 21 172	t0 F	PIN	1	
35 5290 33 451-1	77 °1)9"	SPRING	2	
36 5290 21 161	*1LT	SPRING STUD	2	
37 5340 21 171	A9VF"	STUD	1	
38 9710120008	A"V,"/J" M12	SPRING WASHER M12	2	
39 9660120014	tVF M12	HEXAGON NUT M12	2	
40 5300 59 565-1	A7 °1)9"	SPRING	4	
41 5290 41 114-1	A"VJ	SPRING STUD	1	
42 9721040008	E-1)9" E-4	E-RING E-4	6	
43 5300 56 088	A7 °1)9"	SPRING	4	

9"-(1 F")-(D

1ST CYLINDER PRESSURE

SECTION

SECTION NUMBER 5340Z 210

*v-"):au,at: 14bixtsvz..?6,axiwzaatimgur<A: 0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	1r71-t9 g13 Pa t W	/SET PART	Na	SOA#/ */COMPONENT	PARTS	ART NAME	qific Wry
44	5340	21 111		9)9		LINK	1
45	5310	52 293		*"A		BOSS	1
46	9721070008			E-9)9" E-7		E-RING E-7	11
47	5340	21 210		9D9		LINK	1
48	90628			7tV7q1:°) SSP-4		SNAP PIN SSP-4	2
49	5300	33 561-2		I:°)		PIN	1
50	91710001			A #0-,-		SPACER	2
52	5340	21 133		*"A		BOSS	2
53	5310	52 292		A9)1"		STUD	1
54	5340	21 144		*"A		BOSS	1
55	5340	21 145		9)9		LINK	1
56	9670041208			V"hellif M4X12		HEXAGON SOCKET BOLT M4X12	4
57	97632-1			VDJ-(F" AS-05N AC115V		SOLENOID AS-05N AC115V	1
58	5330	57 151		7"5 ·Vh		BRACKET	1
59	9660040014			tVIs M4		HEXAGON NUT M4	4
60	9670061208			VhVF*Nlits M6X12		HEXAGON SOCKET BOLT M6X12	8
61	5340	21 154-1		9)9		LINK	3
62	90692			/5A" L10		CONED DISC SPRING L10	4
63	5340	21 152		I:°)		PIN	2
64	9670103008			VhVFellit- M10X30		HEXAGON SOCKET BOLT M10X30	1
65	5340	21 160		7-t		ARM	1
66	9670062008			VVF*"11)F M6X20		HEXAGON SOCKET BOLT M6X20	4
67	5340	21 143		MI"-		COVER	1
68	5290	29 412		bLo-5-t1(9)		CAM ROLLER INNER RING	4
69	5340	21 148		9)9		LINK	1
70	5340	21 151		9D9		LINK	3
71	9670065508			V *"11)F M6X55		HEXAGON SOCKET BOLT M6X55	2
72	5340	21 147		AFVA°-		STOPPER	1
73	5340	21 540		V't		THRUSTER	1
74	5340	21 520		DA"-		LEVER	1
75	5340	21 140		DA"-		LEVER	1
76	5340	21 511		A9VF"		STUD	1
77	5340	21 146		AFVA°-		STOPPER	1
78	5290	26 112		7"VD2		BUSHING	2
79	9670063508			VhV1-*"IbF M6X35		HEXAGON SOCKET BOLT M6X35	4
80	5330	21 664		AFVA°-		STOPPER	1
81	5340	21 134-1		A9'9h"		STUD	1
82	9710100008			A""""h" M10		SPRING WASHER M10	4
83	9660100014			tVF M10		HEXAGON NUT M10	4
84	5290	52 244		A"VJh'		SPRING STUD	2
86	5330	21 662		hA"-		COVER	1
87	5340	21 550-2		DA"-		LEVER	1
88	5340	21 562-2		A9V1"		STUD	1
89	5340	21 563		AhVA°-		STOPPER	1
90	5340	21 840		DA"-		LEVER	1
91	5340	21 842		A9VF"		STUD	1
92	5340	21 564		9)9		LINK	1
94	5340	21 580		7-G		ARM	1
95	9411503600			5-A°-1:°) 5X36		TAPER PIN 5X36	2
97	5290	54 325		A7°9)9"		SPRING	1
98	5340	21 830-1		9)9		LINK	1
100	5340	21 850-1		9)9		ARM	1
101	5340	21 841		A9VF"		STUD	1
102	5340	21 561		t°P		PIN	1
103	5340	21 572		hA"-		COVER	2
104	90319			*"-11,1"79)9" 6203ZZ		BALL BEARING 6203ZZ	2
105	5340	21 571		D1·7F		SHAFT	1
106	5340	21 590		Y-L		ARM	1
107	5290	33 454		A" n'		SPRING STUD	1

1ST CYLINDER PRESSURE

SECTION

I ON NUMBEK

Itv - 045ausat il4biAts6A:7b, Z4ictiatAMU~c<Et).
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	ig	t	-V	Ma	smn/	PART	COMPONENT	PARTS	PART NAME	Wty
Na	ig	t	-V	Ma	smn/	PART	COMPONENT	PARTS	PART NAME	Wty
108	5290	21	142		A"*n'				SPRING STUD	1
109	5340	21	610		7-L				ARM	1
110	5340	21	621		A9VF"				STUD	1
111	5340	21	633						SCALE	1
112	5340	21	640						PLATE	1
113	5340	21	622						BRACKET	1
114	5340	21	631-1		Dt7F				SHAFT	1
115	9410303008				A701jp9t0:-, 3X30				SPRING PIN 3X30	1
116	5340	21	632-1		hL				CAM	1
117	5300	54	152		7"VD2				BUSHING	1
118	5290	37	123		7"VD2				BUSHING	1
119	5340	21	220		7-L				ARM	1
120	5340	21	891						COVER	1
122	9716040014				t5/'/J" M4				PLAIN WASHER M4	2
123	9410503208				°9.'9"t°D 5X32				SPRING PIN 5X32	2
124	9715060014				t5/'/h" M6				PLAIN WASHER M6	2

9"-f2 1-")1(1)

2ND CYLINDER PRESSURE


セクション

SECTION

セクション番号

SECTION NUMBER

5340Z 220



2ND CYLINDER PRESSURE

SECTION

SECTION NUMBER ' -

*v-“AmusfatztztAbints6k6sitZtli731MtAihlit;“

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	F tlg / SET Na 413 At-91 PART Na	45MA / WAtg ICOMPONENT PARTS	PART NAME	gR VrY
	5340 21 180	3 "9 ASSY	ADJUSTMENT SHAFT ASSY	1
		24,25,50-53		
	5340 21 520Z	W- ASSY	LEVER ASSY	1
		95,99		
	5340 21 530Z	1/fi"- ASSY	LEVER ASSY	1
		94,95		
	5340 21 560	I3')11t'D ASSY	ADJUSTMENT PIN ASSY	1
		11,37,39		
	5340 21 630	Dt7F ASSY	SHAFT ASSY	1
		24-27,33		
	5340 21 730Z	W- ASSY	LEVER ASSY	1
		76,77		
	5340 21 760Z-1	DV- ASSY	LEVER ASSY	1
		77,89		
	5340 21 770	D171- ASSY	SHAFT ASSY	1
		28,32,38,91		
1	9721070008	E-97)9N' E-7	E-RING E-7	11
2	5340 21 151	UD9	LINK	3
3	5290 33 451-1	AT'''JD9'	SPRING	2
4	5290 21 142		SPRING STUD	1
5	5290 33 454		SPRING STUD	1
6	9721120008	E.-T.)9" E-12	E-RING E-12	2
7	5340 21 790	7-L	ARM	1
8	5340 21 621	A9Vh"	STUD	1
9	9710120008	A "h" M12	SPRING WASHER M12	2
10	9660120014	fVF M12	HEXAGON NUT M12	2
11	9660080014	tVt. M8	HEXAGON NUT M8	8
12	9710080008	A h" M8	SPRING WASHER M8	5
13	5340 21 564	9D9	LINK	1
14	90692	/5A' L10	CONED DISC SPRING L10	4
15	5340 21 152	to p	PIN	2
16	5340 21 633	A-Ji)	SCALE	1
17	5340 21 640		PLATE	1
18	9684050508	M5X5	SET SCREW M5X5	10
19	9642040414	t'N'Th)" M4X4	SMALL PAN-HEAD SCREW M4X4	2
20	9710040008	A"V/"JJ" M4	SPRING WASHER M4	6
21	5340 21 175	A7° U)9"	SPRING	2
22	5340 21 622	7"5hVF	BRACKET	1
23	9670063508	Vh FAINDF M6X35	HEXAGON SOCKET BOLT M6X35	4
24	5340 21 183	"IV17	RATCHET	2
25	9410301608	A7° 9D9't°) 3X16	SPRING PIN 3X16	3
26	5340 21 631-1	Dt7F	SHAFT	1
27	5340 21 632-1	hL	CAM	1
28	9411503600	5-A° -b°D 5X36	TAPER PIN 5X36	2
29	9670061208	Vh'VF*"11,1- M6X12	HEXAGON SOCKET BOLT M6X12	8
30	5340 21 572	hV-	COVER	2
31	90319	li"-V1"7'1:)9" 6203ZZ	BALL BEARING 6203ZZ	2
32	5340 21 771	Dt7F	SHAFT	1
33	9410303008	77°1)9't'D 3X30	SPRING PIN 3X30	1
35	5340 21 154-1	9D9	LINK	3
36	9721100008	E-UD9" E-10	E-RING E-10	5
37	9410301208	A7°"W""t° D 3X12	SPRING PIN 3X12	1
38	5340 21 780	Y-L	ARM	1
39	5340 21 561	to p	PIN	1
40	5340 21 148	9D9	LINK	1
41	9670103008	Vh'VfV10- M10X30	HEXAGON SOCKET BOLT M10X30	1
42	5340 21 740	7-L	ARM	1
43	5340 21 830-1	9.7)9	LINK	1
44	5340 21 860-1	W-	LEVER	1

9"-f2 h",-(D

F/:/
SECTION3 /:
SECTION NUMBER

5340Z 220

2ND CYLINDER PRESSURE

*v-03\$0.41,atz....7abints6k6sttViivAtatitMUT<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	05 a 4'4/	SET Na P AR T Na	60A#/ MA*-9/	COMPONENT PARTS &	ART NAME	Q'ty
45	5340	21 871	A9VF"		STUD	1
46	5340	21 191	A-II)		SCALE.	1
47	5290	22 318	;) "		SCREW	
48	5300	22 317	70 11-1,		PLATE	1
49	5310	22. 313-1	9"11'\$(9"-99"D-)		DIAL(DARK GRAY)	1
50-	5340	21 182	bG		CAM	1
51	9410302008		A7°9D9"t°) 3X20		SPRING PIN 3X20	1
52	5340	21 181	D1'7F		SHAFT	1
53	9410302508		A7°9 "t°:.) 3X25		SPRING PIN 3X25	1
54	9670062508		9V1s*"bh M6X25		HEXAGON SOCKET BOLT M6X25	2
55	5340	21 174	7""VF		BRACKET	1
56	5340	21 172	t°p		PIN	1
57	5340	21 173	Y-L		ARM	1
58	9684040408		h)t D" M4X4		SET SCREW M4X4	1
59	5321	22 121	*NH'		BOLT	3
60	5340	21 171	A9vh"		STUD	1
61	5300	59 565-1	77°1D9"		SPRING	4
62	5290	52 244	A"bh'		SPRING STUD	2
63	5290	54 325	A7°9.)9"		SPRING	1
64	9721040008		E-1D9" E-4		E-RING E-4	6
65	5330	21 664	AFVA°-		STOPPER	1
66	5340	21 880-1	7-L		ARM	1
67	5340	21 841	A9vh"		STUD	1
68	9710100008		A"V,"b" M10		SPRING WASHER M10	3
69	9660100014		tvh M10		HEXAGON NUT M10	3
70	9670062008		9h'vF*"11/F M6X20		HEXAGON SOCKET BOLT M6X20	4
71	5340	21 143	1 A"-		COVER	1
72	5290	29 412	bLo-5-t1r9)		CAM ROLLER INNER RING	4
73	9410502008		A7°97)9"t°D 5X20		SPRING PIN 5X20	2
74	5290	37 433	A"v3h'		SPRING STUD	1
75	5290	21 161	A"hh		SPRING STUD	2
76	5340	21 730	DA"-		LEVER	1
77	5290	26 112	7"VD/		BUSHING	2
78	9670065508		vh'vh*"11,1' M6X55		HEXAGON SOCKET BOLT M6X55	2
79	5340	21 147	AFVA°-		STOPPER	1
80	5340	21 134-1	A9VF"		STUD	1
82	5330	21 662	1 A"-		COVER	1
83	5340	21 563	AFVA°-		STOPPER	1
84	5340	21 144	*"A		BOSS	1
85	5340	21 145	97)9		LINK	1
86	5330	52 492	h\$1j5-		LOCK COLLAR	4
87	5300	56 088	A7°9D9"		SPRING	4
88	5340	21 562-2	A9V1"		STUD	1
89	5340	21 760-1	DA"-		LEVER	1
90	5340	21 133	*"A		BOSS	2
91	5340	21 590	7-L		ARM	1
92	5340	21 146	AFVA°-		STOPPER	1
93	5340	21 130	't-ft°D		ADJUSTMENT PIN	2
94	5340	21 530	bLDA"-		CAM LEVER	1
95	5290	21 612	7"VD/		BUSHING	2
96	9670051608		9h'91: *10. M5X16		HEXAGON SOCKET BOLT M5X16	3
97	5340	21 751	A9VF"		STUD	1
98	5340	21 131	VI'		THRUSTER	1
99	5340	21 520	DA"-		LEVER	1
100	9670052008		9,vh*"11,h M5X20		HEXAGON SOCKET BOLT M5X20	3
101	5340	21 112	A9vh"		STUD	1
102	5290	41 114-1	A"*/),		SPRING STUD	1
103	9670041008		v"h*"11/F M4X10		HEXAGON SOCKET BOLT M4X10	4
104	97630-1		9DI-fh" AS-05N AC115V		SOLENOID AS-05N AC115V	1

2ND CYLINDER PRESSURE

SECTION

OE\,111J1N 14 UMDZIC

*-q—opsau,atciz-riAmxtstz.bsistz4izuatkilaut<mo.
The dimension of the parts marked with a 30 differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	-t71-t9 /SET Na 0 - /PART Na	niPaZit/ 1 i - /COMPONENT PARTS g	ART NAME	MR Wty
105	90628	AtV7°t°D SSP-4	SNAP PIN SSP-4	2
106	91710001	AN0_4_	SPACER	2
107	5340 21 721	JD9	LINK	1
108	5300 33 561-2	Lc')	PIN	1
109	5340 21 210	JD9	LINK	1
110	5340 21 540	"t'	THRUSTER	1
111	9660040014	1")t- M4	HEXAGON NUT M4	4
112	5330 57 151	7'5i')F	BRACKET	1
113	5310 52 293	VA	BOSS	1
114	5340 21 710	7-L	ARM	1
115	5310 52 292	A9Vh"	STUD	1
116	5290 37 123	7)D2	BUSHING	1
117	5300 54 152	7"VD/	BUSHING	1
118	9410503208	A7°hD9't°D 5X32	SPRING PIN 5X32	2
119	9715060014	ti h" M6	PLAIN WASHER M6	2


TV F")

IMPRESSION CYLINDER

セクション
SECTION

セクション番号
SECTION NUMBER

5340Z 230



IMPRESSION CYLINDER

SECTION

SECTION NUMBER

*7- 0-Att,ttl iz: TIUMAYs64:6,i2t3Z4imUIttAMUT<Afo,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	tv i:tv AIS PDF	41- /SET PART Na	SM#/ WT/COMPONENT PARTS	g ART NAME	MR Q'tv
	5340	23 110Z-3	7V1-") ASSY	IMPRESSION CYLINDER ASSY	1
			5.23		
	5340	23 115Z	AOD":")9" ASSY	HOUSING ASSY	1
			51.52		
	5340	23 117Z	AOD":)7" ASSY	HOUSING ASSY	1
			52.58		
	5340	23 210	Dt7F ASSY	SHAFT ASSY	2
			28.32.33		
	5340	23 231Z	h"(1." ASSY	GUIDE ASSY	2
			30.31		
	5340	23 232Z	7"ov9 ASSY	BLOCK ASSY	2
			38.39		
	5340	23 250	*JO"- ASSY	HOLDER ASSY	4
			5.16		
1	9648030614		/53D" M3X6	SMALL FLUSH HEAD SCREW M3X6	12
2	5340 23 240		V)(	GRIPPER	12
3	5480 23 221		*11,9"-	HOLDER	12
4	90699		Utvh M5	U-NUT M5	12
5	90324036		1-F"w\"79D9"	NEEDLE BEARING HK1516.2RSAS1	8
6	91630		t0D IR12X15X16.5	INNER RING IR12X15X16.5	8
7	5290 29 311			WASHER	4
8	5340 23 237-1		AhVA -	STOPPER	4
9	9670061608		M6X16	HEXAGON SOCKET BOLT M6X16	12
10	5480 23 222		t .D j,%	PIN	12
11	5480 23 223			SPRING	12
12	9410501208		A7 4JD9"t) 5X12	SPRING PIN 5X12	12
13	90179		ov/397tv*F D" M5X8	SET SCREW M5X8	12
14	9670051608		VVF*"11)1' M5X16	HEXAGON SOCKET BOLT M5X16	16
15	5480 23 224-1		1\$0-,-	SUPPORTER	12
16	5340 23 251		*JO"-	HOLDER	4
17	9670062008		"V1-*"11)1- M6X20	HEXAGON SOCKET BOLT M6X20	11
18	9648050814		#53 .)" M5X8	SMALL FLUSH HEAD SCREW M5X8	4
19	5340 75 811-1			COVER	2
20	5290 24 127		,t" i,	BOLT	8
21	5330 23 113			WASHER	8
22	5340 23 112			GEAR	1
23	5340 23 110-3		7yh"o	IMPRESSION CYLINDER	1
25	5340 23 236		70 D-F	PLATE	4
28	5340 23 211		)1'7 I'	SHAFT	
29	9721070008		E-9'9" E-7	E-RING E-7	2
30	5300 45 243		7"VD2	BUSHING	2
31	5340 23 231			GUIDE	2
32	9411502500		T-A0-to D 5X25	TAPER PIN 5X25	2
33	5340 23 220		7-L	ARM	2
34	5290 29 412		bLo-5-t'f9D	CAM ROLLER INNER RING	2
35	5290 29 411		bLo-5-	CAM ROLLER	2
36	5340 23 212		to D	PIN	2
37	5340 23 233		A7"1W"	SPRING	2
38	5340 23 232		7"1:09	BLOCK	2
39	90441		1"(1)AF"5(F 70B-0812	BUSHING 70B-0812	2
40	9660060014		J")F M6	HEXAGON NUT M6	2
41	9710060008		A"*/"h"* M6	SPRING WASHER M6	2
42	9670065008		V"F*A/F M6X50	HEXAGON SOCKET BOLT M6X50	3
43	5340 23 136		70 D-F	PLATE	1
44	5340 23 133		ht	CAM	1
45	5340 23 132		A1°-1-	SPACER	2
46	5340 23 134		tik	CAM	1
47	5340 23 135			CAM	1
48	5340 23 131		*"A	BOSS	1

IMPRESIÓN CYLINDER

SECTION

SECTION NUMBER

*7- 0610t11, 4*7 144b;Als6k6stM114izIlOt A4U℃<ktO.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

M.	471-1-9-/SET Na	S A tiqI PART Na	SRA4/ f1 /COMPONENT PARTS	Na ART NAME	iR wty
49	5340	23 114	D1'7t*	SHAFT	1
50	9670068008		9vh40`11/1' M6X80	HEXAGON SOCKET BOLT M6X80	2
51	5340	23 115	w,d'.7)9"	HOUSING	1
52	91621		iii"-11,1"YUD9" 6207ZZCM	BALL BEARING 6207ZZCM	2
53	5340	23.118	biI"-	COVER	2
54	9670051001		9hv1"lLd. M5X10	HEXAGON SOCKET BOLT M5X10	6
56	5340	23 116-1	II DN`D9 ^L	HOUSING	1
57	9716060014		t5 1" M6	PLAIN WASHER M6	10
58	5340	23 117	7VF' ' 'f\$511,	HOUSING	1
59	5340	23 311	hL	CAM	1
60	5340	23 312	Ay).-,_-	SPACER	2
61	5340	23 238	V\o_#_-	SPACER	8
62	90181		ovh97Jvti5DD" M4X8	SCREW M4X8	8
64	9670063508		9h"91:40'10- M6X35	HEXAGON SOCKET BOLT M6X35	4
65	5340	23 235	1i5-	COLLAR	4
66	91040		9"U-A2V7°11, A7M6X1.0	GREASE NIPPLE A-M6X1.0	8


9" f1 D"O".,

1ST BLANKET CYLINDER

tP:ian
SECTION

セクション番号
SECTION NUMBER

5340Z 240



1 ST BLANKET CYLINDER

SECTION

OV, L. 11 UN NUMISZN.

* ØSNT us at r 1114b⁵Ati iz: ist3ZBiT.umt kAgit < t0o
 The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

№	SET / PART	№	COMPONENT PARTS	ART NAME	MR ty
5322	24 230	957)7	ASSY	CLAMP ASSY	1
		100-103			
5340	24 220	9/V91VF7'5'"F*11/5'-		QUICK SET BLANKET HOLDER ASSY	1
		9.10.27.95			
5340	24 550-1	Dt7F	ASSY	SHAFT ASSY	1
		45.46.48.113.114			
5340	75 820-1	hA'-	ASSY	COVER ASSY	1
		54.104-111			
1	5290 24 253			NUT	1
2	5340 24 213-1	7"57VF		BRACKET	2
3	5310 24 211	Dt7F		SHAFT	2
4	5430 24 125	VA'		NUT	4
5	5430 24 124-1	AiNUF		BOLT	4
6	9670063508		M6X35	HEXAGON SOCKET BOLT M6X35	4
7	9684060608	F\$D'	M6X6	SET SCREW M6X6	7
8	5341 24 214	7""VF		BRACKET	2
9	5340 24 215	7""VF		BRACKET	4
10	9670051001	95.VFAiNIJF	M5X10	HEXAGON SOCKET BOLT M5X10	16
11	5320 24 240	V7E		KNOB	1
12	5290 24 251	A7'9D9"		SPRING	3
13	5290 29 313	9VDt-		WASHER	2
14	9710040008	A "h" M4		SPRING WASHER M4	2
15	9642040814	1'1"3D" M4X8		SMALL PAN-HEAD SCREW M4X8	2
16	9686082008	t-)4D" M8X20		SET SCREW M8X20	4
17	9660080014	tVF M8		HEXAGON NUT M8	4
18	9670084008	9 F7N"IF	M8X40	HEXAGON SOCKET BOLT M8X40	4
19	9410503208	A7 ⁰ 1jp9't ⁰ D	5X32	SPRING PIN 5X32	4
20	5340 24 164-1	7"55'')F		BRACKET	4
21	9642030814	1'1"DD" M3X8		SMALL PAN-HEAD SCREW M3X8	8
22	9710030008	A"V,"13"" M3		SPRING WASHER M3	8
23	5340 24 161	7 ⁰ D-F		PLATE	4
24	5340 24 140	W,D'D2"		HOUSING	1
25	91622	-11)1"YIJD9"	6905ZZCM	BALL BEARING 6905ZZCM	4
26	5340 24 162	hA"-		COVER	2
27	9648051014	1'/53D M5X10		SMALL FLUSH HEAD SCREW M5X10	14
28	91629	A5AFT9D1'-	FTRA6590	THRUST WASHER FTRA6590	4
29	91628	A5AFY\7'1D9"	FNTA6590	THRUST BEARING FNTA6590	2
30	9648051614	1'/5DD" M5X16		SMALL FLUSH HEAD SCREW M5X16	6
31	5340 24 163	hA'-		COVER	2
32	91624	V-11,1"79D9"	6913ZZ	BALL BEARING 6913ZZ	2
33	9670052008		M5X20	HEXAGON SOCKET BOLT M5X20	12
34	5340 24 131-1	W)D'D9"		HOUSING	1
35	9642031614	t1"D M3X16		SMALL PAN-HEAD SCREW M3X16	2
36	5340 24 564	7""VF		BRACKET	1
37	97303	AOf V-15-1C26		SWITCH V-15-1C26	1
38	97380	79f21-9-	VAM21	ACTUATOR VAM21	1
39	5300 21 424	7 ⁰ D-F		PLATE	1
40	98501	MI"-	360010-1	COVER 360010-1	1
42	5340 24 541	7"5""F		BRACKET	1
44	5330 24 341	Ar)D"D2'		HOUSING	1
45	5340 24 344	t=4DV'?		PINION GEAR	1
46	9410301608	A701JD9LOD	3X16	SPRING PIN 3X16	2
47	5330 24 351			DIAL	1
48	9684050508	F)4D' M5X5		SET SCREW M5X5	3
49	5330 24 349-3	V7Z(5'-99'1)-)		KNOB(DARK GRAY)	1
51	5290 35 131-1	;S7'1) 7		SPRING	1
52	9721070008	E-97)9" E-7		E-RING E-7	1
53	5310 33 538-1	V7E(9"-79"D-)		KNOB(DARK GRAY)	1
54	964804101 4	1'/5DD" M4X10		SMALL FLUSH HEAD SCREW M4X10	6

5".11 3"Gh`")

5340Z 240

SECTION

SECTION NUMBER

1ST BLANKET CYLINDER

one, tt, iz:Tnumtz z k il5c[41,:utt4At.4 < to.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	-t71-t-9./SET Na SO,t9-/ PART Na	MA4/ */-/ COMPONENT PARTS	PART NAME Na	MR Crty
55	5340 24 570	A5.(1-"W`D	SLIDE PLATE	1
56	9670061208	VF*Nlif M6X12	HEXAGON SOCKET BOLT M6X12	5
57	5340 24 580-1	7"5tVh	BRACKET	1
58	5340 24 112-1	\$-01"D	NAME PLATE	1
59	90730	A°-1—t`N37 1.6X5	RIVET 1.6X5	2
60	5322 24 271	7"5DhVh(PUN—V9)	BLANKET(PUN TYPE)	1
61	5340 24 124	9VDt-	WASHER	3
62	5330 24 311		GEAR	1
63	5330 24 319-2	4"7*-f-11,	GEAR WHEEL	1
64	9672051214	oV139Vlids M5X12	HEXAGON HEAD BOLT M5X12	2
65	5330 24 321-1	7"1:09	BLOCK	1
66	9648040814	15.3 D" M4X8	SMALL FLUSH HEAD SCREW M4X8	2
67	5330 24 322-1		INDICATOR	1
68	91298	9"q—)7°Ili t13119	GREASE NIPPLE C—TYPE	1
69	90900	4— 5X5X16	KEY 5X5X16	1
70	5330 24 314-1	V`7	GEAR	1
71	90477	A5AF`N"YIJD9" CRT8-16	THRUST BEARING CRT8-16	1
72	5330 24 317	V`7	GEAR	1
74	90700	UtVF M8	U—NUT M8	1
75	5330 24 316-1	7"5,VF	BRACKET	1
76	5330 24 315	4"Y	GEAR	2
77	9410301208	A7'IJD9"t°- 3X12	SPRING PIN 3X12	2
78	5330 24 318	D171-	SHAFT	
79	5330 24 313	7"h")].	BRACKET	1
81	5330 23 113		WASHER	6
82	5340 24 113-1	V`Y	GEAR	1
83	90688	/511" L8	CONED DISC SPRING L8	4
84	5340 24 121	Dt7F	SHAFT	1
85	91623	V`-11PV`71)9" 6909ZZCM	BALL BEARING 6909ZZCM	1
86	5340 24 111-1	D"W",	BLANKET CYLINDER	1
87	5290 23 112	V`7	GEAR	1
88	5290 24 127		BOLT	3
89	91620	t"—VW71D9" 6008ZZCM	BALL BEARING 6008ZZCM	1
90	5340 23 118		COVER	1
91	5340 24 123	h5-	COLLAR	1
92	9670082008	9"1-4iNDF M8X20	HEXAGON SOCKET BOLT M8X20	1
93	5340 24 150	1.)Dp\$911,	ECCENTRIC BUSHING	1
94	5340 24 122		WASHER	1
95	5340 24 221	t/Iht9"	BRACKET	2
96	5340 24 262	7"5D,VF PUN—V9	BLANKET(PUN TYPE)	1
97	5340 24 263	7)9N\—D—F	UNDER SHEET	
98	5340 24 266	7"5ph")h(T=1.95MM)	BLANKET(T=1.95MM)	1
99	5340 24 267	7D9"—D—F	UNDER SHEET	1
100	5322 24 231	95)7°	CLAMP	2
101	5322 24 232	95)7°	CLAMP	2
102	5290 24 233	7`N5D5`Vh1- D"	BLANKET FIXING SCREW	12
103	5290 24 234	7"5')!`!` E"	BLANKET FIXING SCREW	8
104	5340 75 830-1	7"1:09	BLOCK	1
105	5340 75 833-1	7"c09	BLOCK	1
106	5340 75 834-1	t°p	PIN	1
107	5290 38 235	A7°9D9N`	SPRING	1
108	5340 75 821-1	hA"—	COVER	1
109	9410201008	A7°U)9"t°D 2X10	SPRING PIN 2X10	2
110	5340 74 125		NAME PLATE	1
111	9716060014	t.51`Nh" M6.	PLAIN WASHER M6	1
112	5290 24 252	tVF	NUT	1
113	5340 24 590	A-f`"ht	SWITCH CAM	1
114	5340 24 561-1	-(7),D"—9—Dt7t	INDICATER SHAFT	1
115	90644	A1)VPh" A3	TOOTHED LOCK WASHER A3	2


9"-(2 3"Gh")

2ND BLANKET CYLINDER

セクション
SECTION

セクション番号
SECTION NUMBER

5340Z 245



2ND BLANKET CYLINDER

SECTION

t;UTION NUMBEK

* v- ' Ø Li Ot ic'tiAbiAts)6. i UC < tNe
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Nu	AL1-4/SET Na PART Na	SAVIS/ 4 1 /COMPONENT PARTS	PART NAME Na	MR IrrY
	5322 24 230	95D7° ASSY 100-103	CLAMP ASSY	1
	5340 24 220	9C.99tV1.7"5D"Flis5"- 9.10.27.95	QUICK SET BLANKET HOLDER ASSY	1
	5340 24 550-1	D1'7F ASSY 45.46.48.113.114	SHAFT ASSY	1
	5340 75 820-1	hAN'- ASSY 54.104-111	COVER ASSY	1
1	5290 24 253	tVF	NUT	1
2	5340 24 213-1	7"55Vh	BRACKET	2
3	5310 24 211	Dt7F	SHAFT	2
4	5430 24 125	VA'	NUT	4
5	5430 24 124-1	VW.	BOLT	4
6	9670063508	9"FlINDF M6X35	HEXAGON SOCKET BOLT M6X35	4
7	9684060608	1.5D" M6X6	SET SCREW M6X6	7
8	5341 24 214	Z""Vh	BRACKET	2
9	5340 24 215	Z""5"E	BRACKET	4
10	9670051001	97VF40` 11)h M5X10	HEXAGON SOCKET BOLT M5X10	16
11	5320 24 240	V7.i	KNOB	1
12	5290 24 251	A7°9D9"	SPRING	3
13	5290 29 313	9VD1'-	WASHER	2
14	9710040008	A"V/INh" M4	SPRING WASHER M4	2
15	9642040814	J1"3"P` M4X8	SMALL PAN-HEAD SCREW M4X8	2
16	9686082008	1.)(D" M8X20	SET SCREW M8X20	4
17	9660080014	tVF M8	HEXAGON NUT M8	4
18	9670084008	VhiliNDF M8X40	HEXAGON SOCKET BOLT M8X40	4
19	9410503208	A7°9.1)9"t°D 5X32	SPRING PIN 5X32	4
20	5340 24 164-1	T` 591:	BRACKET	4
21	9642030814	J1"Th)" M3X8	SMALL PAN-HEAD SCREW M3X8	8
22	9710030008	A"V/"h" M3	SPRING WASHER M3	8
23	5340 24 161	70 u- h	PLATE	4
24	5340 24 150	1DD);(911,	ECCENTRIC BUSHING	1
25	91622	V-1 7h)9" 6905ZZCM	BALL BEARING 6905ZZCM	4
26	5340 24 162	hil"-	COVER	2
27	9648051014	4.5D D" M5X10	SMALL FLUSH HEAD SCREW M5X10	14
28	91629	A5AFTVDt- FTRA6590	THRUST WASHER FTRA6590	4
29	91628	A57h1"7'17)9" FNTA6590	THRUST BEARING FNTA6590	2
30	9648051614	1/53D" M5X16	SMALL FLUSH HEAD SCREW M5X16	6
31	5340 24 163	hA"-	COVER	2
32	91624	V-1 YUD9" 6913ZZ	BALL BEARING 6913ZZ	2
33	9670052008	9.VhAiNDF M5X20	HEXAGON SOCKET BOLT M5X20	13
34	5340 24 611-3	A)"D"D9"	HOUSING	1
35	9642031614	J1"O!)" M3X16	SMALL PAN-HEAD SCREW M3X16	2
36	5340 24 565	Z""Vh	BRACKET	1
37	97303	A-f" V-15-1C26	SWITCH V-15-1C26	1
38	97380	7° /1-9- VAM21	ACTUATOR VAM21	1
39	5300 21 424	7°U-1.	PLATE	1
40	98501	1 A"- 360010-1	COVER 360010-1	1
42	5340 24 541	Z""Vh	BRACKET	1
44	5330 24 341	W.D"7.9"	HOUSING	1
45	5340 24 344	t°=1:7 "Z	PINION GEAR	1
46	9410301608	77°9D9` Nt°D 3X16	SPRING PIN 3X16	2
47	5330 24 351	5"11'D	DIAL	1
48	9684050508	E D`N M5X5	SET SCREW M5X5	3
49	5330 24 349-3	V7E(9"-99"U-)	KNOB(DARK GRAY)	1
51	5290 35 131-1	A3³ Up9"	SPRING	1
52	9721070008	E-'J 9" E-Z	E-RING E-7	1
53	5310 33 538-1	V7E(5"-99"1,->	KNOB(DARK GRAY)	1
54	9648041014	/53D" M4X10	SMALL FLUSH HEAD SCREW M4X10	6

9"1'2 D'Lh'')

2ND BLANKET CYLINDER

SECTION


SECTION NUMBER

5340Z 245

³Pact.tatz"LizTtabiAU6tab,VeMT.ItatitAL c<kt0,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


N.	fl	SET Na	Na	HAfIc/24V4/	COMPONENT PARTS	PART NAME	MR Q'ty
55	5340	24	620		A5-rh"A"D	SLIDE PLATE	1
56	9670061208				M6X12	HEXAGON SOCKET BOLT M6X12	5
57	5340	24	580=1			BRACKET	1
58	5340	24	112-1		)t-riI"D	NAME PLATE	1
59	90730				A°-1:j-t"2 1.6X5	RIVET 1.6X5	2
60	5322	24	271		7"5DVF(PUN-19)	BLANKET(PUN TYPE)	1
61	5340	24	124			WASHER	3
62	5330	24	311		4:	GEAR	1
63	5330	24	319-2		4:"7*-f-1	GEAR WHEEL	1
64	9672051214				ovh94iNDF M5X12	HEXAGON HEAD BOLT M5X12	2
65	5330	24	321-1		7"c09	BLOCK	1
66	9648040814				#5] .j)"-M4X8	SMALL FLUSH HEAD SCREW M418	2
67	5330	24	322-1		.IDD"5"-9-	INDICATOR	1
68	91298				9"9-A=974). C1 9	GREASE NIPPLE C-TYPE	1
69	90900				4- 5X5X16	KEY 5X5X16	1
70	5330	24	314-1		4"7	GEAR	
71	90477				A5AF1"7'1D9" CRT8 -16	THRUST BEARING CRT8-16	
72	5330	24	317		4"7	GEAR	1
74	90700				UtVh M8	U-NUT M8	1
75	5330	24	316-1		75"1:	BRACKET	1
76	5330	24	315		4"7	GEAR	2
77	9410301208				A70,D,%%t0 D 3X12	SPRING PIN 3X12	2
78	5330	24	318		Dv7h	SHAFT	1
79	5330	24	313		7""vh	BRACKET	1
81	5330	23	113			WASHER	6
82	5340	24	113-1		4"7	GEAR	1
83	90688				/5/1" L8	CONED DISC SPRING L8	4
84	5340	24	121		Dt7t	SHAFT	1
85	91623				*"-1/1"7"JD7 6909ZZCM	BALL BEARING 6909ZZCM	1
86	5340	24	111-1		7"0."")	BLANKET CYLINDER	1
87	5290	23	112		4"7	GEAR	1
88	5290	24	127			BOLT	3
89	91620				*".7711,1"7'1D9." 6008ZZCM	BALL BEARING 6008ZZCM	
90	5340	23	118			COVER	
91	5340	24	123		h5-	COLLAR	1
92	9670082008				M8X20	HEXAGON SOCKET BOLT M8X20	1
93	5340	24	140		w,D"D9"	HOUSING	1
94	5340	24	122		9VDt-	WASHER	
95	5340	24	221		t/Ibt9"	BRACKET	2
96	5340	24	262		7"5D5.Vh PUN-1)"9	BLANKET(PUN TYPE)	1
97	5340	24	263		7D9"-D-F	UNDER SHEET	1
98	5340	24	266		7"5D5.VF(T=1.95MM)	BLANKET(T=1.95MM)	1
99	5340	24	267		7D9"-D-F	UNDER SHEET	1
100	5322	24	231		95D7°	CLAMP	2
101	5322	24	232		95D7°	CLAMP	2
102	5290	24	233		7"5D.5Vhh\$D"	BLANKET FIXING SCREW	12
103	5290	24	234		7"5D5.VI.F)4D"	BLANKET FIXING SCREW	8
104	5340	75	830-1		7"0"	BLOCK	1
105	5340	75	833-1		7"0v9	BLOCK	1
106	5340	75	834-1		t0 D	PIN	
107	5290	38	235		A7o-1JD9"	SPRING	
108	5340	75	821-1			COVER	1
109	9410201008				A70 97,1,%% t0 :) 2X10	SPRING PIN 2X10	2
110	5340	74	125			NAME PLATE	1
111	9716060014				b5,"1)" M6	PLAIN WASHER M6	1
112	5290	24	252		tVh	NUT	1
113	5340	24	590			SWITCH CAM	1
114	5340	24	561-1		1'DD"-9-D1'7.1'	INDICATER SHAFT	1
115	90644				AV4 h" A3	TOOTHED LOCK WASHER A3	2

MAIN DRIVE



CAM SHAFT

SECTION



MAIN DRIVE

SECTION

SECTION NUMBER

5340Z 250

14 v-03 Au.atc ritbiArs6t26.a04ilitatiggiLt ctf o.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	U ⁷¹	SET Na PART Na	SAVt/ 044t/COMPONENT PARTS	PART NAME Na	Qty
	5340	25 110-1	5.):)F"D"9 ASSY	MAIN DRIVE SHAFT ASSY	1
			14-16		
1	9660080014		tVF M8	HEXAGON NUT M8	1
2	9710080008		A", "h" M8	SPRING WASHER M8	
3	5340 25 213			SUPPORTER	1
4	5340 25 215		V1 ⁰ -/-	SPACER	
5	5340 25 212		70-1J-	PULLEY	1
6	90211		-1/1"717)9" 6202ZZ	BALL BEARING 6202ZZ	1
7	9723350008		C-17)9" C-35	C-RING C-35	
8	5340 25 214		A9V1--",	STUD	
9	90072		1/1"0 3V 670	V-BELT 3V 670	1
10	5290 23 113		9VDt-	WASHER	2
11	9670061208		M6X12	HEXAGON SOCKET BOLT M6X12	4
12	5290 25 114		hfl"-	COVER	2
13	90207		t"-1 Y17)9" 6203LLB	BALL BEARING 6203LLB	2
14	9411602500		t-A ⁰ -t ⁰) 6X25	TAPER PIN 6X25	
15	5330 25 118		4"	GEAR	1
16	5340 25 111-1		5"7)1-"E,"9	MAIN DRIVE SHAFT	1
17	90900		5X5X16	KEY 5X5X16	
18	5290 25 113			HOLDER	
19	9670063008		9,'vf-t"IF M6X30	HEXAGON SOCKET BOLT M6X30	3
20	5340 25 211		V7 ⁰ -9-	V-PULLEY	1
21	5430 11 219		9VDt-	WASHER	
22	9670081608		M8X16	HEXAGON SOCKET BOLT M8X16	
23	9642061014		M6X10	SMALL PAN-HEAD SCREW M6X10	3
24	9710060008		A /J" M6	SPRING WASHER M6	3
25	9642031614		1'1"DD" M3X16	SMALL PAN-HEAD SCREW M3X16	2
26	5340 25 150		7"5"1-	BRACKET	
27	97380		79f21-9- VAM21	ACTUATOR VAM21	1
28	97303		A-1// V-15-1C26	SWITCH V-15-1C26	
29	5300 21 424		70//	PLATE	
30	5340 25 160		DtV9-	SHUTTER	
31	9721070008		E-97)9" E-7	E-RING E-7	
32	9410402508		A7-17)9"t ⁰ 7) 4X25	SPRING PIN 4X25	
33	5340 25 216		h/1"-	COVER	1
34	9710050008		A "h" M5	SPRING WASHER M5	2
35	9642051014		t1"J " M5X10	SMALL PAN-HEAD SCREW M5X10	2

CAM SHAFT

SECTION

SECTION NUMBER

* OSA 4t, t1t iz:t14b⁵nts. 6 ttZ4 uttt Attit., Ć <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	- 71-t9 /SET No.	g t-91 PART Na	MIRAV5/ wytwcomponent	PARTS	ART NAME	IMIR WtY
2	5330	35 234	7'''vh		BRACKET	1
3	5330	35 233	755'VF		BRACKET	1
4	9716060014		ti/"h" M6		PLAIN WASHER M6	3
5	9670061008		Vh'')F7NNId* M6X10		HEXAGON SOCKET BOLT M6X10	6
6	9660060014		tVF M6		HEXAGON NUT M6	1
7	9710060008		A h" M6		SPRING WASHER M6	1
10	5330	35 232-1	1t-f-11;		WHEEL	2
11	5330	35 231	t0		PIN	1
12	9660100014		tvh M10		HEXAGON NUT M10	1
13	9710100008		il"v/"w\ M10		SPRING WASHER M10	1
14	5330	26 223-3	1L,		CAM	1
15	5290	26 222	1j5-		COLLAR	1
16	5330	26 224-3	hG		CAM	1
17	5330	26 221	*JO"-		HOLDER	1
18	5330	26 225-2	hL		CAM	1
19	9642051014		J1"DD" M5X10		SMALL PAN-HEAD SCREW M5X10	3
20	5290	25 115	hA"-		COVER	1
21	90207		v-11,1 ¹ 79p2" 6203LLB		BALL BEARING 6203LLB	2
22	5330	26 121-1	1iLD"9		CAM SHAFT	1
23	5340	26 230-2	hL		CAM	1
24	9684060608		F\$D" M6X6		SET SCREW M6X6	2
25	5330	25 113	till,"" —		HOLDER	1
26	5290	25 114	/JA`N-		COVER	1
27	9670064508		V Fitini/F M6X45		HEXAGON SOCKET BOLT M6X45	6
28	5330	24 522	AT'oh")h		SPROCKET	1
29	5330	26 211-1	*JO"-		HOLDER	1
30	5330	26 216	bL,		CAM	1
32	90690		A b" M10(t9"1)		SPRING WASHER M10(LEFT)	2
33	90710		ovh9"F M10(t9N`IJ)		HEXAGON NUT M10(LEFT)	2
34	9710050008		A"*v\h" M5		SPRING WASHER M5	3
35	90842		o-5-I-.' RS37-1 149P		CHAIN RS37-1 149P	1
36	90856		D"31pFUD9RS37-1 1/2"		JOINT LINK R537-1 1/2"	1
37	5330	35 235	1i5-		COLLAR	1
38	5290	23 113	9VDt-		WASHER	2
39	9670066008		Vh'')1-4iNDF M6X60		HEXAGON SOCKET BOLT M6X60	2
40	5340	35 235	A9VF"		STUD	1
41	9722100008		C-1)9" C-10		C-RING C-10	1
42	9716100014		t5 1j" M10		PLAIN WASHER M10	1
43	5290	29 312	Mt —		WASHER	1
44	5340	87 213	135-		COLLAR	1
45	9684050608		1')(D" M5X6		SET SCREW M5X6	2

#pt71,-L


MAIN FRAME

セクション

SECTION

セクション番号
SECTION NUMBER

5340Z 290



MAIN FRAME

SECTION


SECTION NUMBER '

*v- Od5gtt,ateliztibiXts6itabsitZlik:UtlItt.A4L C<k0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	14V-4/SET Na	BA.M7	COMPONENT PARTS	PART NAME	gR
it y6	PART Na	41	No		CnY
5340 61 170		'f3r51-1,7"55"Vh	ASSY	FLUORESCENT LAMP BRACKET ASSY	1
		9.16.17.41			
1 5340 29 112-9		7D-G		FRAME	
2 9670052008		Vh'VhitiNDF	M5X20	HEXAGON SOCKET BOLT M5X20	12
3 9670081608		Vh')FlINDF	M8X16	HEXAGON SOCKET BOLT M8X16	10
4 9670051608		VhVF\$NO.	M5X16	HEXAGON SOCKET BOLT M5X16	4
5 9670082008		V5.	M8X20	HEXAGON SOCKET BOLT M8X20	8
6 5340 29 236				STAY	2
7 5340 29 111-6				FRAME	
9 9660030014		"F M3		HEXAGON NUT M3	2
10 99960		h'13',5D7	FL1 5W	FLUORESCENT LAMP FL15W	1
11 5340 61 161				LAMP COVER	1
12 9710040008		A'V,"/P	M4	SPRING WASHER M4	2
13 9642041514			M4X15	SMALL PAN-HEAD SCREW M4X15	2
14 9710050008		A'V,"/J'	M5	SPRING WASHER M5	6
15 9642050814		11"Th)"	M5X8	SMALL PAN-HEAD SCREW M5X8	2
16 9648031014		/57*D"	M3X10	SMALL FLUSH HEAD SCREW M3X10	2
17 5340 61 173		5.rD',F7"57VF		LAMP BRACKET	1
18 5340 61 162-1		AT-		STAY	1
19 9642053014		11"DD"	M5X30	SMALL PAN-HEAD SCREW M5X30	2
20 9642051014		J1 D"	M5X10	SMALL PAN-HEAD SCREW M5X10	2
21 5340 29 238				COVER	1
23 97825				SENSOR	2
24 9710030008		A h"	M3	SPRING WASHER M3	6
25 9642031414			M3X14	SMALL PAN-HEAD SCREW M3X14	6
26 5340 61 164		7"5hVF		BRACKET	
27 5340 29 235-1		AT-		STAY	1
28 5340 29 237-1		AT-		STAY	1
29 5340 29 241		7"5hVF		BRACKET	2
30 5310 29 232		AT-		STAY	1
31 9648040614		/53D"	M4X6	SMALL FLUSH HEAD SCREW M4X6	20
32 5340 87 562		h"-(F'N		GUIDE	5
33 5340 36 561-1		AT-		STAY	2
34 5340 36 562				GUIDE	5
36 9670054008		Vh'VF710'11/1-	M5X40	HEXAGON SOCKET BOLT M5X40	4
37 5340 36 563-1		7"5,'VF		BRACKET	1
38 5340 61 612		tD/-		SENSOR	1
39 9670051001		Vh'Vh*"10-	M5X10	HEXAGON SOCKET BOLT M5X10	2
40 5330 29 236		AT-		STAY	1
41 5341 61 651-1		\$11,9'N-		HOLDER	1

PAPER FEED TABLE

SECTION



PAPER FEED TABLE

SECTION


SECTION NUMBER '1

* 7 "AllaUsatc.. "izt" MAtsZtz6,tMlizaatAt41.1,T<M0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	t _v gli g t W	/S ET Na PART Na	UM# / * -- /	COMPONENT PARTS	PART NAME Na	MR Q _{ty}
	5310	31	120-1	5-7"110V1-(9'-99"D—> 24-28	TABLE FOOT ASSY(DARK GRAY)	4
	5330	31	130	5" ASSY 36.39-41	LATCH ASSY	2
	5330	31	160	DV— ASSY 41.42.45.46	LEVER ASSY	2
	5330	31	220-1	ASSY 13-16	CHAIN ASSY	2
1	9660080014			tVI. M8	HEXAGON NUT M8	12
2	9710080008			A" h" M8	SPRING WASHER M8	12
3	5330	31	212	A9VF"	STUD	4
6	5330	35	232-1		WHEEL	6
7	5290	29	312		WASHER	4
8	9722100008			C—'J,9" C-10	C—RING C-10	4
9	5330	31	218	h5—	COLLAR	12
10	5330	31	211-1	D-11,	RAIL	4
11	9670064508			V"hitinliF M6X45	HEXAGON SOCKET BOLT M6X45	12
13	5330	31	221	VNNTAD9	JOINT LINK	6
14	9414100614			OUT°:i 1X6	SPLIT PIN 1X6	12
15	90111002			.1-7) RS37-1 35P	CHAIN RS37-1 35P	6
16	5330	31	232	t°D	PIN	6
17	90318			V-11,171)9' 608ZZ	BALL BEARING 608ZZ	14
18	90654			GS—IJD9N% GS-8	GS—RING GS-8	6
19	9684050508			t D' M5X5	SET SCREW M5X5	2
20	5330	31	268	7"VD2	BUSHING	2
21	5310	31	215	Dt7F	SHAFT	1
22	9648061214			/53.Du M6X12	SMALL FLUSH HEAD SCREW M6X12	6
23	5330	31	111-2		TABLE	2
24	5310	31	121-2	5-7NOVFON`-99"1,—)	TABLE FOOT(DARK GRAY)	4
25	9642030614			JV`3DN` M3X6	SMALL PAN—HEAD SCREW M3X6	8
26	5290	31	122	ti:I	FIXING PLATE	4
27	9710030008			M3	SPRING WASHER M3	8
28	9660030014			tVh M3	HEXAGON NUT M3	8
29	9670062008			"Vhli"lids M6X20	HEXAGON SOCKET BOLT M6X20	4
30	5330	31	216	7"oV9	BLOCK	2
31	9660060014			tVF M6	HEXAGON NUT M6	10
32	9672065014			W)1j9\$"11,1- M6X50	HEXAGON HEAD BOLT M6X50	2
33	9670061201			Vh'VF*NlJF M6X12	HEXAGON SOCKET BOLT M6X12	2
34	5330	31	112-2	7u5h')F	BRACKET	2
35	9710060008			VVP'hu M6	SPRING WASHER M6	8
36	5330	31	116	Arf-	STAY	4
37	5330	31	113-2	7"5,VF	BRACKET	2
39	5330	31	140		LATCH	2
40	5330	31	150	5"	LATCH	2
41	9410301608			A7° 97)9`Nt°D 3X16	SPRING PIN 3X16	8
42	5330	31	180	7—L	ARM	2
43	5330	31	181	UD9	LINK	2
44	90626			G-9:)9" G-8	G—RING G-8	8
45	5330	31	161	Dt7F	SHAFT	2
46	5330	31	170	DAN`—	LEVER	2
47	5300	59	132	*11,51`x—	HOLDER	2
48	5300	59	133	A7°1:i2u	SPRING	2
49	9721040008			E-1)9" E-4	E—RING E-4	4
50	5300	59	331	t°)	PIN	2
51	5330	31	118	A5P)F"	STUD	8

MULTI-SIZE PAPER PILE BOARD

SECTION



MULTI-SIZE PAPER PILE BOARD

SECTION


SECTION NUMBER

*... U., atif tzt;btbiAts 6k. <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	ag g, 4 ¹	SET Na PART Na	HAVt/ 1 1	COMPONENT PARTS	PART NAME	a Qty
5341	31	510	A"/2')D9"-f	ASSY	MULTI-SIZE PAPER PILE BOARD	2
			1-14,18			
1	9648042514		#5DD"	M4X25	SMALL FLUSH HEAD SCREW M4X25	10
2	91319007		T9D"4.1X16		WOOD SCREW 4.1X16	4
3	5341	31 512	7 Li-F		PLATE	2
4	5341	31 514	70 D-F		PLATE	2
5	5341	31 515	70 D-F		PLATE	2
6	5341	31 513	70 D-F		PLATE	2
7	5341	31 511	iti"-h"		BOARD	2
8	9710040014		A'VJ"/3"	M4	SPRING WASHER M4	10
9	9660040014		tVF	M4	HEXAGON NUT M4	10
10	9660030014		tVF	M3	HEXAGON NUT M3	8
11	9710030014		A"V,"h"	M3	SPRING WASHER M3	8
12	5290	31 122	D5-03t9"		FIXING PLATE	4
13	9642030614		J1"DE.)"	M3X6	SMALL PAN-HEAD SCREW M3X6	8
14	5341	31 516-1	TA'		FOOT	2
18	9716040014		t5/"h"	M4	PLAIN WASHER M4	2

FEEDER FRAME

SECTION



FEEDER FRAME

SECTION

BLUTIUA NUMBEK

*v-- OfiSait, atC"


AbiAti.6k6stM14kIllatiM4L CO:f0.

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	W	SET	Na	UN1Vt/	COMPONENT	PARTS	PART NAME	MR
			Na	WWg/			Na	Q'ty
1	5340	31	001-3				FRAME	1
2	967005	2008			M5X20		HEXAGON SOCKET BOLT M5X20	4
3	967008	1808			M8X18		HEXAGON SOCKET BOLT M8X18	8
4	5310	32	410	AT-			STAY	1
5	5310	29	232	AT-			STAY	1
6	5330	29	234	AT-			STAY	2
7	5310	55	315	AT-			STAY	1
8	5340	31	002-5	7D-L3			FRAME	1

PAPER GUIDE

SECTION



PAPER GUIDE

SECTION

SECTION NUMBER

*v- og³Aas#14c"izsttkbiAts U:6,tMliizAtatAt4fLz<tio,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	7 i. *9 /SET Na g. #/ PART Na	SAV4:/ aatwcoMPONENT PARTS	PART NAME	4AR Q'ty
5290	32 420-4	t:)5-7"o7- ASSY	CENTER BLOWER ASSY	
		4.93.94.96-98		
5290	32 430-4	tD9-7"07- ASSY	CENTER BLOWER ASSY	1
		7.94-98		
5330	32 560	t9W:) " ASSY	GUIDE MOVING SCREW ASSY	2
		13.20.21		
5330	32 570	3I"fhNNt99D`I ASSY	GUIDE MOVING SCREW ASSY	2
		13.20.21.26.27		
5330	32 580-1	91. D ^M 9 ASSY	DRIVE SHAFT ASSY	2
		26.27.33		
1	9642040414	2.DN` M414	SMALL PAN-HEAD SCREW M4X4	6
2	9716040014	ti h" M4	PLAIN WASHER M4	12
3	5290 32 451-1	D-FtA° D-9-	SHEET SEPARATOR	4
4	5290 32 429-1	tp9-7"07-	CENTER BLOWER	1
5	91316004	iJth*D2 D`N M5X27	KNOB BOLT M5X27	4
6	5290 32 440-2	D-htA° D-9-	SHEET SEPARATOR	2
7	5290 32 439-1	tD9-7"o7-	CENTER BLOWER	1
8	5290 32 533-3	4, fF`N7"07-	SIDE BLOWER	2
9	9642051014	J`"3D" M5X10	SMALL PAN-HEAD SCREW M5X10	25
10	9710050014	VV/"J" M5	SPRING WASHER M5	33
11	5300 58 143-1	*JO"-	HOLDER	4
13	5330 32 566	F,NN	SCREW	4
14	9721120008	E-`WN` E-12	E-RING E-12	3
15	5341 32 532	7"OV9	BLOCK	2
16	9642050814	M5X8	SMALL PAN-HEAD SCREW M5X8	2
17	5330 32 563		GUIDE	2
18	9716050014	t5 V M5	PLAIN WASHER M5	4
19	5290 38 121	7")Di	BUSHING	4
20	5300 32 571	A7° cO VF	SPROCKET	4
21	9410302008	7,7° U7)9"t°:) 3X20	SPRING PIN 3120	7
22	5300 32 569	7" Vt-	BRACKET	4
23	9642040814	t1`NDD" M4X8	SMALL PAN-HEAD SCREW M4X8	8
25	9648041014	/3DDN% M4X10	SMALL FLUSH HEAD SCREW M4X10	4
26	5300 32 574		GEAR	4
27	9410301608	A7° 17)9"t°D 3X16	SPRING PIN 3X16	4
28	90804	RS25-1 84P	CHAIN R525-1 84P	2
29	90852	D"2-fpFUD9 RS25(1/4")	JOINT LINK R525(1/4")	2
30	9642053014	t1"W:P% M5130	SMALL PAN-HEAD SCREW M5X30	8
31	5330 32 575	7" c09	BLOCK	4
32	9721070008	E-1)9`N E-7	E-RING E-7	2
33	5330 32 576-1	D1 71-	SHAFT	2
34	5310 12 220-1	AphNli(5"-99"D-)	HANDLE(DARK GRAY)	2
35	5310 12 223-1	V72(9 ^M -92"D-)	KNOB(DARK GRAY)	2
36	9650052014	711,53 M5X20	SCREW M5X20	3
37	5300 12 224	70 D F	PLATE	3
38	5341 32 510-1	V O."	GUIDE	1
39	5300 32 550	W"N"	GUIDE	
40	5341 32 520-1	h"-IFNN	GUIDE	1
41	9670081808	V,VFVJDF M8X1 8	HEXAGON SOCKET BOLT M8X18	2
42	5290 32 112	hi-	COLLAR	
43	5290 32 115		ARM	1
44	5310 32 111	AT-	STAY	1
45	5290 32 126	51N4)	LABEL	
46	5290 32 125		SCALE	
47	5290 32 123-1	v7a	KNOB	1
48	5290 32 141	v7a	KNOB	2
49	5290 32 211-2	\$1,5"-	HOLDER	1
50	5290 32 117	AFVA° -	STOPPER	2
51	5290 32 113	)35-	COLLAR	1

PAPER GUIDE

SECTION

SECTION NUMBER


5340Z 320

*v... (AMU, iCtAbiA IS. tz 6, it3tOiiT. ittAtCtWiLZ <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	Part No.	SAVt/ Mat/COMPONENT PARTS	PART NAME	MR Qty
52	90603	CE-9:J9" CE-12	CE-RING CE -1 2	3
53	5290 32 122		COVER	
54	5290 32 121	AT"rhig"		1
55	5290 32 114	7-G	ARM	
56	9710040008	11 h" M4	SPRING WASHER M4	8
57	9642041014	J)" M4X10	SMALL PAN-HEAD SCREW M4X10	4
58	5310 32 118		SHAFT	
59	5310 32 116		STAY	1
60	5341 32 140-1		MICRO SIDE GUIDE	1
61	9672062003	oyh9tNDF M6X20	HEXAGON HEAD BOLT M6X20	1
62	5290 32 212-3	70 u-t,	PLATE	1
64	5340 32 713	7"ov9	BLOCK	2
65	5290 32 216	V7Z	KNOB	1
66	5290 32 213	7"c09	BLOCK	
67	5290 32 214	A7°AD9"	SPRING	1
68	5341 32 171	1-ch"A"v97"c17-	SIDE BACK BLOWER	1
70	5340 32 716		HOSE HOLDER	4
71	5340 32 175	tN`:-WN-A 8X1.3.5X1080	HOSE 8X13.5X1080	1
72	5341 32 172	1-0"A"v27"(37-	SIDE BACK BLOWER	
74	5290 83 351	3 99-	CONNECTOR	1
76	5340 32 714		SPACER	2
78	5340 32 717	7"55VF	BRACKET	1
79	5290 17 113	ANO"	VALVE	1
80	5340 17 114	At°D[°4,	SPINDLE	1
81	5290 17 115	A7°up9"	SPRING	1
82	5300 17 116	hA"-	COVER	
83	5310 17 117-1	VE(9"-99"U-)	KNOB(DARK GRAY)	1
87	5340 32 718	t":-114-A 10X17X200	HOSE 10X17X200	1
88	91211	\$-AA"DF" 16	HOSE BAND 16	2
89	5290 17 127	t"=-114-A 10X17X580	HOSE 10X17X580	
91	5290 32 217	V75:	KNOB	1
92	5340 32 174-1	t"=-11A-A 8X13.5X890	HOSE 8X13.5X890	
93	5290 32 422-2	tD9-7"o7-	CENTER BLOWER	1
94	5290 32 426-1	17-1A"ft,	AIR NOZZLE	2
95	5290 32 432-2	tD9-7"o7-	CENTER BLOWER	1
96	90510	0-9D9"	O-RING P-6	2
97	9710030008	w`v/"h" M3	SPRING WASHER M3	6
98	9642030614	t'\\"Th)" M3X6	SMALL PAN-HEAD SCREW M3X6	6
103	5290 32 452	V7F,	KNOB	2
104	9410201008	A7°9D9"t°D 2X10	SPRING PIN 2X10	1
105	5341 32 130-1		MICRO SIDE GUIDE	1
106	9642041614	IN"DVP` M4X16	SMALL PAN-HEAD SCREW M4X16	4
107	91191	iti-AWDh" 15	HOSE BAND 15	2
108	5310 44 314	A 5-	SCALE	1
109	5330 32 562	h5-	COLLAR	1

SUCTION DRIVE

SECTION



SUCTION DRIVE

SECTION

SECTION NUMBER ¹

v-9.06Pult t1tr ilAbiAts.WzO5sitZilizttO4 AAILt<ko,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

№No.	8{3R,t-g1	/SET Na	Ati#i	COMPONENT PARTS	ART NAME	g1A
		PART Na	4A4,/			CrY
	5290	33 213Z-1	7-L	ASSY	ARM ASSY	1
			20,28			
	5290	33 215Z-1	7-L	ASSY	ARM ASSY	1
			20,31			
	5330	33 110Z-2	DA"-	ASSY	LEVER ASSY	1
			3,55			
	5330	33 140	UD9	ASSY	LINK ASSY	1
			64,70			
	5330	33 210-2	D1'7F	ASSY	SHAFT ASSY	1
			20,26-28,31,66			
	5330	33 410Z	DA"-	ASSY	LEVER ASSY	1
			3,54			
	5330	33 430	UD9	ASSY	LINK ASSY	1
			52,70			
	5330	33 440Z-1	DA"-	ASSY	LEVER ASSY	1
			3,6			
	5330	37 110Z	DA"-	ASSY	LEVER ASSY	1
			3,56			
	5341	33 200-2	/9D3D7V1'	ASSY	SUCTION FOOT ASSY	1
			16-20,25-28,31,66			
1	5290	35 136-1	77°U)9"		SPRING	1
2	9721100008		E-'i 9" E-10		E-RING E-10	2
3	5290	37 123	7"VD2		BUSHING	4
4	9642051004		J-1"3D" M5X10		SMALL PAN-HEAD SCREW M5X10	3
5	9710050014		A"V,"/J" M5		SPRING WASHER M5	8
6	5330	33 440-1	Dn"-		LEVER	1
7	5330	33 453	hL		CAM	1
8	5290	33 455	A7°9)9"		SPRING	1
9	5340	33 452	A9')F"		STUD	1
10	9710100008		A "/J" M10		SPRING WASHER M10	2
11	9660100014		J')F M10		HEXAGON NUT M10	2
12	5290	33 142-1	A"135"		SPRING STUD	1
13	5290	33 431	t0 p		PIN	1
14	9710060008		A"V,"/J" M6		SPRING WASHER M6	2
15	9660060014		tVh M6		HEXAGON NUT M6	2
16	9411503000		5-A°-t°D 5X30		TAPER PIN 5X30	1
17	5290	33 230-2	7-L		ARM	1
18	9684050508		1. E)" M5X5		SET SCREW M5X5	4
19	5290	29 314	F\$h5-		LOCK COLLAR	2
20	5290	33 214	7"VD2		BUSHING	2
22	5341	33 317	)7:37;		KNOB	12
23	90514		0-qP9" P-12		O-RING P-12	24
25	5341	33 221-1	D1'7F		SHAFT	1
26	5310	33 211-1	D1'7F		SHAFT	1
27	9411503200		5-J\°-t°D 5X32		TAPER PIN 5X32	3
28	5290	33 213-1	Y-L		ARM	1
29	5290	33 314	1'AJ-		SUCKER	12
30	5341	33 316-1	/9D3D7VF		SUCTION FOOT	12
31	5290	33 215-1	7-G		ARM	1
32	5290	29 210	7"VD/		BUSHING	2
33	9642051614		i"1"7D" M5X16		SMALL PAN-HEAD SCREW M5X16	4
34	9660080014		tVh M8		HEXAGON NUT M8	1
35	9710080008		A"V,"h"* M8		SPRING WASHER M8	1
36	5290	34 142	A9VF"		STUD	1
37	9660050014		tVF M5		HEXAGON NUT M5	3
38	5330	34 110	DA"-		LEVER	1
39	5290	21 123	t0 p		PIN	1
40	5290	29 312	Tnt-		WASHER	1
41	9721070008		E-'J 9" E-7		E-RING E-7	10

/2D2D9F")

セクション

セクション番号

5340Z 330

SECTION

SECTION NUMBER


SUCTION DRIVE

* -- "Der5AU.at iztWiiAts.6t6.tM*icudtiggLz<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	-e gii E1, 4-9- SET Na PART Na	MNA#/ 4AV4/ COMPONENT PARTS Na	ART NAME	RR WY
42	5300 57 052	9:)9	LINK	1
43	5290 37 434-1	77°1D9"	SPRING	1
44	5290 21 161	A"4/Jh"	STRING STUD	1
45	91211	7N-71\"Dh" 16	HOSE BAND 16	1
46	5290 34 151	ANI/7"	VALVE	1
47	9670062008	Vh'Vls\$"11jh M6X20	HEXAGON SOCKET BOLT M6X20	2
48	5290 34 153	D"L*-A 7.8X18X310	RUBBER HOSE 7.8X18X310	1
49	5290 34 130	DA"-	LEVER	1
50	5290 34 141-1	AC"):)	PACKING	1
51	9716050014	t5/"h" M5	PLAIN WASHER M5	2
52	5330 33 420-1	9D9	LINK	1
53	91213	4i-7A"DF" 19	HOSE BAND 19	2
54	5330 33 410	DA"-	LEVER	1
55	5330 33 110-2	DA"-	LEVER	1
56	5330 37 110	DA"-	LEVER	1
57	5340 33 121-1	A9Vh"	STUD	1
58	5290 38 141-1	A7°1D9"	SPRING	1
59	5290 29 313	9VDV-	WASHER	1
60	5330 38 130	1)2	LINK	1
61	5330 38 142	t0p	PIN	1
62	5290 21 643	A7°9:)2"	SPRING	2
63	5290 21 641	A"V]	SPRING STUD	1
64	5330 33 130-1	JD9	LINK	1
65	5290 33 141	t°.)	PIN	1
66	5330 33 240-2	7-L	ARM	1
67	5290 34 152-1	7.97°R,	NIPPLE	2
68	5300 54 161-1	A"hh	SPRING STUD	1
69	9721050008	E-J)9" E-5	E-RING E-5	1
70	5300 45 243	7"VD2	BUSHING	4

FEED ROLLER

SECTION



FEED ROLLER

SECTION

SECTION NUMBER'

3. v - OSAU*atc- 1.114bM k6,aZi4dzitatilALT<MO.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


No.	SET Na S Pr, t "4/ PART No.	COMPONENT PARTS	PART NAME	MR Qty
5330 35 310	7-f-h"o-5—	ASSY	FEED ROLLER ASSY	1
	82,83,102,104			
5330 35 330Z-1	0-5—	ASSY	ROLLER ASSY	6
	62,113			
5330 35 370	9"f27(-F"o-5—	ASSY	2ND FEED ROLLER ASSY	1
	82,83,86			
5341 35 460	2 '3V	ASSY	DOUBLE SHEET DETECTOR ASSY	1
	3-11-13-15-17-20,31-33,36-39,41,43-46,52,58,108,111			
	,112,114-122			
1 9670061208	V5Yhiti"11)F	M6X12	HEXAGON SOCKET BOLT M6X12	2
2 9716060014	t5/"1"	M6	PLAIN WASHER M6	2
3 95117	9DD1jA"—	AP—B	TERMINAL COVER AP—B	1
4 5330 35 231	to p		PIN	1
5 5330 35 464	1j"		SCREW	1
6 5330 35 232-1	t f-11;		WHEEL	1
7 9710120008	A"*/"h"	M12	SPRING WASHER M12	2
8 90214	t"-11A"797)9"	6000ZZ	BALL BEARING 6000ZZ	4
10 5330 35 233	7"55V1-		BRACKET	1
11 9710060008	A"V/"h"	M6	SPRING WASHER M6	2
12 9660060014	tVF	M6	HEXAGON NUT M6	3
13 5330 35 465	1j"		SCREW	1
14 9670061608	Vh"V17li"1bh	M6X16	HEXAGON SOCKET BOLT M6X16	4
15 5430 35 314	W—T—		SPACER	1
17 9642032514	J"N"DD"	M3X25	SMALL PAN—HEAD SCREW M3X25	1
18 5430 35 324-1	1)7i:		KNOB	1
19 5430 35 322	to p		PIN	1
20 5522 53 191	A7°-17)9"		SPRING	1
21 5330 35 461	A7 -		STAY	1
22 9672123514	oVh9*"10-	M12X35	HEXAGON HEAD BOLT M12X35	1
23 5330 35 361-1	V7:		KNOB	2
24 5330 35 351-1	A9')F"		STUD	2
25 9710080008	A" h"	M8	SPRING WASHER M8	4
26 9660080014	1"91-	M8	HEXAGON NUT M8	4
27 9721050008	E-1)9"	E-5	E—RING E-5	1
28 5430 35 224	A7°-17)9"		SPRING	2
29 5330 35 362	to p		PIN	2
31 9660040014	J")1-	M4	HEXAGON NUT M4	7
32 5340 21 175	A7° Up9"		SPRING	1
33 5430 35 332-1	t°D		PIN	2
34 9670051008	Vh*Vhli"10.	M5X10	HEXAGON SOCKET BOLT M5X10	1
35 5340 35 391	DA"—		LEVER	2
36 5330 35 467-2	7°D—F		PLATE	1
37 5330 35 463-1	h5—		COLLAR	2
38 5430 35 321-2	*JO"—		HOLDER	1
39 9660030014	1")f.	M3	HEXAGON NUT M3	1
40 9642040614	J1"3)"	M4X6	SMALL PAN—HEAD SCREW M4X6	2
41 9710040008	A"V,"h"	M4	SPRING WASHER M4	7
42 9642051014	JN"MD"	M5X10	SMALL PAN—HEAD SCREW M5X10	13
43 9710050014	A "h"	M5	SPRING WASHER M5	15
44 5330 35 466	DA"—		LEVER	1
45 5330 35 462-1	t°D		PIN	1
46 90307	t"-1 1/1"797)9"	605ZZ	BALL BEARING 605ZZ	1
47 5330 35 352	A9Vh"		STUD	2
48 5330 35 354-2	DA"—		LEVER	2
49 9721100008	E.-1)9"	E-10	E—RING E-10	2
50 5340 35 381-1	Dt7F		SHAFT	1
51 9642030614	1"1"3D"	M3X6	SMALL PAN—HEAD SCREW M3X6	6
52 9710030014	A "b"	M3	SPRING WASHER M3	8
53 5340 35 554	J —t—		RETAINER	3

* CAW. 6t, #14 L'7MbiAtl, 6 tz. 13Z[* U4t < to.
The dimension of the parts marked with a)1(differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

M.	71-4-9-/5ET ON,4 9/PART	Na	UPEAt/ RA tWCOMPONENT PARTS	PART NAME	MR WY
54	5330 35 563		95-t-7V9	RETAINER HOOK	3
55	5290 32 452		VqZ	KNOB	3
56	5330 35 552		70B t	PLATE	3
57	9670052008		95")F7Vl bh M5X20	HEXAGON SOCKET BOLT M5X20	2
58	5430 35 311-2		09"-	HOLDER	1
59	5340 35 455		7""vh	BRACKET	
60	5330 35 341-1		19A'	LEAF SPRING	6
61	90204		1 -WYUD9" 6001ZZ	BALL BEARING 6001ZZ	2
62	5330 35 330-1		0-5-	ROLLER	6
63	9710050008		A'VPh M5	SPRING WASHER M5	2
64	5340 35 722		A9VF"	STUD	1
65	5290 21 316		A7 97,9	SPRING	1
66	9660100014		J")h M10	HEXAGON NUT M10	1
67	9710100014		11'VPh" M10	SPRING WASHER M10	1
68	5330 35 225		A9VF'	STUD	1
69	9723280008		C-9D9" C-28	C-RING C-28	1
70	5330 35 222		135-	COLLAR	1
71	5340 35 353-1		D1'7F	SHAFT	1
72	5340 35 451-1		1.1)f	TRAY	1
74	9410301008		A7'9D9"t°) 3X10	SPRING PIN 3X10	2
75	5330 35 323-2		07-1°-A°-1J".fh"	LOWER PAPER GUIDE	1
76	5330 35 322		755vh	BRACKET	1
77	5290 21 521		A7°9D9"	SPRING	1
80	90840		1.-:) R525-1 43P	CHAIN R525-1 43P	1
81	90852 '		D"2-fDFIJD9 R525(1/4")	JOINT LINK R525(1/4")	1
82	5300 58 145		A7 ohVF	SPROCKET	2
83	9410301608		77 1)9't D 3X16	SPRING PIN 3X16	3
84	5330 35 312		/VI"-	COVER	3
85	5330 35 410		DtV9-	SHUTTER	1
86	5330 35 371		o-5-	ROLLER	1
87	5340 35 321		7"5	BRACKET	1
88	9721070008		E-UD9" E-7	E-RING E-7	1
89	5330 35 430		5ff	LATCH	1
90	90200		7t0'-w 7'17,9' 607ZZ	BALL BEARING 607ZZ	1
91	5330 35 441		A9Vh"	STUD	1
92	9670051608		Vh'VFli"lilf M5X16	HEXAGON SOCKET BOLT M5X16	4
93	5330 35 223		V`7	GEAR	1
94	5330 35 221		hll, "" -	HOLDER	1
95	5330 35 224		77 o"F	SPROCKET	1
96	9670041008		95")helbh M4X10	HEXAGON SOCKET BOLT M4X10	4
97	9722120008		C-'J 9" C-12	C-RING C-12	1
98	9642042514		J1"O.D' M4X25	SMALL PAN-HEAD SCREW M4X25	4
99	5330 35 422		t0 3	PIN	1
100	5330 35 424-1		92)9	LINK	1
101	9721040008		E-'J 9" E-4	E-RING E-4	2
102	5330 35 311		D1'7F	SHAFT	1
103	5330 35 421		t D	PIN	1
104	5290 36 214		V'7	GEAR	1
105	95302001-1		VD)-ff" MS-35J168	SOLENOID MS-35J168	1
106	9410401408		A7°1D9't°D 4X14	SPRING PIN 4X14	1
107	5430 35 212		-f9A'	LEAF SPRING	2
108	95119		A-f"" Z-15GS-B	SWITCH Z-15GS-B	1
109	5340 35 456		7"5TVF	BRACKET	1
110	5330 35 235		hi-	COLLAR	1
111	5330 35 468		70D_F	PLATE	1
112	9642051614		t\'" Du M5X16	SMALL PAN-HEAD SCREW M5X16	6
113	90301005		40\ -1 7JD7"	BALL BEARING 6001ZZPS2K	6
114	5330 35 472		T`5h'VF	BRACKET	1
115	5330 35 473		T`""vh	BRACKET	1

*v---. 0413P.U, 4t,- 114biAtsZktbsa3M;1164 AWIL C"<kt).
The dimension of the parts marked with a * differ depending on the press serial
number. When ordering parts, please inform us of the press serial number.

FEEDER BOARD



FEEDER BOARD

SECTION

SECTION NUMBER'

34v-- (j)Baust4tc TabiAtoc.6k6,thX1i4ictlati.141_,"ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	-t-11-V4/SET rif at-4/ PART	Ma It	SAVt/ RtAtWCOMPONENT PARTS	PART NAME	gR Q'ty
5340 35 310	7f-i ⁰ 0-5-		ASSY	FEED ROLLER ASSY	
	64,113,118				
5340 35 610-1	hu-0."		ASSY	GUIDE ASSY	1
	36,41-43,52,57,58,73,169,175,184				
5340 35 620-1	Vfh"		ASSY	GUIDE ASSY	1
	35,36,41-43,53,57,73,169,175,184				
5340 35 650	*11,9"		ASSY	HOLDER ASSY	1
	34,45,46,79,88,143,158,170				
5340 35 670	D17h		ASSY	SHAFT ASSY	1
	145,146,174				
5340 35 680	W"ff"		ASSY	GUIDE ASSY	1
	36,58				
5340 35 690	h"(F ^u		ASSY	GUIDE ASSY	1
	35,36				
5340 35 720Z	tin"-		ASSY	LEVER ASSY	1
	24,40				
5340 35 740	9:)9		ASSY	LINK ASSY	2
	18,70,144				
5340 35 740Z	lW		ASSY	LINK ASSY	1
	18,23,70,144				
5340 35 910	AVFN ^c 1-5		ASSY	SKID ROLLER ASSY	1
	1-5,8-13,130				
5340 35 920	AV:W ⁰ 0-5		ASSY	SKID ROLLER ASSY	1
	1-5,8-13,131				
5430 36 620-1	t ⁰ D		ASSY	PIN ASSY	2
	116,117				
5430 36 640-1	t ⁰)		ASSY	PIN ASSY	6
	3,4				
5430 36 650-1	74A-"o-5-		ASSY	SKID ROLLER ASSY	2
	1,2,5,8-13,116,117				
5430 36 660-1	A+Vh"o-5-		ASSY	SKID ROLLER ASSY	4
	1-5,8-13				
1 9662060014	VA'		M6	HEXAGON NUT M6	8
2 9710060008	Au W'		M6	SPRING WASHER M6	9
3 90218	V'-11,1"7JD2u		6002	BALL BEARING 6002	6
4 5430 36 641-1	t ⁰ p			PIN	6
5 90741	/7"\$"11)F		M5X10	KNOB BOLT M5X10	8
6 9642051014	t1u3V)"		M5X10	SMALL PAN-HEAD SCREW M5X10	16
7 5340 35 572				ROLLER BAR	2
8 5430 36 622-1	-			HOLDER	8
9 5430 36 624-1	Y-G			ARM	8
10 5430 36 623-1	AFVA ⁰ -			STOPPER	8
11 9716050014	ti,"h"		M5	PLAIN WASHER M5	8
12 9710050008			M5	SPRING WASHER M5	8
13 9672051014	oVh9*NDF		M5X10	HEXAGON HEAD BOLT M5X10	8
14 5330 35 573-1	40 7,			BOSS	2
15 9684060608	1: -D"		M6X6	SET SCREW M6X6	5
16 5290 32 141	V7E.			KNOB	2
17 5341 35 761-2	D"Sh"-hL			JOGGER CAM	1
18 5340 35 662	UD9			LINK	2
20 9710050014			M5	SPRING WASHER M5	15
21 5290 89 324	A'N n			SPRING STUD	1
22 5330 35 571-1	17h			SHAFT	1
23 5340 52 606	7"VD2			BUSHING	2
24 5340 35 720	1A1"-			LEVER	
25 5340 35 711	A9VFu			STUD	1
26 9710080008	AuV,"hu		M8	SPRING WASHER M8	
27 9660080014	J")F		M8	HEXAGON NUT M8	
28 5330 35 536	T-7 ⁰ 0-5-			TAPE ROLLER	

FEEDER BOARD

SECTION

SECTION NUMBER

*7—"A5Att,atitLiztUbiAtsWn5,EEZqIzUatAgIL c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	4/S ET Na PART Na	MPAt/ Z COMPONENT PARTS	PART NAME Na	MR Qty
29	5340 35 534-3	AiU-Fu5:-7° (1tVh=4*))	BOARD TAPE(1SET=4PCS)	1
30	9722120008	C-9.'9" C-12	C-RING C-12	2
31	5341-35 791		SLIDE BAR	1
34	5341 35 882	AT ^D 9D9"(7')13uZ3'))	SPRING(FOR THICK PAPER)	1
35	5340 35 640	hu-fhu	GUIDE	1
36	5340 35 613	Ah-11)	SCALE	2
37	5341 35 795	1'I u\$A5P)F"	POSITIONING STUD	2
38	5330 35 797	DAu-	LEVER	3
39	9684050508	1.\$*D" M5X5	SET SCREW M5X5	7
40	5290 31 214	7u VD/	BUSHING	1
41	5290 54 338	A7 ^D 1)9u	SPRING	2
42	9716060014	n/h ^u * M6	PLAIN WASHER M6	2
43	9721050008	E-1)9" E-5	E-RING E-5	4
44	5341 35 539	hu f huAu-	GUIDE BAR	1
45	9642030314	D*D ^u M3X3	SMALL PAN-HEAD SCREW M3X3	3
46	5341 35 883	77° 9)9"(r)A13 ^u a2())	SPRING(FOR THIN PAPER)	1
47	90200	t ^u -11)1 ^u 7'1)9 ^u 607ZZ	BALL BEARING 607ZZ	4
50	5430 39 614	400u-	HOLDER	1
51	9721070014	E-JD9u E-7	E-RING E-7	6
52	5341 35 793-2	tili9 ^u -	HOLDER	1
53	5341 35 851-2	\$10 ^u -	HOLDER	1
54	9710040014	Au*/uhu* M4	SPRING WASHER M4	4
57	5430 39 118		KNOB	4
58	5340 35 630		GUIDE	1
59	5341 35 844		SUPPORTER	5
60	5341 35 843	hu-11-u t ^u	GUIDE CATCH	5
61	5340 35 842-2	INO..110..13".rF"	PAPER GUIDE	5
62	9648031014	/5D*D" M3X10	SMALL FLUSH HEAD SCREW M3X10	10
63	5341 35 821	t/iAu-	BAR	1
64	9410301608	A7° 9D9ut D 3X16	SPRING PIN 3X16	3
65	5341 35 784	h)035-	LOCK COLLAR	1
66	5341 35 782	7"c09	BLOCK	1
67	5300 58 513	h\$h5-	LOCK COLLAR	1
68	5330 35 783		SPACER	1
69	5341 35 770		ARM	1
70	9670051208	M5X12	HEXAGON SOCKET BOLT M5X12	4
72	5340 35 511-5	7U-L	FRAME	1
73	90652	GS-9)9u GS-5	GS-RING GS-5	2
74	5290 32 452		KNOB	4
75	5341 35 781-2	7D ^u 1'7FA9'11-	ADJUSTMENT SCREW	
76	5330 35 551-2	95:-t-7V9	RETAINER HOOK	4
77	5330 35 552		PLATE	4
78	5340 35 555	'j5:-t- (13" B))	RETAINER(FOR THIN PAPER)	4
78	5340 35 556	1if-t-(7vh"Z2)	RETAINER(FOR THICK PAPER)	2
78	5340 35 557	'15:-1'-(7vhuF.3'))	RETAINER(FOR THICK PAPER)	2
79	9710030014	Au*/uhu* M3	SPRING WASHER M3	12
80	9642030614	t1u3*D" M3X6	SMALL PAN-HEAD SCREW M3X6	8
81	5341 35 562	Dt7h	SHAFT	1
82	5341 35 822-1	7""Vh	BRACKET	1
84	5341 35 823	9"11'11)	DIAL	1
85	9670051001	M5X10	HEXAGON SOCKET BOLT M5X10	6
88	9721040008	E-9D9 ^u E-4	E-RING E-4	2
89	9721070008	E-UD9 ^u E-7	E-RING E-7	1
90	5290 29 312	9VDt-	WASHER	3
91	5330 35 792	A7° 9D9"	SPRING	1
92	5330 35 561	7 ^D D-F	PLATE	2
94	9642050514	t1uD*D" M5X5	SMALL PAN-HEAD SCREW M5X5	1
97	5341 35 750-1	7""VF	BRACKET	1
98	5290 21 641	A ^u *h	SPRING STUD	

FEEDER BOARD

SECTION

*q-08auesetz5 TFIAMAtsV...6,tE3M,T.datilM1,z<M0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	g	PART Na	6 _{oil} V _{1s} /	COMPONENT	PARTS	PART NAME	gR Vty
99	5290	54 542-1	770 'J:)'7"			SPRING	1
100	5330	54 521	-fDD"J-9—			INDICATOR	1
101	5330	24 349-3	Vii(9"-99N)—)			KNOB (DARK GRAY)	1
103	5341	35 538-1	V-fh"			GUIDE	4
104	5340	35 535	A7 ⁰¹ 1)9"			SPLING	4
105	9670102008			M1DX20		HEXAGON SOCKET BOLT M10X20	2
106	5340	35 454	7""Vh			BRACKET	1
107	5340	61 611				SENSOR	1
108	9710030008		1\ '1	M3		SPRING WASHER M3	2
109	9642031414		1Y`DF)"	M3X14		SMALL PAN-HEAD SCREW M3X14	2
110	5341	35 534-1				STAY	2
111	5340	35 533-2	7-f-9"—W`—F"			FEEDER BOARD	1
112	5340	35 521-6	7D—L			FRAME	
113	5300	58 145	AT'cO'Vh			SPROCKET	
114	5330	35 312	hANN—			COVER	
115	90214		V—WYIJD9NN	6000ZZ		BALL BEARING 6000ZZ	
116	90212		1i"—WV7 ¹ J:,9"	629		BALL BEARING 629	
117	5430	36 621-1				PIN	
118	5330	35 311	Dt7F			SHAFT	
119	5341	35 812	t ⁰ D			PIN	
130	NBH —624S		7,7°IID9NN			SPRING	
131	5340	35 921	A7°UD9"			SPRING	
142	5340	35 512	7""VF			BRACKET	
143	5340	35 651	t11/9'-			HOLDER	
144	5340	35 760	70 F			PLATE	
145	5340	35 671	ht3			CAM	
146	5340	35 672	D17F			SHAFT	
147	5340	35 673	Y—L			ARM	
148	5340	35 674				ARM	
149	5340	35 675	DTDt°)			FULCRUM PIN	
150	5340	35 676	hi—			COLLAR	
151	5341	35 532	7"0V9			BLOCK	
152	5341	35 742	AF')A°-			STOPPER	
153	5341	35 753	9VF"			STUD	
154	5341	35 754	A9V1-"			STUD	
155	5341	35 762	-(N A9VF"			POSITIONING STUD	
156	5290	89 219	7")D2			BUSHING	
157	5663	11 342				SPACER	
158	5341	35 892				SCREW	
159	5341	35 921	0-5—			ROLLER	
160	5341	35 824	A7° 17,9"			SPRING	
161	5341	35 924				STAY	
162	5321	43 117				SPACER	
163	5430	35 314				SPACER	1
164	5640	23 136	AhVA°—			STOPPER	1
166	90308		t"—W7UD9"	606ZZ		BALL BEARING 606ZZ	1
167	90692		/iA`N L10			CONED DISC SPRING L10	1
168	91609		t"—W7IJD9"	6900ZZ		BALL BEARING 6900ZZ	2
169	91929		77 ⁰¹ 1)"	ST-6		SPRING ST-6	2
170	9642030814		t1N`D*D"	M3X8		SMALL PAN-HEAD SCREW M3X8	1
171	9670053508		Vh'Vht"lilF	M5X35		HEXAGON SOCKET BOLT M5X35	6
172	9670051608		97Vht"W-	M5X16		HEXAGON SOCKET BOLT M5X16	10
173	9670052008		)Ft"lhb	M5X20		HEXAGON SOCKET BOLT M5X20	1
174	9410402008		7,7°IID9't°)	4X20		SPRING PIN 4X20	4
175	9710020014		A"VI"h"	M2		SPRING WASHER M2	4
177	9670061401		9"FitONJI/F	M6X14		HEXAGON SOCKET BOLT M6X14	2
178	9642040614			M4X0		SMALL PAN-HEAD SCREW M4X6	4
179	9660060014		ti)t. M6			HEXAGON NUT M6	1
180	9410503208		7,7° 172,9"t°)	5X32		SPRING PIN 5X32	4

71'-9"-\$"-1'"

S/ S

.tg ション番号

5340Z 355


SECTION

SECTION NUMBER

FEEDER BOARD

*v-036A11,641T.Itiaints Vz)45,tbMizitatAWL`c<ko,
The dimension of the parts marked with a * differ depending on the press serial
number. When ordering parts, please inform us of the press serial number.

Na	-tv a, / SET Na	BAZA/ 1i	COMPONENT PARTS	PART NAME Na	RR Wty
181	9670081208	v"h*"11)F	M8X12	HEXAGON SOCKET BOLT M8X12	1
182	9670051008	"vhti"lbh	M5X1J)	HEXAGON SOCKET BOLT M5X10	2
184	9642020514	J1"DD"	M2X5	SMALL PAN-HEAD SCREW M2X5	4
185	9660050014	tVF	M5	HEXAGON NUT M5	2
186	9721100008	E-9)9"	E-10	E-RING E-10	2
187	5341 35 536	w"fh"		GUIDE	1
188	9670063508		M6X35	HEXAGON SOCKET BOLT M6X35	4
190	9670053008	9hvh*"11,h	M5X30	HEXAGON SOCKET BOLT M5X30	4
191	5300 58 144	7"VD2		BUSHING	1



SECTION

SECTION NUMBER

PAPER INSERTION

*q - p' 06AUsatctLA;5⁵AUV;;a6,i1504izUgtig*UT<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	014	T Na	HAVIS/41	COMPONENT PARTS	PART NAME	MR VO
	5290 43 112Z		+"? ASSY		GEAR ASSY	2
			34.35			
	5330 36 531Z-1		7VA -7(-1"0-5- ASSY		UPPER FEED ROLLER ASSY	1
			3.4			
	5340 36 210-1		077f-h"0-5- ASSY		LOWER FEED ROLLER ASSY	1
			41-43			
	5340 36 310-1		7-G ASSY		ARM ASSY	1
			7.17.18.24			
	5340 36 450		h"-f1" ASSY		GUIDE ASSY	1
			83-87			
1	5340 36 414		h"-fh"		GUIDE	1
2	9670052008		V"1-43"JDF M5X20		HEXAGON SOCKET BOLT M5X20	5
3	90202		1i"-11,1"7'17,9" 624ZZ		BALL BEARING 624ZZ	2
4	5330 36 531-1		7VA -7f-1"0-5-		UPPER FEED ROLLER	1
5	5290 36 354-1				BOLT	1
6	9684050508		h)(D" M5X5		SET SCREW M5X5	5
7	9411403000		T-A -t D 4X30		TAPER PIN 4X30	2
8	5290 36 321		t ₀ p		PIN	2
9	5290 52 244		A",37		SPRING STUD	1
10	5290 51 123-1		A7 ⁰ JD9"		SPRING	1
11	9648051614		/5D*D" M5X16		SMALL FLUSH HEAD SCREW M5X16	4
12	5330 36 314-1		7"VD2		BUSHING	2
13	5340 36 340-2		DA"-		LEVER	1
14	90200		gi"-11)1"MD9" 607ZZ		BALL BEARING 607ZZ	1
15	9721050008		E-9D9" E-5		E-RING E-5	1
16	5290 29 314				LOCK COLLAR	1
17	5330 36 312-1		Y-L		ARM	1
18	5340 36 311		Dt7F		SHAFT	1
19	5340 36 315		9T-t-		RETAINER	2
20	9670041008		v"1-~"11,1 M4X1.0		HEXAGON SOCKET BOLT M4X10	8
21	9642051014		t1"3D" M5X10		SMALL PAN-HEAD SCREW M5X10	3
23	5290 36 353		-f9A"		LEAF SPRING	1
24	5330 36 313-1		7-G		ARM	1
25	5330 36 370		hL		CAM	1
26	5290 36 355-1		A7 ⁰ 1D9"		SPRING	1
27	5340 36 344-1		tv.t.		NUT	1
28	9670043508		vh'vh*"11,h M4X35		HEXAGON SOCKET BOLT M4X35	1
29	5300 36 352				KNOB	1
31	9660100008		tvh M10		HEXAGON NUT M10	2
32	9710100008		A"Vr\h" M10		SPRING WASHER M10	2
33	5290 36 110		7-N-"114"7A9vh"		IDLE GEAR STUD	2
34	5290 37 123		7"VD2		BUSHING	2
35	5290 43 112		"7		GEAR	2
36	5290 29 311				WASHER	2
37	9721100008		E-q.)9" E-10		E-RING E-10	2
38	9670051608		WF7ti"11,h M5X16		HEXAGON SOCKET BOLT M5X16	2
39	5330 36 211		*j0"-		HOLDER	1
40	90352		t"-11/1"79)9" 698ZZ		BALL BEARING 698ZZ	2
41	5290 36 214		"7		GEAR	1
42	9410301608		A7 ~97)9"t ~) 3X16		SPRING PIN 3X16	1
43	5340 36 220-1		0-5-		ROLLER	1
44	5310 36 215		h)035-		LOCK COLLAR	1
45	9716050014		t5"/J" M5		PLAIN WASHER M5	4
46	90813		M5X1 0		SMALL BINDING SCREW M5X10	4
47	5290 36 212				HOLDER	1
48	9721070008		E-'J 9" E-7		E-RING E-7	2
49	5330 36 392		7"VD2		BUSHING	2
50	5340 36 380		AFV7 ⁰ 7-1743"-		STOP FINGER	1
54	9648051014		/53D" M5X10		SMALL FLUSH HEAD SCREW M5X10	2

"\°--)1°--(7.4--D2D

PAPER INSERTION

SECTION

SECTION NUMBER

VV6'

5340Z 360

*v--"DMAas4atz:v.tiAMxtszkt6silZiWAtOtAtliu~c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	t 9./	SET Na PART Na	MAVt/ 1A4W	COMPONENT PARTS	PART NAME Na	MR Q'ty
55	5340	36 413-2	hA-fhu		GUIDE	1
57	5330	36 391	A7°9D9'		SPRING	
58	5290	37 433	AuV),		SPRING STUD	1
59	5340	36 411-1	At--		STAY	1
60	97606-2.		91)..1iu	AS-03A AC115V	SOLENOID AS-03A AC115V	1
61	9710040008		A h" M4		SPRING WASHER M4	4
63	9660050014		tVh M5		HEXAGON NUT M5	1
64	5340	36 431	7u55Vh		BRACKET	1
65	5340	36 417	A9Vh'		STUD	1
66	5300	59 565-1	A7°9.)9u		SPRING	1
67	9721040008		E-9'9" E-4		E-RING E-4	1
68	5340	36 433	gD9		LINK	1
69	91710001		A\0_._		SPACER	2
70	90628		AtV7°t°D	SSP-4	SNAP PIN SSP-4	2
71	5300	54 332	/35--		COLLAR	1
72	5330	36 384	A9Vh'		STUD	1
73	5290	21 164-1	DuLAFVA°--		RUBBER STOPPER	1
74	9642050814		JV`D\$N	M5X8	SMALL PAN-HEAD SCREW M5X8	2
75	5340	36 432	to D		PIN	1
76	5340	36 420	AFV7°7-fD1j'--		STOP FINGER	1
77	5300	59 566	t°)		PIN	1
78	9670061208		95 ^b)1104,f	M6X12	HEXAGON SOCKET BOLT M6X12	2
79	9660040014		VA' M4		HEXAGON NUT M4	4
80	5340	36 434	?""Vh		BRACKET	1
81	9710050014		AuV/uh'	M5	SPRING WASHER M5	6
82	5340	36 435-1	hAu--		COVER	1
83	5340	36 451	7"55Vh		BRACKET	1
84	5340	36 453	VVN5		JOINT	1
85	5340	36 452-1	1°--A°--/J"-(h"		PAPER GUIDE	1
86	9670040601		Vh*Vtli"lilh	M4X6	HEXAGON SOCKET BOLT M4X6	4
87	9670053508		9hVhiliull/F	M5X35	HEXAGON SOCKET BOLT M5X35	1

7-(-9"-1-"5Li


FEEDER DRUM

セクション

SECTION

セクション番号
SECTION NUMBER

5340Z 365



FEEDER DRUM			SECTION		OZU110A AUMOMM
			*v—Ongit,atfir:t4;544U6k.26. 3MicUStAWU℃<ttO. The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.		
No.	ABV.	/MT ^{mak}	6,wan/ 4fittwCOMPONENT PARTS	PART NAME	Q ^{ty}
	5340 23	231Z	h"/F" ASSY	GUIDE ASSY	
			33.34		
	5340 23	232Z	7"ov9 ASSY	BLOCK ASSY	1
			45.46		
	5340 36	530	Dt7f ASSY	SHAFT ASSY	1
			21.24.25		
	5340 52	604Z	9:)9 ASSY	LINK ASSY	1
			55.64.65		
1	9670051608		M5X16	HEXAGON SOCKET BOLT M5X16	13
2	90643		AVI"/JN% B5	TOOTHED LOCK WASHER B5	4
3	5340 36	515	*11)5"—	HOLDER	1
4	5340 36	516-8	"UVA°—'1"—A	GRIPPER BASE	1
5	9670051001		91-*"11,F M5X10	HEXAGON SOCKET BOLT M5X10	12
6	5480 23	223	A7o9D9"	SPRING	7
7	5480 23	222	t ⁰ p	PIN	7
8	5344 36	571	7411,9%'-	HOLDER	7
9	90699		UM— M5	U-NUT M5	7
10	5340 36	550-1	9"UVA°—	GRIPPER	7
11	5340 36	555-2	AFVA°—	STOPPER	7
12	91303010		ovh97t t"97)*"IliF	BUTTON BOLT M4X10	7
13	5290 29	315	F>th5—	LOCK COLLAR	
14	9684050508		F D" M5X5	SET SCREW M5X5	1
16	5340 23	237-1		STOPPER	2
17	9670061608		9,A*40`11,1- M6X16	HEXAGON SOCKET BOLT M6X16	2
18	5290 29	311	9VDt—	WASHER	2
19	91630		t-0JD IR12X15X16.5	INNER RING IR12X15X16.5	2
21	5340 23	211	Dt7F	SHAFT	1
22	9660060014		VA— M6	HEXAGON NUT M6	4
23	9710060008		A"vp`h"* M6	SPRING WASHER M6	4
24	9411502500		7-110-t ⁰ p 5X25	TAPER PIN 5X25	
25	5340 36	540	7-G	ARM	
26	5290 29	411		CAM ROLLER	
27	5290 29	412	hL0-5-t-(¹ 7)	CAM ROLLER INNER RING	1
28	5340 23	212	t ⁰ p	PIN	
29	5480 23	224-1		SUPPORTER	7
30	9410501008		A7° ¹):)9"t°D 5X10	SPRING PIN 5X10	7
31	90179		ov/397J F D" M5X8	SET SCREW M5X8	7
32	9721070008		E-'J 9" E-7	E-RING E-7	1
33	5340 23	231	b"-fh"	GUIDE	
34	5300 45	243	7"VD2	BUSHING	1
35	5340 36	510-3	7-1-9"—F"5L	FEEDER DRUM	1
37	5340 36	517	7li-f-11)	WHEEL	4
38	5340 36	518	710`A	BOSS	4
39	9684060608		F D`N M6X6	SET SCREW M6X6	6
43	5330 23	113	9VDt—	WASHER	7
44	5290 24	127		BOLT	7
45	90441		4-NAF"5-f\$VF 70B-0812	BUSHING 70B-0812	
46	5340 23	232	7"c09	BLOCK	
47	5340 23	233	¹⁰ lj 9	SPRING	1
48	9670061208		M6X12	HEXAGON SOCKET BOLT M6X12	6
49	5290 25	114	hA"—	COVER	2
50	90319		Ai"—WYIJD9" 6203ZZ	BALL BEARING 6203ZZ	2
51	5340 36	523-1	hL	CAM	
52	5340 36	521		SPACER	2
53	9670063508		VD'Alinlth M6X35	HEXAGON SOCKET BOLT M6X35	4
54	90900		5X5X16	KEY 5X5X16	
55	5340 52	606	7"VD2	BUSHING	1
56	9670081208		957Alintif M8X12	HEXAGON SOCKET BOLT M8X12	1
57	5340 87	116		WASHER	1

FEEDER DRUM

SECTION NUMBER

5340Z 365

*v—,08Att,447 7i4bintsztio, 3ZIWzatIISAA1-1, c<?zto
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	4	1	9	1	Na	Na	* --/ COMPONENT PARTS	PART NAME	MR Wt
58	5290	23	112				t"?	GEAR	1
59	5340	36	522	-1			991w,	CLAMPING CAM	1
61	5330	24	522				A7°oh'VF	SPROCKET	1
62	5340	36	571				7N1D9'--	HOLDER	1
63	9648061414						/53 " M6X14	SMALL FLUSH HEAD SCREW M6X14	3
64	5300	32	568					BUSHING	1
65	5340	52	604				9D9	LINK	1
66	5340	52	603				95)9t°)	CRANK PIN.	1
67	5340	36	524					CAM	1
68	9716060014						t5 W` M6	PLAIN WASHER M6	4
69	91040						9"1-A=v7°11, A-M6X1.0	GREASE NIPPLE A-M6X1.0	2


†2')D9" 1D3')3')

PAPER FEED TABLE LIFTING

SECTION

セクション番号
SECTION NUMBER

5340Z 370



SECTION

SECTION NUMBER

PAPER FEED TABLE LIFTING

0667,U, #Ati": iz-t-4biAts 6tz6, th5CR4i;:ittlt Agt.. "c <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	9./SET --/PART	Na Na	4)14-/COMPONENT PARTS	Na ART NAME	Vty
	5290 37 310Z-1		"IVF ASSY	RATCHET ASSY	1
			51.65		
	5290 37 610		'1A-L+"7 ASSY	WORM GEAR ASSY	1
			1-6		
	5310 37 510Z		1"1"WY ASSY	BEVEL GEAR ASSY	1
			28.31		
	5310 37 710		A7 oVh ASSY	SPROCKET ASSY	1
			16.18.50.72		
	5310 37 720Z		W2h"11,95V ASSY	HANDLE CLUTCH ASSY	1
			10,11		
	5310 37 730		77 o 1 ASSY	SPROCKET ASSY	1
			15.16.18.50.72		
	5310 37 810		ADFND ASSY (9"-99"D-) 67-70	HANDLE ASSY (DARK GRAY)	1
	5330 37 230Z-1		7-G ASSY	ARM ASSY	1
			52.57		
1	5290 37 612		Dt7F	SHAFT	1
2	9410302008		A7 "1 9"t°D 3X20	SPRING PIN 3X20	1
3	5290 37 614		+"?	GEAR	1
4	5290 37 611		7""VF	BRACKET	1
5	9410302508		A7 97)9"t) 3X25	SPRING PIN 3X25	1
6	5290 37 613		"\ "1"11)+"7	BEVEL GEAR	1
7	9670062008		VhVtli"10. M6X20	HEXAGON SOCKET BOLT M6X20	1
9	5290 37 814		A7 17)9"	SPRING	1
10	5290 21 612		7"VD/	BUSHING	1
11	5310 37 720		+"7	GEAR	1
14	5310 37 724		hi-	COLLAR	1
15	5290 37 722		V`Y	GEAR	1
16	9410503208		A7 U)9"t 7) 5X32	SPRING PIN 5X32	3
17	5290 37 721		hi-	COLLAR	1
18	5310 37 711		Dt7F	SHAFT	1
19	9722120008		C-97)9" C-12	C-RING C-12	1
20	5290 29 210		TNVD/	BUSHING	2
21	9710050008		A"VP\h` M5	SPRING WASHER M5	4
22	9642051614		J1 "DD" M5X16	SMALL PAN-HEAD SCREW M5X16	4
23	9642050514		J1 "DD" M5X5	SMALL PAN-HEAD SCREW M5X5	1
24	9648041014		4/5DD" M4X10	SMALL FLUSH HEAD SCREW M4X10	1
25	5290 33 534		77°9)9"	SPRING	1
26	9721100008		E-97)9" E-10	E-RING E-10	2
27	5290 37 314		9VD1'-	WASHER	2
28	5310 37 510		+"7	GEAR	1
31	5290 26 112		7`VD2	BUSHING	1
32	5310 37 511		A5IVI'N`	STUD	1
33	9710100008		A"VP`h M10	SPRING WASHER M10	2
34	9660100014		,Vh M10	HEXAGON NUT M10	2
35	5310 33 538-1		V7Z (9"-99"D-)	KNOB (DARK GRAY)	1
36	9721070008		E-9D9" E-7	E-RING E-7	9
37	5290 29 313		9VD1'-	WASHER	7
38	5330 37 320		JJG	CAM	1
39	5300 37 411		A9')F`N	STUD	3
40	5340 37 130-1		UD9	LINK	1
41	5290 37 432		5' "	LATCH	1
42	5290 37 431		A9VF"	STUD	1
43	5290 37 151-1		A7 9)9"	SPRING	1
44	5290 21 641		il" h7	SPRING STUD	1
45	9721040008		E-q.)9" E-4	E-RING E-4	1
47	5290 37 434-1		77 9)9"	SPRING	1
48	5290 37 433		/1"VJ	SPRING STUD	1
50	5290 37 712		A7 oh'VF	SPROCKET	1

紙用紙のイヨウコウ

PAPER FEED TABLE LIFTING


3 /
SECTION

SECTION NUMBER

5340Z 370

* --- (DOW.11,atfizt4bints.6t2i5.tt5014ica#14 AMI,z<ktto.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

at	-t,I- a t	/SET -91 PART	Na Na	1 -- /	COMPONENT PARTS	PART NAME Na	MR Q'ty
51	5290	37	310-2	"I'>F		RACHET	1
52	5290	37	232	7"VD2		BUSHING	1
55	5290	37	24-0 1	4791")"\$		PAW	1
56	5290	37	251-1	AT'UD9"		SPRING	1
57	5330	37	230-1	7-L, ,		ARM	1
59	5290	37	210	A9vh'		STUD	
60	5290	37	233-1	730 J7%		SPRING	1
61	5290	21	164-1	D"GAFVA -		RUBBER STOPPER	1
62	5290	37	421-1	A9vf"		STUD	
63	9710080008			AN`VP`h" M8		SPRING WASHER M8	
64	9660080014			tvh M8		HEXAGON NUT M8	1
65	5290	37	123	7"VD/		BUSHING	1
67	5310	37	811-1	1DF'114D91(9'-99"Li-)		HANDLE BODY(DARK GRAY)	1
68	5310	37	815-1	) l' (9-99L'-)		PLATE(DARK GRAY)	1
69	5310	37	820	ADF"W(9"-99"li-)		HANDLE(DARK GRAY)	1
70	9648051014			4/53D' M5X10		SMALL FLUSH HEAD SCREW M5X10	2
71	5290	33	454	j\ " 1)		SPRING STUD	
72	5290	37	713	77°1:0VF		SPROCKET	1
73	9670063508			V, Vh*NDF M6X35		HEXAGON SOCKET BOLT M6X35	1




** OSP. tt, #1t<7.: iz\vriasAt4: 6 k. ?6, < To.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No	LTZLn.k	T NaNa	A5Min/ 1 A /COMPONENT	PARTS	PART NAME	MR WtY
	5344 38 210		7-G ASSY		ARM ASSY	1
			19.20			
1	5290 32 454		Vqll		KNOB	2
2	5310 38 351		WfDDA"-		HEIGHT CONTROL BAR	1
3	9660060014		"F" M6		HEXAGON NUT M6	2
4	9710060008		A"V, "/J" M6		SPRING WASHER M6	2
5	5290 38 321		A9Vh"		STUD	1
6	5290 38 310-1		DA"-		LEVER	1
7	9721040008		E-99" E-4		E-RING E-4	3
9	5290 38 330		DA"-		LEVER	1
10	5290 38 341		A9')F"		STUD	1
11	9670061208		V5'Vh13"11/F M6X12		HEXAGON SOCKET BOLT M6X12	2
12	9716060014		t5/"1" M6		PLAIN WASHER M6	3
13	5330 38 240		7""Vh		BRACKET	1
14	9721070008		E-q.)9" E-7		E-RING E-7	3
15	5290 29 313		9VD1'-		WASHER	1
16	5290 38 232		77)"3-(Dh		JOINT	1
17	5330 38 220-2		-fDD"-9-		INDICATOR	1
18	5290 38 322-2		77°12/9"		SPRING	1
19	5344 38 220		7-L		ARM	1
20	5290 38 121		7"VD2		BUSHING	1
21	5290 29 312		9VD1'-		WASHER	1
22	9642050814		t1"DE)" M5X8		SMALL PAN-HEAD SCREW M5X8	1
23	9710050008		A"VI"h" M5		SPRING WASHER M5	2
24	5290 38 238		1(9A"		LEAF SPRING	1
25	5290 38 233		7"c09		BLOCK	1
27	9410201008		A7°UD9"t°) 2X10		SPRING PIN 2X10	1
28	9410301608		A7°9D9"t°) 3X16		SPRING PIN 3X16	1
29	5300 38 234-1		D"N		SCREW	1
30	5290 38 236		V7E.		KNOB	1
31	9650051614		711//53*D" M5X16		SCREW M5X16	1
32	9670041008		95'VF\$"IliF M4X10		HEXAGON SOCKET BOLT M4X10	4
33	9710040008		A "h"* M4		SPRING WASHER M4	4
34	97630-1		VD)-fF" AS-05N AC115V		SOLENOID AS-05N AC115V	1
35	5300 33 561-2		t°D		PIN	1
36	90628		Al)7°t°) SSP-4		SNAP PIN SSP-4	2
37	9660040014		tVh M4		HEXAGON NUT M4	4
38	5290 35 113		h5-		COLLAR	2
39	5330 57 151		7""Vh		BRACKET	1
40	91710001		A,0_h_		SPACER	2
41	5340 52 632		97)2		LINK	1
42	9721100008		E-9D9" E-10		E-RING E-10	1
43	5290 21 521		A7°97)9"		SPRING	1
44	5290 29 311		9VD1'-		WASHER	1
45	9642041014		J1"DD" M4X10		SMALL PAN-HEAD SCREW M4X10	2
46	9710040014		A "h" M4		SPRING WASHER M4	2
47	5330 33 620		7-13		ARM	1
48	5290 84 991		7-1,		ARM	1
49	5290 33 512		W-1-		SPACER	1
50	5290 33 515		5"		LATCH	1
51	5290 33 511		A9VF"		STUD	1
52	9710100008		A"V/"h" M10		SPRING WASHER M10	1
53	9660100014		"F" M10		HEXAGON NUT M10	1
54	9660050014		t')F M5		HEXAGON NUT M5	1
55	9672052514		oVh97N"JDF M5X25		HEXAGON HEAD BOLT M5X25	1
56	9670062008		9"Fli'"IliF M6X20		HEXAGON SOCKET BOLT M6X20	4
57	5340 61 436-1		7"5Vh		BRACKET	1
58	96589		A-f" AJ4534		SWITCH AJ4534	1
60	9642051014		I1"3.D" M5X10		SMALL PAN-HEAD SCREW M5X10	2

Na	MA\$#/ lita4"/ COMPONENT	PARTS	PART NAME	MR Q'ty
61	5486 35 198-1		SPRING	1
62	5290 33 454	)3h•	SPRING STUD	1
63	9721030008	E-17)9"-E	E-RING E-5	1
64	5340 53 161	A"\" -/-	SPACER	3
65	9715050014	t51"h" M5	PLAIN WASHER M5	1
66	9710050014	M5	SPRING WASHER M5	1

INK FRAME

SECTION



INK FRAME

SECTION

SECTION NUMBER 1

1

*-7-03613Zus#At iztab⁵Ats6k6sitZWznittlt agil,t<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	-t l-	/S ET Na	SAVt/	4)72tWCOMPONENT	PARTSNa	PART NAME	gR Qtv
1	5340 55 112-6	7L-L.				FRAME	2
2	9670082008	)F7V4,F	M8X20			HEXAGON SOCKET BOLT M8X20	44
3	9670062008	V7VhVIDF	M6X20			HEXAGON SOCKET BOLT M6X20	8
5	5340 55 117	70 D-F				PLATE	4
7	9670051608	V,VF*Nlit.	M5X16			HEXAGON SOCKET BOLT M5X16	4
8	5340 55 118					KEY	4
9	5340 55 116-1	701,-				PLATE	4
10	5340 55 111-7	7D-L				FRAME	2
11	5340 55 113-1	AT-				STAY	2
12	5340 55 114	AT-				STAY	2
13	5340 55 119	AT-				STAY	1
14	5340 55 115	AT-				STAY	1
		9"-(23 = h				2ND UNIT	
15	5340 55 121-2	hA"-				COVER	2
16	9670051008		M5X10			HEXAGON SOCKET BOLT M5X10	6
17	9670040508	V F40`11,F	M4X5			HEXAGON SOCKET BOLT M4X5	211

fDt7t)7.)

INK FOUNTAIN


セクション

SECTION

セクション番号

SECTION NUMBER

5340Z 511



INK FOUNTAIN

SECTION

SECTION NUMBER

Ø011

UT<

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	ALT-4/5 NT NO. 11	umh/11t / COMPONENT PARTS Na	PART NAME	MR Wty
5322 51 300-1	7Y—h0-5—	ASSY	INK FIRST ROLLER ASSY	2
5340 51 041Z	82-84	D"9"5. ASSY	BUSHING ASSY	2
5340 51 042Z-3	42,46	D"9"5. ASSY	BUSHING ASSY	2
5340 51 050	45,46	1(;) 211"JD9" ASSY	INK FEED VOLUME CONTROL RING	2
5340 51 060Z	40,124,125	12a7-L ASSY	ARM ASSY	2
5340 51 090Z-1	23,27	5IVFADF"11/ ASSY	RATCHET HANDLE ASSY	2
5340 51 110-1	23,24	3"9-9FD171 ASSY	DUCTOR DRIVE SHAFT ASSY	2
5340 51 140Z	57,72,73,80,81	f.49N"99—0-5— ASSY	INK DUCTOR ROLLER ASSY	2
5340 51 232Z	62,64	T.)9 ASSY	LINK ASSY	2
5340 51 832Z	38,39	77"9.5. ASSY	BUSHING ASSY	2
5340 51 840-1	11(;) A5")7" I./A2')	Y-G ASSY	FOR STEPLESS INK FEED CONTROL	2
5340 51 860	46,97	1)1 570 L3"	ARM ASSY	2
5340 51 870-1	101,102	Y-t ASSY	FOR STEPLESS INK FEED CONTROL	2
1 90510	1") / 70L) 31	11)"A ASSY	ARM ASSY	2
2 5340 51 017	108,109	f.D ATV7" I./Aar)	FOR STEPLESS INK FEED CONTROL	2
6 9670052008	99,100	0-1 D9" P-6	BOSS ASSY	2
7 5340 51 043-2		7"5."VF	0-RING P-6	36
8 9660080014		1")F M8	INK FEED VOLUME CONTROL SCREW	36
9 5340 51 040-1		V7E	HEXAGON SOCKET BOLT M5X20	8
10 5340 51 047-1		A9Vh"	BRACKET	2
11 9721070008		E-1 9"	HEXAGON NUT M8	8
12 5340 51 016		A 1 VP 13" M5	KNOB	4
14 9710050008		0-5-	STUD	4
15 5340 51 000-6		7"5 5	E-RING E-7	10
16 5340 51 044-2		AT: AD?"	PIN	4
17 5290 51 083		49 P") (	SPRING WASHER M5	22
18 5290 51 082		7.tV7" 4311) "—	INK FOUNTAIN, FOUNTAIN ROLLER	2
19 5340 51 081		1 "vPh" M8	BRACKET	2
20 9710080008		f.1"3D" M5X10	SPRING	2
21 9642051014		7"VD2	PAWL	2
22 5340 51 054		"IVFADF"11i	SNAP HOLDER	2
23 5290 33 214		11\ "- ("-99"L'—)	SPRING WASHER M8	4
24 5340 51 090-1		7-t	SMALL PAN-HEAD SCREW M5X10	18
25 5340 51 080		7,7" J'9"	COVER	2
27 5340 51 060		1911)"\$	BUSHING	4
28 5290 51 064		to D	RATCHET HANDLE	2
29 5290 51 070		F(E)" M6X6	LEVER(DARK GRAY)	2
30 5290 51 063-1		tVF M5	ARM	2
31 5340 51 053-2		/5D*D" M4X10	SPRING	4
32 9684060608			PAWL	2
33 9660050014			PIN	2
34 9648041014			RATCHET WHEEL	2
			SET SCREW M6X6	4
			HEXAGON NUT M5	8
			SMALL FLUSH HEAD SCREW M4X10	2

-f:A74DTD

INK FOUNTAIN

SECTION

SECTION NUMBER

5340Z 511

*v—.“38AUs#14 :ti4b⁵A4k6,3VielizUttltiOat,.""c<Afoo
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


No.	- , t.4-9-/SET No. a a, t-gi PART Na	4E/ COMPONENT PARTS	ART NAME	MR WtY
35	5310 33 538-1	V7Z(5"-29"D—)	KNOB(DARK GRAY)	2
36	5340 51 095	A9Vh"	STUD	2
37	5340 51 096	19'P)"\$	PAWL	2
38	5290 21 212	7"VD2	BUSHING	4
39	5340 51.232	D9	LINK	2
40	5340 51 051-1	-fD+IBOt-f9D2"	INK FEED VOLUME CONTROL RING	2
41	9648051614	/53 D" M5X16	SMALL FLUSH HEAD SCREW M5X16	24
42	5340 51 041	7""Di	BUSHING	2
45	5340 51 0423	7"VD2	BUSHING	2
46	5290 51 043	7"VD2	BUSHING	4
47	5290 51 090-1	95)7°	CLAMP	2
48	9670051608	V"Fli"lid- M5X16	HEXAGON SOCKET BOLT M5X16	2
49	5300 51 180-1	*D"27D—L.,	FRAME	2
50	9716050014	t51"h" M5	PLAIN WASHER M5	6
51	5290 21 316	A7°9D9"	SPRING	2
52	5300 51 160	95VT	CLUTCH	2
53	9721040008	E-9)9" E-4	E—RING E-4	6
54	5300 51 170	UD2	LINK	2
55	5300 58 364	A7°9p2"	SPRING	2
56	97628	VDJ-fl"	SOLENOID	2
57	9411402500	T—A°—t°D 4X25	TAPER PIN 4X25	2
58	5290 51 135	1j5—	COLLAR	4
59	5290 51 133	A7° 1D9"	SPRING	2
60	5330 51 132	5V1	LATCH	4
61	90627	G—J'9" G-7	G—RING G-7	4
62	90331	Ai"—V"79D9" 607DD	BALL BEARING 607DD	4
63	5340 51 142	D1'71-	SHAFT	2
64	5340 51 140	-f:A9"95—o-5—	INK DUCTOR ROLLER	2
65	9710030008	A 1j" M3	SPRING WASHER M3	4
66	9642031014	t.N"D D" M3X10	SMALL PAN—READ SCREW M3X10	4
67	5290 37 433	A"V3	SPRING STUD	2
68	5290 51 123-1	A7°97)9"	SPRING	2
70	5290 51 122	t°D	PIN	2
71	90200	*"—WY9D9" 607ZZ	BALL BEARING 607ZZ	2
72	5290 51 120-3	DA"—	LEVER	2
73	5330 51 111	D1'7h	SHAFT	2
74	5340 51 131	Y—G	ARM	4
75	5330 29 314	1 5—	LOCK COLLAR	4
76	9684050508	F E" M5X5	SET SCREW M5X5	12
77	9670062008	95*Vhiti"lbh M6X20	HEXAGON SOCKET BOLT M6X20	8
78	5330 51 112-3	7—L	ARM	4
80	5340 51 150	7—L	ARM	2
81	9410402008	A7°97)9"t°:) 4X20	SPRING PIN 4X20	2
82	5322 51 310-1	1') 77—AFo-7—	INK FIRST ROLLER	2
83	5290 51 312	"7	GEAR	2
84	9410302508	A7°99"t°) 3X25	SPRING PIN 3X25	2
86	9680051208	h)(F)" M5X12	SET SCREW M5X12	4
87	9660060014	t)F M6	HEXAGON NUT M6	2
88	9670061608	97VF*NliF M6X16	HEXAGON SOCKET BOLT M6X16	2
89	9410301608	A7° 1)9"t°) 3X16	SPRING PIN 3X16	2
90	9721120008	E-1)9" E-12	E—RING E-12	2
91	5340 51 136-1	AT—	STAY	2
92	5340 51 313-1	7"VD2	BUSHING	4
95	5340 51 048	A * 0- F—	SPACER	2
96	5340 51 830-3	-(;) Vili".7*D5Do-5— -(D4AT")7°DA3')	INK FOUNTAIN.FOUNTAIN ROLLER FOR STEPLESS INK FEED CONTROL	2
97	5340 51 832	D"90 -f:) ATV7°DA30	BUSHING FOR STEPLESS INK FEED CONTROL	2

INK FOUNTAIN

87

OSCILLATING ROLLER

SECTION



OSCILLATING ROLLER

SECTION

SECTION NUMBER

*v- 060att,atc iz14bints6k6sa3z*icaatAt.gut<mt,)
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	&0	Atg	/SET Na PART It	PAWA#/ 4AtWCOMPONENT PARTS	PART NAME Na	rnR Q'ty
5290	51	640-2	tt''	V9hL ASSY	DOG & CAM ASSY	2
			22,23			
5300	51	641Z		ASSY	HOLDER ASSY	2
			17,19			
5322	51	630-3	-(:)=7)(3-5-	ASSY	INK OSCILLATING ROLLER ASSY	2
			14,17-20,24,25,77			
5322	51	900-3	C:44-)5D0-5-	ASSY	INK OSCILLATING ROLLER ASSY	2
			14,17-25,51,77			
5322	51	920-2	D171-	ASSY	SHAFT ASSY	2
			21-23,51			
5340	51	210-2	D17F	ASSY	SHAFT ASSY	2
			32,33,57			
5340	51	530-1	*Dt :.)	ASSY	SET PIN ASSY	
			64,65,69,70			
5340	51	540	tDt D	ASSY	SET PIN ASSY	
			64,70,74			
5340	51	820-1	Dt7h	ASSY	SHAFT ASSY	2
			fD+AT")70DA3')		FOR STEPLESS INK FEED CONTROL	
			57,80,81			
1	9660060014		tvh M6		HEXAGON NUT M6	8
2	9670061608		V5'VF\$4,1' M6X16		HEXAGON SOCKET BOLT M6X16	8
3	5290 88 170		*D"		SCREW	4
4	9410301008		A7 11D9"t D 3X10		SPRING PIN 3X10	4
5	5290 52 535		t D		PIN	4
6	5340 51 522-2				COVER	4
7	5340 51 521-1		7""vh		BRACKET	4
9	90318		40N-w7'1)2" 608ZZ		BALL BEARING 608ZZ	12
10	9670062008		V Flt"11)F M6X20		HEXAGON SOCKET BOLT M6X20	26
12	5340 51 550				INK IDLE ROLLER	2
13	5340 53 175		3.-7"(9"1,-) L=15		TUBE(GRAY) L=15	4
			9N"f22:VF		2ND UNIT	
14	5322 51 610-2		fD+t5."3:i4-)TD0-5-		INK RIDER OSCILLATING ROLLER	2
15	5290 29 315		1;(1j5-		LOCK COLLAR	4
16	5322 51 931		7"57')F		BRACKET	4
17	5290 51 642-2		7"VD2		BUSHING	2
18	5300 51 644		F;035-		LOCK COLLAR	4
19	5300 51 641-1		*JO"-		HOLDER	2
20	5322 51 643		Dt7h		SHAFT	4
21	5322 51 921		DV7h		SHAFT	2
22	5290 51 622-2				CAM	2
23	5290 51 632-2		199 \$		PAWL	2
24	5300 51 633-2		7°D-F		PLATE	2
25	5290 51 650		*11,9"-		HOLDER	2
28	5290 51 521		7"VD/		BUSHING	4
29	5340 51 523-1		"7"5 5. VF		BRACKET	2
30	5340 51 524-1		7" 55•		BRACKET	2
31	5290 51 231-1		ASVF"		STUD	2
32	5290 51 212-3		V`Y		GEAR	2
33	5340 51 211-1		bLDt7h		CAM SHAFT	2
34	5340 51 214-1		7"VD1		BUSHING	4
35	5340 51 213-1		9"29-hL		DUCTOR CAM	2
36	5340 51 219		135-		COLLAR	2
37	9723370008		C-17)2" C-37		C-RING C-37	2
38	91626		V-1V\"7Up2" 6904ZZ		BALL BEARING 6904ZZ	4
39	5340 51 217				SPACER	2
40	5340 51 216-1		7-fh"1114NNY		IDLE GEAR	2
41	5340 51 435-3		T`VD2		BUSHING	2
42	5290 51 433		Dt7F		SHAFT	2
43	5290 51 432		7N"VD/		BUSHING	2

*Dly7Y ID9"o-5-

5340Z 512

SECTION

SECTION NUMBER


OSCILLATING ROLLER

34v--"Dg08a" M4 1-7TWA'Ars6kAbs 4icugtAttiLTKtto
 The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	471t- /sET Na	HAZA/	4A4,/ComPoNENT PARTS	PART NAME	gR
	/PART Na			Na	Crty
44	5340 51 431-2	7-1,		ARM	2
45	5290 51 437-1	135-		COLLAR	2
46	90230	J-Pj:i	IR10X13X12.5	INNER RING 1R10X13X12.5	2
47	5340 51 436-2	t 7)		PIN	2
48	5340 51 434	7"51-		BRACKET	2
49	9684050508	1)t E)"	M5X5	SET SCREW M5X5	12
50	9670063508	Vi.91-71iNtit-	M6X35	HEXAGON SOCKET BOLT M6X35	2
51	9410302008	A7 9D9"t°D	3X20	SPRING PIN 3X20	2
52	9642051614	t1"D*D"	M5X16	SMALL PAN-HEAD SCREW M5X16	8
53	9684060608	f- D"	M6X6	SET SCREW M6X6	8
54	9710060008	il"v/"w%	M6	SPRING WASHER M6	2
55	9710050008	AN`v/"h1	M5	SPRING WASHER M5	10
56	9660050014	tvh	M5	HEXAGON NUT M5	2
57	9410403208	A7 Up9"t :)	4X32	SPRING PIN 4X32	4
58	9721070008	E-17)9"	E77	E-RING E-7	4
59	9410303008	A7 9D9"t°D	3X30	SPRING PIN 3X30	2
60	5330 51 622-2	f2-7"(9"L'-)	L=4	TUBE(GRAY) L=4	1
		9"122:Vh		2ND UNIT	
61	5340 51 560-1	(74Y-(1-"1i,o-5-		INK IDLE ROLLER	2
62	5340 51 510-2	f:) 7.ft."11/o-5-		INK IDLE ROLLER	2
63	5340 51 527			BRACKET	2
64	9410201008	A7 97)9"t°D	2X10	SPRING PIN 2X10	12
65	5340 51 532-1	7"1:09		BLOCK	4
66	90703	Utv. M6		U-NUT M6	4
67	5290 38 235	A7 9D9"		SPRING	4
68	5321 51 564	9D9		LINK	4
69	5340 51 531	4"Dt°D		PIN	4
70	5300 56 091			KNOB	8
71	5330 51 563			SCREW	8
72	5330 51 564	7-G		ARM	4
73	5290 54 338	A7 U.D9"		SPRING	4
74	5340 51 541			PIN	4
75	5340 51 526			BRACKET	2
77	9648040814	/57*D"	M4X8	SMALL FLUSH HEAD SCREW M4X8	4
78	9670051608	VhrVh11NDF	M5X16	HEXAGON SOCKET BOLT M5X16	4
		DA3')		FOR STEPLESS INK FEED CONTROL	
79	5340 51 823	tOp		PIN	2
		1)450 L72'		FOR STEPLESS INK FEED CONTROL	
80	5340 51 822-1	1"7		GEAR	2
		fDtAT")7°DA2')		FOR STEPLESS INK FEED CONTROL	
81	5340 51 821	Dt7h		SHAFT	2
		1)A7V7°DA3')		FOR STEPLESS INK FEED CONTROL	
82	5340 51 570	1DYfh"lbo-.3-		INK IDLE ROLLER	2
83	9662060014	tvh	M6	HEXAGON NUT M6	2
84	9680062008	h)(D"	M6X20	SET SCREW M6X20	4

INK OSCILLATING ROLLER

SECTION



INK OSCILLATING ROLLER

SECTION

SECTION NUMBER

*v-034t3ausaZ IIT4biAts4:6,a3Z4lciatAML c<M1,).
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Nc ^d	II	/PAR T ^{Na} Na	SAVIs/ MatWcomPoNENT	PARTS	PART NAME	MR crtv
5321	51	641Z	'lif)5"-	ASSY	HOLDER ASSY	2
			82.85			
5340	51	300-1	tD1)-5/D9"o-5-	ASSY	OSCILLATING ROLLER ASSY	2
			20-22			
5340	51	400-1	VA)-5-f7)9"o-5-	ASSY	OSCILLATING ROLLER ASSY	2
			20-22.46.47			
5340	51	423Z-2	MO"-	ASSY	HOLDER ASSY	
			16.17			
5340	51	500-1	4,5Do-7-	ASSY	OSCILLATING ROLLER ASSY	2
			65.67.78-87			
5340	51	590-1	Dt7F	ASSY	SHAFT ASSY	2
			67.78-80			
5340	52	500-4	fpt:)DNN29')	ASSY	INK ROLLER CLEANUP ATTACHMENT	2
			8.54-58.61-63			
5340	52	520-2	Dt7F	ASSY	SHAFT ASSY	2
			66-69			
2	9660060014		tVh M6		HEXAGON NUT M6	8
3	5290	52	535		PIN	4
4	5340	51	522-2		COVER	4
5	5290	88	170		SCREW	4
6	9410301008		A70, D, %to D 3X1 0		SPRING PIN 3X10	4
7	5340	51	521-1		BRACKET	4
8	9670062008		VVF\$ "10. M6X20		HEXAGON SOCKET BOLT M6X20	36
9	90318		lii"-JD1NN7UD9" 608ZZ		BALL BEARING 608ZZ	4
10	5340	51	510-2		INK IDLE ROLLER	2
11	5340	53	175		TUBE(GRAY) L=15	3
			32-7"(9 ^{NN} U--)	L=15		
			9 ^{NN} -f2/VF		2ND UNIT	
12	5290	51	521		BUSHING	8
13	5340	51	550		INK IDLE ROLLER	4
14	5340	51	525-1		BRACKET	8
15	5290	51	427		SPRING STUD	8
16	5290	51	043		BUSHING	8
17	5340	51	423-2		HOLDER	4
18	5290	51	423		COVER	8
19	9648051014		/53*D" M5X10		SMALL FLUSH HEAD SCREW M5X10	36
20	5322	51	410-2		INK OSCILLATING ROLLER	4
21	5330	51	412		GEAR	4
22	9411405000		z...o_to D 4X50		TAPER PIN 4X50	4
23	5290	24	275		WASHER	12
24	5340	51	422-1		PLATE	2
25	9670061608		"V1-*"11/h M6X16		HEXAGON SOCKET BOLT M6X16	20
26	5290	51	414		WHEEL	4
27	9710100008		ANNV/"WN M10		SPRING WASHER M10	4
28	90701		UtVF M10		U-NUT M10	4
29	90610		BE-17)9'N BE-60		BE-RING BE-60	16
30	5290	29	313		WASHER	12
31	5290	51	424-1		SCREW	12
32	5290	51	426-1		BLOCK	4
33	9660080014		VA- M8		HEXAGON NUT M8	4
34	9710080008		A"VINNb" M8		SPRING WASHER M8	4
35	5322	53	431-1		BLOCK	4
37	5322	53	433-2		PIN	8
38	90230		J(1) IR10X13X12.5		INNER RING IR10X13X12.5	8
39	5290	51	437-1		COLLAR	8
40	9710050008		A"V/NN/3" M5		SPRING WASHER M5	22
41	9660050014		tVh M5		HEXAGON NUT M5	8
42	5340	51	440		ARM	2
43	5290	37	123		BUSHING	4
44	5340	51	442-1		PIN	4

INK OSCILLATING ROLLER

SECTION

SECTION NUMBER


5340Z 513

*v—p'oBAU.Mtz5 14b;AtsVz6siMiiYizugtAAL r<t..7:tA).
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	•t, ftls	/s t 'V	ET PART	Na Na	MAZA/ N1A	COMPONENT PARTS	PART NAME	MR
45	5340	51	425		7"c09		BLOCK	4
46	5340	51	413		"7		GEAR	2
47	9411402500				t-AC' -t°) 4X25		TAPER PIN 4X25	2
48	5340	51	421-1		7015-1,		PLATE	2
49	5340	51	451		401/5"-.		HOLDER	4
50	5330	55	631		70 D - F		PLATE	4
51	9642051014				t1"M=)" M5X10		SMALL PAN-HEAD SCREW M5X10	14
52	5340	52	517-1		7"55'")F		BRACKET	2
53	9670051001				v5.Vh\$"11/1- M5X10		HEXAGON SOCKET BOLT M5X10	8
54	9410302508				A7° 1D9"t°D 3X25		SPRING PIN 3X25	4
55	5340	52	516		t°D		PIN	4
56	5340	52	519		A7 °U.Dq''		SPRING	4
57	5340	52	524-1		7"D- F"		BLADE	2
58	5310	52	523		70 D - F		PLATE	2
61	5340	52	510-1		1D+5.-5-tDD"2r)V',7		INK ROLLER CLEANUP ATTACHMENT	2
62	9710040008				A" h" M4		SPRING WASHER M4	12
63	9642041014				t1"DD" M4X10		SMALL PAN-HEAD SCREW M4X10	12
64	5340	52	518-1		7""vh		BRACKET	2
65	9684050508				F D" M5X5		SET SCREW M5X5	10
66	5340	52	530-2		DA"-		LEVER	2
67	9410302008				AT'UDg"t°:, 3X20		SPRING PIN 3X20	8
68	5340	52	522		bL,		CAM	4
69	5340	52	521		Dt7F		SHAFT	2
70	5330	24	341		Ar)D"D9"		HOUSING	2
71	9721070008				E-9D9" E-7		E-RING E-7	2
72	9716050014				t5,"h" M5		PLAIN WASHER M5	2
73	5330	82	201		A7° 1:)9"		SPRING	2
74	5300	59	132		*JO"-		HOLDER	2
75	90601				CE-17,9" CE-8		CE-RING CE-8	8
76	5340	53	420				ARM	2
78	5340	51	591-1		Dt7F		SHAFT	2
79	5290	51	632-2		49 1v"\$		PAWL	2
80	5512	51	141-1				SCREW	2
81	5340	51	592		h5-		COLLAR	4
82	5290	51	642-2		7"VD2		BUSHING	2
83	5290	53	336		tvF		NUT	4
84	5321	51	630				HOLDER	2
85	5321	51	641-1				HOUSING	2
86	5341	53	610-1		tDD-5'-(D9"0-5-		OSCILLATING ROLLER	2
87	5341	53	622		.DN'		SCREW	4
89	5290	51	429		9VDt-		WASHER	12
90	5290	51	425-1		7"c09		BLOCK	4
91	9680062008				F;t*D" M6X20		SET SCREW M6X20	4
92	9670060808				v5.Vh*"11/F M6X8		HEXAGON SOCKET BOLT M6X8	2

INK FORM ROLLER

SECTION



SECTION

SECTION NUMBER ' - - - - -

INK FORM ROLLER


* O Pr, It, at z": dz:TritbiAtoc. ?6, itat <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	-t7 0	/SET PART	Na DRI	g13Pan/ hitA/	COMPONENT PARTS &	ART NAME	MR (rtY)
	5290	52	130	7-G	ASSY	ARM ASSY	8
				16.17.28			
	5322	51	700Z	7)A - 4-Go-5-	ASSY	UPPER FORM ROLLER ASSY	2
				3.4			
	5322	51	810Z	cY-71-Go-5-	ASSY	LOWER FORM ROLLER ASSY	2
				3.54			
	5340	51	700Z	FV7 7t-Go-5-	ASSY	TOP FORM ROLLER ASSY	2
				3.45			
	5340	51	720	D1-7h	ASSY	SHAFT ASSY	6
				12.15			
	5340	52	130	7-t	ASSY	ARM ASSY	4
				16.17.28			
1	5290	51	736	h>035-		LOCK COLLAR	12
2	9684060608			F\$V)" M6X6		SET SCREW M6X6	40
3	90205			1i"-1/1"Y'W'" 6001LLB		BALL BEARING 6001LLB	12
4	5322	51	700	YVA -74-Go-7-		UPPER FORM ROLLER	2
5	5330	51	712	1-7"(2"1)-)		TUBE(GRAY)	3
				2/1VF		2ND UNIT	
6	5290	51	742			HOLDER	6
7	5290	51	830			BRACKET	4
8	5290	51	822	A"VJ5'		SPRING STUD	8
9	5300	51	842-1	A7°'1D9"		SPRING	4
10	9660060014			t'JF M6		HEXAGON NUT M6	6
11	9684061608			h)(D" M6X16		SET SCREW M6X16	6
12	5290	51	722			KNOB	6
13	5290	51	735	t0 >		PIN	6
14	5290	51	821-1	7"55'VF		BRACKET	4
15	5340	51	721	D1-7F		SHAFT	6
16	9410302508			AT' D9"t) 3X25		SPRING PIN 3X25	12
17	5290	52	115	D9		LINK	12
18	5290	52	112			LOCK COLLAR	8
19	9684051208			t\$E)" M5X12		SET SCREW M5X12	16
20	5310	52	122-3	DA"-(9"-99N)-)		LEVER(DARK GRAY)	4
21	5300	12	224	70 D-F		PLATE	4
23	5340	52	161-2	79-/JG		FREE CAM	4
24	9660080014			tVF M8		HEXAGON NUT M8	12
25	9710080008			A'NVPN/JN% M8		SPRING WASHER M8	12
26	5290	51	738	7"VDD9"		BUSHING	6
27	90204			V-W\"79:)9" 6001ZZ		BALL BEARING 6001ZZ	12
28	5290	51	737	t0 >		PIN	12
31	5340	52	141-2	7'1-hL		FREE CAM	4
32	5340	52	111-1	D1-71-		SHAFT	2
33	5290	51	732	A"VJh'		SPRING STUD	16
34	5290	51	744	7"VDD9"		BUSHING	6
35	5290	52	119-1	77 U)9"		SPRING	4
36	9410302008			A7 9D9"1:) 3X20		SPRING PIN 3X20	4
37	9723280008			C-'J:)9" C-28		C-RING C-28	8
38	90364			40N-11)1"797)9" 6902ZZ		BALL BEARING 6902ZZ	8
39	5340	52	132			SPACER	4
40	5340	52	131	7fh"114"7		IDLE GEAR	4
41	5340	52	117			SPACER	4
42	9410502508			77 41,i9"1: :, 5X25		SPRING PIN 5X25	8
43	5290	51	123-1	77 9)9"		SPRING	12
44	5290	51	731-1	7"5"F		BRACKET	2
45	5340	51	700			TOP FORM ROLLER	2
50	9650052014			711,4/5:D" M5X20		SCREW M5X20	4
52	5290	51	740	7"5,VF		BRACKET	2
54	5322	51	810			LOWER FORM ROLLER	2
61	5290	51	730-1	EJ"		SCREW	6

INK FORM ROLLER

SECTION SECTION NUMBER 5340Z 514
*—“”AgenusatzdzIti4MA Ys6kr/5,t0ZW=44A4U`c<kO.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na		TNa		SM4 / 4atw		PART NAME	Q'ty
63 5290 53 121		1 "V37		COMPONENT PARTS Na		SPRING STUD	4
64 5340 52 112		Dt7h				SHAFT	2



OPERATION LEVER

v-03g5Puit atic'titbiAts346.tt WrAtiat At4t/c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	L	T	I	V	P	I2T	Na	SNA#/ aAtgicomPoNENT PARTS	PART NAME	MR Wty
5340	52	200						9g),DN`9 ASSY	OPERATING SHAFT ASSY	2
								38-40.49-51.63.64		
5340	52	610Z-2						7-L ASSY	ARM ASSY	2
								42.53		
1	5340	52	631					A9vh"	STUD	2
2	9670051008							VhVF\$NDF M5X10	HEXAGON SOCKET BOLT M5X10	4
3	5340	52	635					7"5Vt.	BRACKET	2
4	9670061001							VJVh*NDF M6X10	HEXAGON SOCKET BOLT M6X10	2
5	9721070008							E-97)9" E-7	E-RING E-7	24
6	5340	52	650					DA"-	LEVER	2
7	5340	52	640					DA"-	LEVER	2
8	5486	44	174					A7`9D9"	SPRING	2
10	5340	52	634					A1`-/-	SPACER	4
11	5340	52	620					A-f')I7D-L	SWITCH FRAME	2
12	5330	61	321					41`D-D3DA-r"	OPERATION SWITCH	2
13	9642040814							t`D`)" M4X8	SMALL PAN-HEAD SCREW M4X8	4
14	5340	52	632					1;)9	LINK	4
15	91710001							A`0-,...	SPACER	8
16	90628							A1")7`t`D SSP-4	SNAP PIN SSP-4	8
17	5300	59	566					t`D	PIN	4
18	9670041008							V`F4i"Jp1- M4X10	HEXAGON SOCKET BOLT M4X10	16
19	97606-2							9Dif1" AS-03A AC115V	SOLENOID AS-03A AC115V	4
20	5340	52	652					7"55"	BRACKET	4
21	9660040014							,VF M4	HEXAGON NUT M4	16
22	9710040008							A"v,"h" M4	SPRING WASHER M4	16
23	9670061208							9hVFli"11,1- M6X12	HEXAGON SOCKET BOLT M6X12	8
24	5290	53	121					A"*hh'	SPRING STUD	2
25	5290	52	119-1					A2`9:)9"	SPRING	2
26	9710080014							A"v/"h" M8	SPRING WASHER M8	2
27	5340	52	271-1					A9vh"	STUD	2
28	90203							\$"- \$1"7`1.7)9" 625ZZ	BALL BEARING 625ZZ	2
29	5340	52	260					7-L	ARM	2
30	9660080014							tVh M8	HEXAGON NUT M8	2
31	9670051608							Vh"Yht"0 M5X16	HEXAGON SOCKET BOLT M5X16	2
32	9710050008							A"VPh" M5	SPRING WASHER M5	2
33	9660050014							"F M5	HEXAGON NUT M5	2
34	9650063014							711`5DD" M6X30	SCREW M6X30	2
35	5340	52	212					711"7	BOSS	2
36	5340	52	301					97.'2	LINK	4
37	90447							7"VD/ DUB1612	BUSHING DUB1612	4
38	5340	52	220					hL	CAM	2
39	9410502508							77`97)9"t`D 5X25	SPRING PIN 5X25	2
40	5340	52	240					hL	CAM	2
41	5330	52	660-1					19uv")(	PAWL	2
42	5290	33	214					7"VD2	BUSHING	2
43	5330	52	671					A7`97)9"	SPRING	2
44	9642020514							t'\"DD" M2X5	SMALL PAN-HEAD SCREW M2X5	4
45	9710020014							A"v,"h" M2	SPRING WASHER M2	4
46	97501							77"Vh RS-9M	MAGNET RS-9M	2
47	5330	52	634					7"5rVF	BRACKET	2
48	9684060608							1-`D" M6X6	SET SCREW M6X6	2
49	5340	52	250-1					5`VA-4i-1-11,	RACHET WHEEL	2
50	9410503208							A7`1D9"t`D 5X32	SPRING PIN 5X32	4
51	5340	52	211					DI`7F	SHAFT	2
52	5290	37	251-1					A7`1;)9"	SPRING	2
53	5340	52	610-2					Y-L	ARM	2
55	5310	52	214					fDD"-9-	INDICATOR	2
56	5310	52	660					19IP)",t	PAWL	2
57	90758							t"-11,9"UV7` 32(7"5")	BALL GRIP 32(BLACK)	2

OPERATION LEVER


t,YR:/
SECTION

t 3 4²i
SECTION NUMBER

5340Z 520

*v- 'OSA its a t if dz:Trabint.i, tz aycoitz.-.1tatcm tit., <
The dimension of the parts marked with a * differ depending on the press serial
number. When ordering parts, please inform us of the press serial number.

NO.	ft3	I- t- '•/SET Na PART Na	ONaft/ RAtt/COMPONENT PARTS	PART NAME Na	MR Qty
58	5340	52 605	9) 2	LINK	1
59	5340	52 606	7"VD2	BUSHING	2
60	9710030008		A"V1"h" M3	SPRING WASHER M3	4
61	9642030614		t't"D.D" M3X6	SMALL PAN-HEAD SCREW M3X6	4
62	5290	52 213-1	DA"-	LEVER	2
63	5321	43 118		SPACER	2
64	9411503600		5-A°-t°) 5X36	TAPER PIN 5X36	4
65	5340	21 810	hL	CAM	2
66	5340	52 615	t°D	PIN	4
67	9660060014		tVh M6	HEXAGON NUT M6	4
68	9710060008		A"Vf"h" M6	SPRING WASHER M6	4
69	9716060014		ti/"h" M6.	PLAIN WASHER M6	4



WATER FOUNTAIN ROLLER

SECTION

SECTION NUMBER'

*q - 003 A Ustatic Mbi Ats 6k6sth3U4izUM4A4Lt<M10,
The dimension of the parts marked with a * differ depending on the press serial
number. When ordering parts, please inform us of the press serial number.

No.	ALIVIMT №a	oavcompONENT PARTS	ART NAME	UR Qty
5300	53 250-5	EA"V4A41V7° ASSY	WATER BOTTLE CAP ASSY	2
		59-64		
5322	52 311Z	V 7. ASSY	GEAR ASSY	2
		10,11		
5327	52 410-1	Y-L ASSY	ARM ASSY	2
		119,123		
5327	53 009	7-G ASSY	ARM ASSY	2
		18,19		
5340	52 320Z	bLLM"- ASSY	CAM LEVER ASSY	2
		70,77		
5340	52 330	Y-G ASSY	ARM ASSY	2
		78-81		
5340	52 371Z-1	ll D9 ASSY	LINK ASSY	2
		67,74		
5340	53 120Z-1	17,9 ASSY	LINK ASSY	2
		6,7		
5340	53 130	1,4-L41-f-11, ASSY	WORM WHEEL ASSY	2
		124-126,151		
5340	53 170Z-1	ZA"9"99-o-5- ASSY	WATER DUCTOR ROLLER ASSY	2
		93,94		
1	9721100008	E-9D9" E-10	E-RING E-10	6
2	5290 29 311	Tnt-	WASHER	6
3	9670061208	V5'VF*Nifh M6X12	HEXAGON SOCKET BOLT M6X12	2
4	9721070008	E.-'V" E-7	E-RING E-7	10
5	5290 29 313	'Mt-	WASHER	6
6	5300 45 243	7"VD2	BUSHING	4
7	5340 53 120-1	9:)9	LINK	2
8	5322 52 314-1	t°)	PIN	2
9	5340 52 313	W.,	CAM	2
10	5322 52 311	V 7	GEAR	2
11	5290 37 123	7"9D2	BUSHING	2
12	5340 52 312	A9')F"	STUD	2
13	9710100008	A /3" M10	SPRING WASHER M10	2
14	9660100014	tVh M10	HEXAGON NUT M10	2
17	9710050008	A"VI"h" M5	SPRING WASHER M5	22
18	5327 53 110	7-L	ARM	2
19	5290 37 514	7"VD2	BUSHING	2
26	9710080008	A "h" M8	SPRING WASHER M8	2
27	9660080014	tVF M8	HEXAGON NUT M8	2
34	9648051614	/53D" M5X16	SMALL FLUSH HEAD SCREW M5X16	16
38	5290 29 222-1	7"VD2	BUSHING	6
39	90679	/5A" L12	CONED DISC SPRING L12	6
48	9642053014	J1"377," M5X30	SMALL PAN-HEAD SCREW M5X30	8
49	5340 53 211	7"55")h	BRACKET	2
50	9684050508	h\$*D" M5X5	SET SCREW M5X5	24
51	5340 53 190-2	F.A"7" ASSY	WATER FOUNTAIN ASSY	2
52	5340 53 212-1	7"5rVF	BRACKET	2
53	5322 53 217-1	AFVA°-	STOPPER	2
54	5300 82 520-1	7"5"1-	BRACKET	2
55	9642051014	J1NND D" M5X10	SMALL PAN-HEAD SCREW M5X10	14
56	5300 53 216	*-AANN:ih"	HOSE BAND	2
57	5330 53 195-2	Dq3.7A-A 9X12X410	HOSE 9X12X410	2
58	5330 53 251-1	F.A""Fll,	WATER BOTTLE	2
59	5300 53 256-3	A° V.:)	PACKING	2
60	9721030050	E-1)9" E-3	E-RING E-3	6
61	5300 53 254-3	74"FIDA° V)	BOTTLE PACKING	2
62	5290 53 255	A7° U,D9"	SPRING	2
63	5300 53 253	t° D	PIN	2
64	5300 53 252-1	)7°	CAP	2

WATER FOUNTAIN ROLLER

SECTION

*N'—“Ai3N,11,04Eir=ti4b⁵A4:6t?bstMii?zUgtAWL C<Mt0,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	5	/SET	T%	RW/COMPONENT PARTS	ART NAME	MR Wty
65	5300	53	214-1	t°D	PIN	4
66	5300	53	213	V7F.	KNOB	4
67	5340	52	606		BUSHING	4
70	5340	52	320	LDV—	CAM LEVER	2
71	90200			t"-11)1"7JD9" 607ZZ	BALL BEARING 607ZZ	2
72	9721050008			E-UD9" E-5	E-RING E-5	2
73	5290	52	322	A9')F"	STUD	2
74	5340	52	371-1	UD9	LINK	2
75	5290	21	161	A"i35'	SPRING STUD	4
76	5322	52	357-1	7°9D9"	SPRING	2
77	5290	37	513-1	7"VD2	BUSHING	2
78	5340	52	360	Y-L	ARM	2
79	5340	52	350	7-13	ARM	2
80	9410402008			A7°9D9"t°D 4X20	SPRING PIN 4X20	4
81	5340	52	341	Dt7F	SHAFT	2
82	9721040008			E-9D9" E-4	E-RING E-4	6
83	5290	51	135	h5—	COLLAR	4
84	5290	51	133	A7°U,D9N`	SPRING	2
85	5290	51	132-1	5''	LATCH	4
86	5340	52	342-1	7-G	ARM	4
87	5290	29	315	h 1J5-	LOCK COLLAR	8
88	9670062008			Vh'vflINDF M6X20	HEXAGON SOCKET BOLT M6X20	2
89	5322	52	353-3	7-G	ARM	2
90	5340	52	354-1	D1'7h	SHAFT	2
91	5290	51	134	A7°1D9"	SPRING	2
93	91627			t"-11)1"71D9"606HZZMC3	BALL BEARING -606HZZMC3	4
94	5340	53	170-1	EXN9"99-o-5-	WATER DUCTOR ROLLER	2
95	5340	53	175	5:2-7"(9"D-) L=15	TUBE(GRAY) L=15	1
				12=vh	1ST UNIT	
95	5340	53	176	5:2-7`N(7"11)-) L=10	TUBE(BLUE) L=10	1
				9"-f22=vh	2ND UNIT	
96	5340	53	174	Dt7F	SHAFT	2
97	9410201850			A7°1D9"t°D 2X18	SPRING PIN 2X18	2
98	5290	24	118	135-	COLLAR	6
99	5340	52	380	7D-G	FRAME	2
100	97602			Vlii-fh" MS-10J AC115V	SOLENOID MS-10J AC115V	2
101	9410301608			A7°1D9"t°D 3X16	SPRING PIN 3X16	2
102	9642031014			t1"3D" M3X10	SMALL PAN-HEAD SCREW M3X10	4
103	5330	55	550	7-1,	ARM	2
104	5290	21	316	A7°1D9"	SPRING	2
105	5300	51	170	1D9	LINK	2
106	5300	58	364	A7°JD9"	SPRING	2
107	9716050014			t5"/3" M5	PLAIN WASHER M5	6
109	5340	53	182	AT-	STAY	4
110	9670052008			V7Vh*Nlih M5X20	HEXAGON SOCKET BOLT M5X20	4
111	5322	53	163-2	1DFD	MOLLETON	2
112	9684051608			is D" M5X16	SET SCREW M5X16	2
113	5322	52	355-1	t°D	PIN	2
114	9684060608			F;(f)" M6X6	SET SCREW M6X6	2
115	9721050050			E-UD9" E-5	E-RING E-5	4
119	90355010			9D',1-(95V5: HFL 1226	ONE WAY CLUTCH HFL 1226	2
120	5330	35	423	A9Vh`N	STUD	2
121	5290	37	233-1	A7°U.D9"	SPRING	2
122	5480	53	222	t°D	PIN	2
123	5327	52	411	7-L	ARM	2
124	90241			7"VD2 DUB1220	BUSHING DUB1220	2
125	5340	53	131	,1'-01-	WORM WHEEL	2
126	9410401608			A7°1D9"t°D 4X16	SPRING PIN 4X16	2
127	5310	53	155-1	7")D2	BUSHING	2

WATER FOUNTAIN ROLLER

SECTION

SECTION NUMBER

oil s# Itc it3114biAts tz it3Z*z_'. ItS4 it, < tif
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	It-	0	SET	Na	Na	MgVt/	COMPONENT PARTS	ART NAME	@IR
			PART			aa*W			Wty
128	5290	52	423-1			t°)		PIN	2
129	90436					9)'51-(95Vf	HF1216	ONE WAY CLUTCH HF1216	2
130	5327	52	421			iti"A		BOSS	2
131	90371					A5AF9VD1'-	AS1101	THRUST WASHER AS1101	2
132	5340	51	080			DA"-(9"-99"D-)		LEVER(DARK GRAY)	2
134	5327	53	154			D1'7F		SHAFT	2
135	5340	53	160-3			0-5-		ROLLER	2
136	9670041608					9D")Fel1iF	M4X16	HEXAGON SOCKET BOLT M4X16	2
137	5327	53	183			"F		NUT	12
138	5327	53	181-1			7-01° -		WIPER	12
139	532/	53	184-2			7"55')F		BRACKET	12
140	9710030008					W V"/"J"	M3	SPRING WASHER M3	24
141	9642030814					t1"3D"	M3X8	SMALL PAN-HEAD SCREW M3X8	24
142	5640	23	136			7FV11° -		STOPPER	2
143	5430	35	314			AN 0-1.1		SPACER	2
144	5327	52	374-1			7"oV9		BLOCK	2
145	5327	52	373			Er1'7h		SHAFT	2
146	5327	52	375			7"r09		BLOCK	2
147	5327	52	371			A-11,		SCALE	2
148	9670040808					Vh")1'13"11/F	M4X8	HEXAGON SOCKET BOLT M4X8	8
149	5327	52	376			AFVA° -		STOPPER	4
150	9670052508					%) 1-40'11/1-	M5X25	HEXAGON SOCKET BOLT M5X25	8
151	9410251608					A7° 9)2"t°)	2.5X16	SPRING PIN 2.5X16	2
152	5300	53	197			13-A95)7°		HOSE CLAMP	2
153	5300	58	365			9VD1'-		WASHER	2

EA"7t-Lo-5-


WATER FORM ROLLER

セクション

SECTION

-t a #F5t
SECTION NUMBER

5340Z 535



SECTION

SECTION NUMBER'

WATER FORM ROLLER

* 0413N, Its Mt izst'MbsAta; 7 jz ttZ*iz: < t
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	;k14/1MT ^{al} M K--/COMPONENT PARTS M		ART NAME	MR Qty
5322 53 350Z-1	z:A"71-Go-5-	ASSY	WATER FORM ROLLER ASSY	2
	36.37			
5322 53 410-2	EV` ,V)5po-5-	ASSY	WATER OSCILLATING ROLLER ASSY	2
	3-5			
5340 53 170Z-1	EA`N5 ⁰ 95 ⁵ -o-5-	ASSY	WATER DUCTOR ROLLER ASSY	2
	49.50			
5340 53 220-1	aA""`ND5Zo-5-	ASSY	WATER DISTRIBUTOR ROLLER ASSY	2
	44.48-50.52			
5340 53 270	D171 ⁺	ASSY	SHAFT ASSY	2
	8.56,63.64			
5340 53 340Z	7"5TVh	ASSY	BRACKET ASSY	2
	39.40			
1 9648051614	/7DD"	M5X16	SMALL FLUSH HEAD SCREW M5X16	8
2 5340 53 413-1	7"VD2		BUSHING	4
3 5322 53 411-2	aANNA-,5DID-5-		WATER OSCILLATING ROLLER	2
4 9410402508	A7 9D9"t ⁺ D	4X25	SPRING PIN 4X25	2
5 5322 53 412	V'Y		GEAR	2
6 9710100008	A h"	M10	SPRING WASHER M10	2
7 90701	Utvh	M10	U-NUT M10	2
8 9410302008	A7 '1 9"b°D	3X20	SPRING PIN 3X20	8
9 9662060014	tvh	M6	HEXAGON NUT M6	2
11 5300 82 256	2\`		SCREW	4
12 5290 38 235	A7 9)9 ^N		SPRING	4
13 5322 53 331	t ⁰ p		PIN	8
14 5340 53 311	TN5"F		BRACKET	4
15 9650052014	71 5DD"	M5X20	SCREW M5X20	4
16 5300 12 224	7 ⁰ 1)-1,		PLATE	4
17 5310 17 117-1	v7a(9"-99Ni-)		KNOB(DARK GRAY)	2
18 5340 53 344	Dt7h		SHAFT	2
19 5290 51 735	t ⁰ D		PIN	2
20 5290 53 132-1	8)"		SCREW	4
21 5340 53 341-1	7"55'vF		BRACKET	2
22 9670052008	vhv1-4040F	M5X20	HEXAGON SOCKET BOLT M5X20	8
23 5322 53 334	7"c3v9		BLOCK	4
24 5290 52 119-1	A7 Up9"		SPRING	4
25 5290 51 732	)1" hh'		SPRING STUD	4
26 90203	V-1 79D9" 625ZZ		BALL BEARING 625ZZ	4
27 5340 53 312	15-		COLLAR	4
28 5290 52 244	A"VJ		SPRING STUD	4
29 9642050814	t1".MD"	M5X8	SMALL PAN-HEAD SCREW M5X8	4
30 9710050014	A"VP1 "	M5	SPRING WASHER M5	4
31 5290 38 238	1f9A"		LEAF SPRING	4
32 5322 53 333-1	7"ov9		BLOCK	4
33 5322 53 332	v7a		KNOB	4
34 9684060608	F\$DN`	M6X6	SET SCREW M6X6	8
35 5290 51 736	F)t1j5-		LOCK COLLAR	4
36 90461	V-w7'1)9" 6001HDDU		BALL BEARING 6001HDDU	4
37 5322 53 350-1	t-to-5-		WATER FORM ROLLER	2
38 5330 51 712	2.-7"(7"1.-)		TUBE(GRAY)	1
	9"11/=vh		1ST UNIT	
38 5340 53 361			TUBE (BLUE)	1
	5N"122:vh		2ND UNIT	
39 5290 51 742	*11,9"-		HOLDER	2
40 5340 53 340	7"5,v1-		BRACKET	2
41 9684061608	F D"	M6X16	SET SCREW M6X16	2
42 9642053014	J1"DD"	M5X30	SMALL PAN-HEAD SCREW M5X30	8
43 5290 51 414	*(-11)		WHEEL	2
44 9684050508	1-\$*D"	M5X5	SET SCREW M5X5	8
46 5290 51 730-1	5)"		SCREW	2

EAN`71-G0-5-'

セクション

セクション番号

5340Z 535

SECTION

SECTION NUMBER

WATER FORM ROLLER

*-“A13aust14” tabints6k6.itZ*17_1124tAtgUztkt.o.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	-t7F49/SET Na	SAZA/	ART NAME	OR
4 n	Sa t 91 PART Na	4 n /COMPONENT PARTS		Q'ty
48	5340 53 222	F\$h5-	LOCK COLLAR	4
49	91627	*"-WY9D9"606HZZMC3	BALL BEARING 606HZZMC3	4
50	53 0 3 110-1	X"9"95-o-5-	WATER (METOR ROLLER	2
51	5322 53 163-2	tOD	MOLLETON	2
52	5340 53_221	Dt7F	SHAFT	2
53	5322 53 352-2	tOD	MOLLETON	2
54	5340 53 175	2.-7"(9"1)-) L=15	TUBE(GRAY) L=15	1
		50"(12.:vh	1ST UNIT	
54	5340 53 176	/-.7"(7"11)-) L=10	TUBE(BLUE) L=10	1
		9\"f22=VF	2ND UNIT	
55	5310 52 122-3	w-(9"-99"D-)	LEVER(DARK GRAY)	2
56	5340 53 290	h1a	CAM	2
57	5340 53 272	7"VDD9"	BUSHING	2
58	9723240008	C-UD2" C-24	C-RING C-24	4
59	5340 53 273	7.0."w7	IDLE GEAR	2
60	91625	iti"-v\"71)7" 6901ZZ	BALL BEARING 6901ZZ	4
61	5340 53 274		SPACER	2
62	5340 53 275		LOCK COLLAR	2
63	5340 53 271	Dt7h	SHAFT	2
64	5340 53 280		CAM	2
65	5290 89 422	E)"	SCREW	2
66	9715050014	t5#")" M5	PLAIN WASHER M5	4

PLATE CYLINDER

セクション番号
SECTION

SECTION NUMBER

5340Z 540




PLATE CYLINDER				SECTION	SECTION NUMBER
				*v—o)413a41.0IL. T4MAUVc6sil3U41f3tOS A*UT<klo. The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.	
Na	t- 479 /SET ali' p. t 4/ PART Na	SAVI 4lat- /	COMPONENT PARTS	11;ART NAME	MR VO
5340	54 610-2	957)7°	ASSY	CLAMP ASSY	2
			9.16.22.25,26,28,30.33,35-43,47,53,115		
5340	54 620-2	1"-A	ASSY	BASE ASSY	2
			25,43		
5340	54 640-2	1"-A	ASSY	BASE ASSY	2
			25,31		
5340	54 660-5	957)7°	ASSY	CLAMP ASSY	2
			9,16,18,22,25-34,36,37,50,51,114,115		
5340	54 670-1	7A9-T-111957)7°	ASSY	PLATE TAIL EDGE CLAMP ASSY	2
			1-3,6-12,14-17		
5340	75 840-1	/JAIN-	ASSY	COVER ASSY	2
			20,21.23,24,109,110,116-119		
5340	75 850-1	AT-	ASSY	STAY ASSY	2
			20,21		
1	5290 54 669-1	A9VF"		STUD	4
2	5290 35 131-1	A7° 97)9"		SPRING	4
3	5340 54 680	7-105)7°		TAIL EDGE CLAMP	2
6	9414161014	9't°D 1.6X10		SPLIT PIN 1.6X10	8
7	5290 54 413	A7° 17)9"		SPRING	4
8	5340 54 674	V7E.		KNOB	4
9	9670052008	9Vht"flih M5X20		HEXAGON SOCKET BOLT M5X20	36
10	5340 54 675	t°D/1"-h"fh"D"		PIN BAR GUIDE SCREW	4
11	9660060014	tVh M6		HEXAGON NUT M6	2
12	5340 54 677	t° 7)11"-9"f		PIN BAR BASE	2
14	9670051001	95Vht"JDF M5X10		HEXAGON SOCKET BOLT M5X10	48
15	5340 54 673-2	b"-fh"		GUIDE	2
16	5290 54 338	A7° 1p9"		SPRING	16
17	5340 54 678-2	h"fh"		GUIDE	2
18	9648040814	/5DD" M4X8		SMALL FLUSH HEAD SCREW M4X8	8
20	5340 75 851-1	AT-		STAY	2
21	5340 75 832-1	t°D		PIN	4
22	5290 51 083	A7° 1D9"		SPRING	16
23	9410201008	A7° 1 9"t°D 2X10		SPRING PIN 2X10	4
24	5340 75 834-1	t°D		PIN	2
25	5340 54 628	t°p		PIN	8
26	9670051808	V Fiti"llit- M5X18		HEXAGON SOCKET BOLT M5X18	16
27	5340 54 623	95D7°		CLAMP	2
28	5340 54 627	7"c09		BLOCK	8
29	5340 54 664-2	957)7°		CLAMP	2
30	5340 54 629-1	7"55'YF		BRACKET	8
31	5340 54 641-2	t"-A		BASE	2
32	5340 54 651-2	404,F		BOLT	4
33	5340 54 633	AN0—,—		SPACER	16
34	5340 54 663-2	957)7°		CLAMP	2
35	5340 54 661-3	957)7°		CLAMP	2
36	9410401408	A7° 17)9"t°D 4X14		SPRING PIN 4X14	24
37	5340 54 626-2	oV9t°D		LOCK PIN	8
38	9648040514	/53.D" M4X5		SMALL FLUSH HEAD SCREW M4X5	4
39	5340 54 631-1	-fDD"J-9-		INDICATOR	4
40	5340 54 622-2	95D7°		CLAMP	2
41	5340 54 662-3	957)7°		CLAMP	2
42	5340 54 632-1	t°D		PIN	4
43	5340 54 621-2	t"-A		BASE	2
44	5330 54 521	(DD"—.9-		INDICATOR	2
45	90720	oV9tVF ANO2		LOCK NUT ANO2	2
46	90721	oV99VD1'- AW02		LOCK WASHER AW02	2
47	9684050508	h\$ 7J" M5X5		SET SCREW M5X5	12
48	9670063508	V,Vfli"li/h M6X35		HEXAGON SOCKET BOLT M6X35	4
49	5340 54 516	7"VF		BRACKET	2

ADF")

PLATE CYLINDER

SECTION

SECTION NUMBER

5340Z 540

AbiAts6kabsil3MizilaSAGIU'c<Mtoc,
The dimension of the parts marked with a * differ depending on the press serial
number. When ordering parts, please inform us of the press serial number.

NO.	-t7ht9 / SET Na / PART Na	tr5P. # / 1 - /	COMPONENT PARTS	PART NAME	MR Qty
50	5340 54 644-1			PLATE	2
51	5340 54 652-1	tVF		NUT	4
52	5330 35 792	A7° 9J9		STRING	4
53	5340 54 636			BOLT	4
54	90368	A5AF9VD1'-	AS1102	THRUST WASHER AS1102	6
55	90480	A5AF1"Yqp9"	AXK1102	THRUST BEARING AXK1102	4
56	5330 54 519-2	V7Z(.9"-99"D-)		KNOB(DARK GRAY)	2
57	90479	A5AFTVD1-.w581102		THRUST WASHER W581102	2
58	9642040814	t"D*D" M418		SMALL PAN-HEAD SCREW M4X8	4
59	9710040008	A 3" M4		SPRING WASHER M4	4
60	5330 54 518	A7o1lp9"		SPRING	2
61	99111004	A-r" TL-Q5ME2-3		SWITCH TL-Q5ME2-3	2
62	9710030008	A'v,"-b" M3		SPRING WASHER M3	4
63	9642032514	t1"7D" M3X25		SMALL PAN-HEAD SCREW M3X25	4
64	5340 54 634-1			SCALE	4
65	9670041008		M4X10	HEXAGON SOCKET BOLT M4X10	20
66	9410301008	77°97)9t°7., 3X10		SPRING PIN 3X10	2
68	5340 54 657-1	✓ ±10%		GUIDE	2
69	5340 54 655	7'0V9		BLOCK	4
70	5340 54 637-1	t'D		PIN	4
71	5290 24 251	A7°:17)9'		SPRING	4
72	90599	7"VD1	DUB1206	BUSHING DUB1206	2
73	5340 54 656-1	w"rh"		GUIDE	2
74	5340 54 635-1	70 JS		PLATE	4
75	9642040614	J1"DD" M4X6		SMALL PAN-HEAD SCREW M4X6	4
76	5340 54 646-1			SCALE	4
77	5340 54 654-1	h5-		COLLAR	2
78	5327 54 653			SHAFT	2
79	5340 54 523-2	7"5" F		BRACKET	2
80	9716040014	t5,"b" M4		PLAIN WASHER M4	4
81	5340 54 521-1			PLATE	2
82	90603	CE-97)7" CE -1 2		CE-RING CE-12	2
83	5340 54 638-1	VJDF		BOLT	4
84	5340 52 303	7"VD2		BUSHING	6
85	9721070008	E-97)9" E-7		E-RING E-7	4
86	5340 52 280-1			CAM	2
87	5290 33 214	7"VD2		BUSHING	4
88	5340 52 302-2	A9 VF"		STUD	8
91	5340 54 514	hA"-		COVER	2
92	5340 54 513-2	7"VD1		BUSHING	2
93	5290 23 115			COVER	4
94	91632	v-11)1"79D9'	6007ZZCM	BALL BEARING 6007ZZCM	2
95	5340 54 111-4	AD F",		PLATE CYLINDER	2
96	5340 54 113			GEAR	2
97	5330 23 113	Tnt-		WASHER	10
98	5290 24 127			BOLT	6
99	5340 54 112-1	Dt7F		SHAFT	2
100	91633	it"-V1"79:24"	6206ZZCM	BALL BEARING 6206ZZCM	2
101	5340 54 114	F;(135-		LOCK COLLAR	2
102	9684060608	t D' M6X6		SET SCREW M6X6	6
103	5340 52 633	135-		COLLAR	2
104	5340 52 290-1			CAM	2
109	5340 75 853-1			PLATE	2
110	5340 75 852-1	AT-		STAY	2
112	9715050014	0/wh"* M5		PLAIN WASHER M5	8
113	5340 54 639	70 D-1,		PLATE	2
114	5340 54 645			PLATE	2
115	90178	F E)" M5X5		SET SCREW M5X5	16
116	5340 74 125	)(-01".)		NAME PLATE	2

PLATE CYLINDER

SECTION


SECTION NUMBER

* 0SP. Ct. at C iz:TMtfiAta: 6 tz vomizitittAMtt < t
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	gfl g,	t-9- /S ET gi PART	Na No	OAVt/ o /COMPONENT	PARTS	PART NAME	1ER Cty
117	9716060014			t5/"W'	M6	PLAIN WASHER M6	2
118	5290 38 235			/ 0 '):)7"		SPRING	2
119	9648041014			/7M) "	M4X10	SMALL FLUSH HEAD SCREW M4X10	8
120	9717120008			t 13"		CORRUGATED WASHER M12	2
121	5290 29 314			h)th5-		LOCK COLLAR	2
122	5340 54 515			T`VD2		BUSHING	2
123	9684065008				M6X50	SET SCREW M6X50	2
124	9670063008			"VF7liNid-	M6X30	HEXAGON SOCKET BOLT M6X30	2
125	92314012			77 9)9"	TM 14X25	SPRING TM 14X25	2
127	90703			UtVF	M6	U-NUT M6	2
128	90242			T"YD2	DUB1210	BUSHING DUB1210	2

CONTROL BOX

SECTION



CONTROL BOX

* 0g13Pa #1 t* dz.:7MbsAta: 3tz G, azty dz".12#1MA41..., C)/Z t
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


Na	SET Na	UNIVt/	ART NAME	MO
ON, t- / PART Na	Wit, /	COMPONENT PARTS	Na	ViY
5340 61 640-6	P-ROM	CPUt"-F"	CPU BOARD WITH UV-EPROM	1
	5.6			
5340 61 643-3	P-ROM	CPUt"-F"	CPU BOARD WITH UV-EPROM	1
	CEDB',		FOR CE SPEC.	
	5,6			
1 5340 61 120	t f v` 3\$"	V9A	CONTROL BOX	1
2 9642051014	J\"W.)"	M5X1D	SMALL PAN-HEAD SCREW M5X10	4
3 9710050008	11"v/"h"*	M5	SPRING WASHER M5	4
4 5340 61 645-2	T"-fa7	D-DDF1D-5-	DISPLAY CONTROLLER	1
5 5330 61 641-3	CPUt"-F"		CPU BOARD	1
6 5340 61 801-4	P-ROM		UV-EPROM	1
6 5340 61 803-2	P-ROM		UV-EPROM	1
	CED2')		FOR CE SPEC.	
7 5330 61 646			BATTERY	1
8 5330 61 644-3	7D7	4.A"D	AMPLIFIER CIRCUIT BOARD	1
9 5330 61 643-1	T"Dh"	DA"D	POWER CIRCUIT BOARD	1
10 97722	t2-A"	6.4X30 10A	FUSE 6.4X30 10A	1
11 97976	F5DA	P1-19	TRANSFORMER P1-19	1
12 5340 61 123	th-0		PLATE	1
13 5340 61 642-1	3 99-41"	-F"	CONNECTOR BOARD	1
14 97192	G6A-274P-DC24V		RELAY G6A-274P-DC24V	3
	CED3		FOR CE SPEC.	
14 97192	IL'-	G6A-274P-DC24V	RELAY G6A-274P-DC24V	2
	CED3')	103"1	FOR NON CE SPEC.	
15 5340 61 646	fDA"-9DDFo-5-		INVERTER CONTROLLER	1
	CED2')		FOR CE SPEC.	
15 5340 61 647	(DA"-93DFo-5		INVERTER CONTROLLER	1
16 97190	91.-	DSP1-DC24V	RELAY DSP1-DC24V	14
17 5340 61 124	MI"-		COVER	1
19 99779	J1A"71(A/9-ZGB-2203-01		NOISE FILTER ZGB-2203-01	1
20 98810	h-F"h"-ff"	50-1030	CARD GUIDE 50-1030	2
21 5340 61 991-2	F5DA		TRANSFORMER	1
	230-260V/220V		230-260V/220V	
35 5330 61 598	7"55VF		BRACKET	1
	CED3')		FOR CE SPEC.	
36 5330 61 599	7"55VF		BRACKET	1
	CED2')		FOR CE SPEC.	
37 5340 61 598	7"55VF		BRACKET	1
	CED2')		FOR CE SPEC.	
38 5340 61 599	7"57VF		BRACKET	1
	CEDBS,		FOR CE SPEC.	
39 5290 61 633	7-AtD	300MM	GROUND WIRE 300MM	1
	CEDB',		FOR CE SPEC.	
40 5290 61 135-1	51"fl)		LABEL	1
	=v4i~D1f1j"1		EXCEPT JAPAN	
40 5663 74 131	5"N"11,(7_*DD")		LABEL(JAPANESE)	1

41"V9A (1)
(1"/D79:)V')
SUB CONTROL BOX (1)
(1 PHASE, U.S.A. AND CANADA)

セクション
SECTION

セクション番号
SECTION NUMBER

5340Z 614



(1" f379DP))
 SUB CONTROL BOX (1)
 (1 PHASE. U.S.A..CANADA)

SECTION SECTION NUMBER
 *7-"Difausati 11AbiAts6k26,tt3ZOIzAdatigaLt(Mo.
 The dimension of the parts marked with a * differ depending on the press serial
 number. When ordering parts, please inform us of the press serial number.


Na	g)3	t 91	Na	SPA#/ OtAtW	COMPONENT PARTS	PART NAME	MR crtv
1	5340	61	140	t'1	"340")9A	CONTROL BOX	1
2	9642051014			t1	"Th)" M5X10	SMALL PAN-HEAD SCREW M5X10	6
3	9710050008			A	✓ M5	SPRING WASHER M5	6
4	98737			3	99- 1-480703-0 4P	CONNECTOR 1-480703-0 4P	1
5	98784			7	99- 1-480705-0 6P	CONNECTOR 1-480705-0 6P	2
6	98799			7	29- 1-480709-0 12P	CONNECTOR 1-480709-0 12P	2
7	97201			A r	✓ LC1-D09106F7	SWITCH LC1-D09106F7	1
8	97125				LY-2N DC24V	RELAY LY-2N DC24V	2
9	97253			UD-V"	F" PTF08A(LY2)	RELAY SOCKET PTF08A(LY2	2
10	98947			1 A	D-9- BNL6	SEPARATOR BNL6	3
11	99307001				XEB1202	SURGE KILLER XEB1202	3
12	5340	61	141	A°	U4")9A	PANEL BOX	1
13	96559			A-r	✓ C1520AT-BW	SWITCH C1520AT-BW	1
15	5340	61	142	n°	✓	PANEL	1
16	95511014-1			Vh'	VF DFS-3711	SOCKET DFS-3711	1
17	99928			9"	0-5D7° FG-1E	GLOW LAMP FG-1E	1
18	5330	61	622-1	h')	D9- H7EC-N-300	COUNTER H7EC-N-300	2
19	98982			9DD9'	"(BA-211T	TERMINAL BA-211T	4
20	5340	61	134			CONTROL BOX COVER	1
21	96562			IDF"	7 D-F DGNW-1-B	END PLATE DGNW-1-B	2
22	96594			tDi4"	9DAf"D2')D""	SWITCH A3SA-5805-N	1
23	98926			5D7	SLL-24EY	LAMP SLL-24EY	1
24	96550			1"	1"11, AT-207G	BEZEL AT-207G	
25	96564			4DV9DA	fvfitid9f	SWITCH BODY	2
26	96549			A-0"	M-2012J-2G	SWITCH M-2012J-2G	4
27	5340	61	251-3	n0	✓	PANEL	1
28	97729-2			A1	P1-25/E/SVB	SWITCH P1-25/E/SVB	1
30	99938			7', "	- EB2124	BUZZER EB2124	
38	9670061208				M6X12	HEXAGON SOCKET BOLT M6X12	2
41	96561			T"D'91DA	DGAN-031-B	DIGITAL SWITCH DGAN-031-B	1
42	95511018			7D5 f+	200-H2P	STABILIZER 200-H2P	1
				7Plh.ht9"		U.S.A..CANADA	
45	99308003			J1A'7-110-	GT-215U	NOISE FILTER GT-215U	1
				7\$9h.ht9'		U.S.A..CANADA	
46	97202			/-1"/11)-	LR2D13106	THERMAL RELAY LR2D13106	1

/7"t VV9A (2)
(1 D2',9D9r))
SUB CONTROL BOX (2)
(1 NOSE, EUROPE)

t7> a :,#-Fa●
SECTION NUMBER

5340Z 615

SECTION



SUB CONTROL BOX (2)
(1 PHASE. EUROPE)

SECTION

J.CUIION NUMBEK

*v-- 06aUsati:". z114biAts6t6,tM*IzItatAt4L C<M0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


No.	SET No.	Part No.	naIvt/ /AtWcomiDONENT PARTS	ART NAME	gR vty
1	5340 61 140		t'w'Bit0":19A	CONTROL BOX	1
2	9642051014		t1N'DDN` M5X10	SMALL PAN-HEAD SCREW M5X10	6
3	9710050008		A ^{IN} , "hl` M5	SPRING WASHER M5	6
4	98737		3 99- 1-480703-0 4P	CONNECTOR 1-480703-0 4P	1
5	98784		7 99- 1-480705-0 6P	CONNECTOR 1-480705-0 6P	2
6	98799		3 99.- 1-480709-0 12P	CONNECTOR 1-480709-0 12P	2
7	98102011		q9`N VFUL/- S-N11	MAGNET RELAY S-N11	1
8	97125		9D- LY-2N DC24V	RELAY LY-2N DC24V	2
9	97253		Illli-V VF PTF08A(LY2)	RELAY SOCKET PTF08A(LY2)	2
10	98947		tA`D-9- BNL6	SEPARATOR BNL6	3
11	99307001		I-D"5- XEB1202	SURGE KILLER XEB1202	3
12	5340 61 141		A`U,VV9A	PANEL BOX	1
13	96559		A-OVT C1520AT-BW	SWITCH C1520AT-BW	1
15	5340 61 142		n0`r	PANEL	1
16	95511014-1		vh'vh DFS-3711	SOCKET DFS-3711	1
17	99928		9"o-5)7` FG-1E	GLOW LAMP FG-1E	1
18	5330 61 622-1		h')D9- H7EC-N-300	COUNTER H7EC-N-300	2
19	98982		9)D9"(BA-211T	TERMINAL BA-2111	6
			CED2')	FOR CE SPEC.	
19	98982		9) (BA-211T	TERMINAL BA-211T	4
			CED3')1P"1'	FOR NON CE SPEC.	
20	5340 61 134		t'w`31v9Abil"-	CONTROL BOX COVER	1
21	96562		I)F"7`D-F DGNW-1-B	END PLATE DGNW-1-B	2
22	96594		tDe9)A'fvfD2')DT7"	SWITCH A3SA-5805-N	1
23	98926		5)7° SLL-24EY	LAMP SLL-24EY	1
24	96550		1"1"lb AT-207G	BEZEL AT-207G	1
25	96564		tDV9)A("1id9-f	SWITCH BODY	2
26	96549		A0)3 M-2012J-2G	SWITCH M-2012J-2G	4
27	5340 61 251-3		A`U,	PANEL	1
28	97729-2		A(Vf P1-25/E/SVB	SWITCH P1-25/E/SVB	1
30	99938		7"p- EB2124	BUZZER EB2124	1
38	9670061208		v7)tli"lhb M6X12	HEXAGON SOCKET BOLT M6X12	2
41	96561		5"d"911/A(VfDGAN-031-B	DIGITAL SWITCH DGAN-031-B	1
42	99963		7)5-(50HZ	STABILIZER 50HZ	1
45	98504015		70(3599- 375-205-101	PROTECTOR 375-205-101	2
47	97207		11)- SMP6-5-0-5-0-4	RELAY BMP6-5-0-5-0-4	1
			CED3')	FOR CE SPEC.	
48	5340 61 260		9)D9"-f BP211L-6	TERMINAL BP211L-6	1
			CEA')	FOR CE SPEC.	
49	5330 61 598		T`55'71'	BRACKET	1
			CED3g,	FOR CE SPEC.	
50	5330 61 599		7"55"19t.	BRACKET	1
			CED3r)	FOR CE SPEC.	
51	5340 61 598			BRACKET	1
			CED3').	FOR CE SPEC.	
52	5340 61 599		7""vh	BRACKET	1
			CED2')	FOR CE SPEC.	
53	5290 61 633		Y-At) 300MM	GROUND WIRE 300MM	1
			CED2')	FOR CE SPEC.	
54	99308003		) (P`7fli,51- GT-215U	NOISE FILTER GT-215U	1
			CED3r)	FOR CE SPEC.	
56	5341 74 081		\$`()A V"D-11/(t9-(F)	MAIN SWITCH SEAL(WHITE)	1
			CED3')	FOR CE SPEC.	
57	98103032		/-711AD- TH-N12 5A	THERMAL RELAY TH-N12 5A	1

/7"tft"Bili"V9A (3)
(4-5 -f fh"-f9DP))
SUB CONTROL BOX (3)
(1 PHASE)

SECTION NUMBER

5340Z 616

SECTION



(4 h" f9))
 SUB CONTROL BOX (3)
 (1 PHASE)

SECTION


SECTION NUMBER

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	Part No.	SET PART	COMPONENT	PART NAME	gR Crty
1	5340 61 140		tW`34i")9A	CONTROL BOX	1
2	9642051014		J1"DD" M5X10	SMALL PAN-HEAD SCREW M5X10	6
3	9710050008		/1"VPh" M5	SPRING WASHER M5	6
4	98737		D 99- 1-480703-0 4P	CONNECTOR 1-480703-0 4P	
5	98784		3 99- 1-480705-0 6P	CONNECTOR 1-480705-0 6P	2
6	98799		3 99- 1-480709-0 12P	CONNECTOR 1-480709-0 12P	2
7	98102011		79"VF9D- S-N11	MAGNET RELAY S-N11	1
8	97125		9D- LY-2N DC24V	RELAY LY-2N DC24V	2
9	97253		D-Vh'VF PTFO8A(LY2)	RELAY SOCKET PTFO8A(LY2)	2
10	98947		1 A°D-9- BNL6	SEPARATOR BNL6	3
11	99307001		XEB1202	SURGE KILLER XEB1202	3
12	5340 61 141		A°U4"V9A	PANEL BOX	1
13	96559		A-0)1 C1520AT-BW	SWITCH C1520AT-BW	1
15	5340 61 142		n°11	PANEL	1
16	95511014-1		DFS-3711	SOCKET DFS-3711	
17	99928		9N`o-5)7° FG-1E	GLOW LAMP FG-1E	1
18	5330 61 622-1		1r))9- H7EC-N-300	COUNTER H7EC-N-300	2
19	98982		9)D9"-(BA-211T	TERMINAL BA-211T	4
20	5340 61 134		t f4"27h"V9AbA"-	CONTROL BOX COVER	1
21	96562		I)1:"7°D-F DGNW-1-B	END PLATE DGNW-1-B	2
22	96594		1DV9)A 0.9"3')3',7"	SWITCH A3SA-5805-N	1
23	98926		5)7° SLL-24EY	LAMP SLL-24EY	1
24	96550		1"t"11, AT-207G	BEZEL AT-207G	
25	96564		4Diti"9)A 0"17)9-f	SWITCH BODY	2
26	96549		A-C" M-2012J-2G	SWITCH M-2012J-2G	4
27	5340 61 251-3		A°U,	PANEL	
28	97729-2		A7° P1-25/E/SVB	SWITCH P1-25/E/SVB	1
30	99938		7", "- EB2124	BUZZER EB2124	1
38	9670061208		Vh'VF40`10. M6X12	HEXAGON SOCKET BOLT M6X12	2
41	96561		7"D"911iA1("DGAN-031-B	DIGITAL SWITCH DGAN-031-B	1
42	99962		60HZ	STABILIZER 60HZ	1
42	99963		50HZ	STABILIZER 50HZ	1
43	5663 74 131		5\"11)(=t1)D")	LABEL(JAPANESE)	1
44	98103032		/-7110D- TH-N12 5A	THERMAL RELAY TH-N12 5A	1

SUB CONTROL BOX (4)
(3 PHASE)

SECTION



SECTION NUMBER


* 06811, es1t ir. tt5CII4 L < tif
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines or other markings on the page.

OPERATION PANEL

SECTION



OPERATION PANEL

SECTION


SECTION NUMBER

*-4 —ongt1,4tzfct14MAU6k6sttX114icaatA4i-Lz<kto.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

at Na	t-g° / S E T Na t PART Na	up. n / Matg / COMPONENT PARTS	PART NAME Na	MR crty
1	9642051014	t1"D*D" M5X10	SMALL PAN-HEAD SCREW M5X10	10
2	9710050008	A"V"/"P` M5	SPRING WASHER M5	10
3	5340 61 240-1	hAN`-	COVER	
3	5346 61 270-1	hA"-(9"-99"D-)	COVER(DARK GRAY)	1
4	5340 61 212	11 D-D3)VV9A7L)-G	OPERATION BOX FRAME	1
5	5340 61 244	A9vh`N	STUD	2
6	9642041014	J`N`3 D" M4X10	SMALL PAN-HEAD SCREW M4X10	15
7	9710040008	A"VP`h" M4	SPRING WASHER M4	5
8	5340 61 213		COVER	1
8	5340 61 214		COVER	
		CED3')	FOR CE SPEC.	
9	9648040614	/5w)" M4X6	SMALL FLUSH HEAD SCREW M4X6	4
10	91470	2')A"7.) B-66-2	HINGE B-66-2	2
11	5340 61 243	7"5"F	BRACKET	2
12	96591	1DV`97)A-r"D3')3r)7" (Do	SWITCH BUTTON	4
		CED2s,	FOR CE SPEC.	
12	96591	*) ,t) 3',3 7 ()0	SWITCH BUTTON	2
		CED3')-(w"(	FOR NON CE SPEC	
13	98926	5)7" SLL-24EY	LAMP SLL-24EY	2
14	96564	V)V9DA`C"\$D9(	SWITCH BODY	6
15	5340 61 224	(:)57)9"W'-F"	INCHING GUARD	2
16	91314004	F5A9Vt`D*D" M3X12	TAPPING SCREW M3X12	16
17	96559	C1520AT-BW	SWITCH C1520AT-BW	4
18	96592	4DV97)A`r)5d3r)3i)7N` (7)3	SWITCH BUTTON	2
19	96593	A`DV9DA-(V5D3')3',7"	SWITCH BUTTON	2
20	96554	w`UY A3SA-4001	BARRIER A3SA-4001	2
21	5340 61 222	*1 D-D3DA`U,	OPERATION PANEL	2
21	5340 61 226	11°D-D37,A°U,	OPERATION PANEL	2
		CED3',	FOR CE SPEC.	
22	90760	9')t`7) D" 3X6	TAPPING SCREW 3X6	8
24	98930	57)7" LSPD-28R	LAMP LSPD-28R	2
		CED3')-(V-1	FOR NON CE SPEC.	
25	96522	A-(1" AVW402-R	SWITCH AVW402-R	2
		CED2',	FOR CE SPEC.	
25	96606	A-f AVLW322T20D-R-T	SWITCH AVLW322T200-R-T	2
26	5340 61 648	\$ (7)A`f1+AN`D	MAIN PANEL BOARD	1
27	5340 61 230	\$-(DA°11,	MAIN PANEL	1
31	5340 61 211-3	A`WJA"-	PANEL COVER	1
31	5346 61 251-2	A`U4D1"-(9"-99`ND-)	PANEL COVER(DARK GRAY)	1
32	98334002	A 0) A16L-AWA-24D-2	SWITCH A16L-AWA-24D-2	2
		CED3')	FOR CE SPEC.	
33	5340 61 250-1	1-(1-" /JA"-	SIDE COVER	1
33	5346 61 280-1	/fh"1v-(5`N-99"1)-)	SIDE COVER(DARK GRAY)	

STATIC ELIMINATOR

SECTION




STATIC ELIMINATOR

SECTION

OLUIIVA NUMbtk

3⁴z - Od5gu,at tabiAts6kiosthZlidzUatAgt., c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	1. t'g /SET t-91	Na PART Na	savfx/ COMPONENT	PARTS	PART NAME	MR Q'ty
5340	61	895	34 3)s3	ASSY	STATIC ELIMINATOR ASSY	1
			7\$Ut,ht9'		U.S.A., CANADA	
			1, 2, 4-12			
5340	61	915-2	t-ftN'DD'33Vr)	ASSY	STATIC ELIMINATOR ASSY	1
			1, 2, 4-12			
1	9642051014		t1"D.D"	M5X10	SMALL PAN-HEAD SCREW M5X10	2
2	9710050008		A"	/J" M5	SPRING WASHER M5	7
4	98191		itiD9-f	200V	STATIC ELIMINATOR 200V	1
4	99711001				STATIC ELIMINATOR	1
			Y\$Uh,tt9'		U.S.A., CANADA	
5	5290	61 916-3			MOUNTING BRACKET	1
6	9660050014		"f. M5		HEXAGON NUT M5	9
7	9642053014		t"\D.D"	M5X30	SMALL PAN-HEAD SCREW M5X30	2
8	5340	61 891			BAR	1
			YPJh,ht9"		U.S.A., CANADA	
8	5340	61 911-1			BAR	
9	5340	61 914-1	7"551)F		BRACKET	2
10	5340	61 892	WfDA"-		BAR	1
			7\$'113,13t9"		U.S.A., CANADA	
10	5340	61 912	MEM"-		BAR	1
11	9670051508		VF;ti"11/1-	M5X15	HEXAGON SOCKET BOLT M5X15	2
12	9716050014		t5"/"h"	M5	PLAIN WASHER M5	2



ACCESSORIES

SECTION


JEUI1UN NUMIJEK

* Its at if dc'tabiAts tz. tE5Cililizr. itltl AtA <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

№.	URI	Na	SET / PART	BAVC5/ Mat./ COMPONENT PARTS	PART NAME	gR Qty
	5340	25	120-1	ADF*-1'-11) ASSY	HANDWHEEL ASSY	
				9.34-37		
	5430	83	100-2	7°5 tD ASSY	PLUNGER CAN ASSY	1
				24-33		
	5430	83	210-4	7°5)D"V-hDEJDV* ASSY	PLUNGER CAN SHAFT ASSY	1
				24-32		
1	5310	31	154-1	D9D"	PILE BOARD	2
2	5290	31	153-1	D9D"	PILE BOARD	2
3	5290	31	152-1	7)9,D"	PILE BOARD	2
4	5290	31	151-1	D9EJ"	PILE BOARD	2
6	91430			h"51fA"-(+) 100MM	DRIVER(+) 100MM	1
6	91452			F"511V-(+)100MM	DRIVER(+)100MM WOOD HANDLE	
				7) (qh.ht9"	U.S.A..CANADA	
7	91431			h"5(1"-(-)100MM	DRIVER(->100MM	1
8	96010			15	SPATULA	
9	5340	25	116-2	ADF"*(-11)(9"-99"1,-)	HANDWHEEL(DARK GRAY)	
10	91531			9"1-AVD	GREASE GUN	
11	5330	82	326	1-0	KNIFE	1
13	91420			oVh9*"1.7) 5MM	HEXAGON KEY WRENCH 5MM	1
14	91421			oV/J9* L:) 4MM	HEXAGON KEY WRENCH 4MM	
15	91422			oVh9li"r)L.Df 3MM	HEXAGON KEY WRENCH 3MM	1
16	91423			oVt9V")1.7)f 2.5MM	HEXAGON KEY WRENCH 2.5MM	1
17	91400			AA° t 17X19	WRENCH 17X19	1
18	91401			13X17	WRENCH 13X17	
19	92701006			1 q1"9AA° J 10X13	WRENCH 10X13	1
20	91402			AA° t 8X10	WRENCH 8X10	1
22	91442			*7(1143":.	OIL GUN	1
23	91532-2			li D7° 2')A-(Jb DTE25	PUMP OIL DTE25	1
24	5430	83	218	hA"-	COVER	1
25	5430	83	213-3	1VI"	HEAD	1
26	5430	83	216-3		CAP	1
27	5430	83	214-1	9:)9"	RING	
28	5430	83	217		NUT	
29	5430	83	215-1	A7° 1)9N`	SPRING	1
30	90408			AT:A.73 2') 3/8	STAINLESS STEEL BALL 3/8	2
31	5430	83	111-1	VDYt	HOLDER	1
32	9723180008			C-9)9" C-18	C-RING C-18	
33	5430	83	115-1	40`h\$	BOTTLE	1
34	5340	25	121	Dt7F	SHAFT	1
35	5300	25	117		PLATE	1
36	9650063014			711)/53 D" M6X30	SCREW M6X30	1
37	9410402508			A7° 1)D9"t° D 4X25	SPRING PIN 4X25	
38	5430	78	294-3	514)	LABEL	

WORK ORGANIZER

SECTION




WORK ORGANIZER

SECTION

SECTION NUMBER

*v- oft5EU,tat icTrabsAts6k?o.;13Z*0:12atilt.g1.c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


N O.	t 4T	I-	91	S E T No PART No	gmt/ Wt	/COMPONENT PARTS	PART NAME Na	Q'ty
	5344	65	200-1		2	"-f ASSY	WORK ORGANIZER ASSY	1
					1.2.4-9			
	5346	65	220-1		4	'3 (71F9'1i-)	WORK ORGANIZER(LIGHT GRAY)	1
					1.2.4-9			
1	9642050814				t1	"DD" M5X8	SMALL PAN-HEAD SCREW M5X8	6
2	9710050008				A'v1	"h" M5	SPRING WASHER M5	10
3	5344	65	231-2		/v'2'	9"-f	WORK ORGANIZER	1
3	5346	65	223-3		/+"3'	9"-f	WORK ORGANIZER	1
4	9642051014				7	D" M5X10	SMALL PAN-HEAD SCREW M5X10	4
5	5323	65	212-1		7"	"vh	BRACKET	1
5	5346	65	224-1		7"	7)F(51h9"D-)	BRACKET(LIGHT GRAY)	1
6	5323	65	211-1		/v'3'	9"-f	WORK ORGANIZER	1
6	5346	65	221-1		/4."	2 (5fh9"D-)	WORK ORGANIZER(LIGHT GRAY)	1
7	9660050014				"F	M5	HEXAGON NUT M5	4
8	5344	65	220-1		7D		FOOT	2
8	5346	65	222-1		7D(5-(	-9"D-)	FOOT(LIGHT GRAY)	2
9	9670061208				VhVht	"IDF M6X12	HEXAGON SOCKET BOLT M6X12	2



LUBRICATION (OPS)

*v-03g5AusGti's11475iAts Wni5, WzatItA4-1.,z<tfo.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	•t71-t9 /SET Na rg3 PART Na	SAVIs/ I - / COMPONENT PARTS	PART NAME Na	gitt Qty
1	91331	D-114-7°52" PG-10N	SHIELD PLUG PG-10N	3
2	5340 66 114	7°5°1-	BRACKET	2
3	9710060008	A "h"* M6	SPRING WASHER M6	4
4	9660060014	tVF M6	HEXAGON NUT M6	4
5	9642062514	t\ "3.D" M6X25	SMALL PAN-HEAD SCREW M6X25	4
6	9430040520	A°-O° (1-1D)4X520	PIPE 4X520	2
7	91160	7°59" PA-4	PLUG PA-4	50
8	91161	AIJ-7" PB-4	SLEEVE PB-4	50
9	91066	T"A9-7°5DD"1- DPB15	DESTER PLUNGER DPB15	1
10	91172	A9-7" PB-6	SLEEVE PB-6	8
11	91173	7°59" PA-6	PLUG PA-6	8
13	9670061208	M6X12	HEXAGON SOCKET BOLT M6X12	4
14	91180	10-(7° A"Dh" PZ-16	PIPE BAND PZ-16	5
15	9642051014	J\ "3D" M5X10	SMALL PAN-HEAD SCREW M5X10	19
16	91165	A°-(7° A"DF" PZ-14	PIPE BAND PZ-14	3
17	91137	A"Dh" PZ-524	BAND PZ-524	5
18	91167	A°-O° A"DF" PZ-34	PIPE BAND PZ-34	2
19	91062	A°()° A"DF" PZ-544	PIPE BAND PZ-544	4
20	91063	A°117° A"DF" PZ-184	PIPE BAND PZ-184	1
21	91162	7.V7°R) PD-4	NIPPLE PD-4	2
22	91169	V14" PEF-4	ELBOW PEF-4	12
23	91170	=V7°11, PFF-4	NIPPLE PFF-4	6
24	91203	PHD-4	ELBOW PHD-4	7
25	91186	.PKD-6	TEE PKD-6	2
27	9670062508	V,VF*"11,1- M6X25	HEXAGON SOCKET BOLT M6X25	4
28	91060	3°9- PQIOT	CONNECTOR PQIOT	2
29	91065	5"A9-7°5 "1- DPB16	DESTER PLUNGER DPB16	3
31	91375	5"A9-7°5 1- DPB-12	DESTER PLUNGER DPB-12	1
32	9430040350	1°-O° (/ -9D)4X350	PIPE 4X350	3
33	9430040410	A°17° (/ -9D)4X410	PIPE 4X410	2
34	9430040260	A°10° (/ -1D)4X260	PIPE 4X260	3
35	9430040140	A°(7° (I-U))4X140	PIPE 4X140	2
36	9430040340	A°-O° (/ -9D)4X340	PIPE 4X340	1
37	9430040325	A°()° (/ -9D)4X325	PIPE 4X325	2
38	9430040370	A°(7° (/ -1))4X370	PIPE 4X370	2
39	9430040435	A°(7° (/ -UD)4X435	PIPE 4X435	1
40	9430040470	A°-17° (/ -UD)4X470	PIPE 4X470	1
41	9430040330	A°-O° (/ -17))4X330	PIPE 4X330	1
42	9430040255	A°-17° (-IJD)4X255	PIPE 4X255	1
43	9430040395	A°-O° (# -IJD)4X395	PIPE 4X395	
44	9430040460	A°-O° (/ -1D)4X460	PIPE 4X460	1
46	9431060140	A°-O° (1-(oD)6X140	PIPE 6X140	
47	9431060760	A°17° O fin)6X760	PIPE 6X760	1
48	9431060650	A°17° (1fo:)6X650	PIPE 6X650	
49	9431060770	A°-(7° (t fop)6X770	PIPE 6X770	1
50	9710050014	) "V/"h" M5	SPRING WASHER M5	19



LUBRICATION (NOPS)

SECTION


NUM15t.K

06Putt,41t iz414b5AU6kai5, 1*V.itat At.aUt<M4¹
 The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	41	4/SET gi PART Na	HAVt/ z /	COMPONENT PARTS	PART NAME Na	OR Wty
1	91331		D-1bh"7 57"	PG-10N	SHIELD PLUG PG-10N	2
2	91066		7"A9-7 5)D"1-	DPB15	DESTER PLUNGER DPB15	2
3	91161		Aq-7"	PB-4	SLEEVE PB-4	34
4	91160		7 59"	PA-4	PLUG PA-4	34
5	9430040160		A O (-1))	4X160	PIPE 4X160	2
6	5340 66 112		7""VF		BRACKET	2
7	9670061208		Vh'VF*"11,h	M6X12	HEXAGON SOCKET BOLT M6X12	8
8	9710060008		A"V1"h"	M6	SPRING WASHER M6	12
9	9660060014		t')F	M6	HEXAGON NUT M6	12
10	9642062514		t1":D"	M6X25	SMALL PAN-HEAD SCREW M6X25	8
11	91172		7q-7"	PB.-6	SLEEVE PB-6	14
12	91173		7 59"	PA-6	PLUG PA-6	14
14	91381		f*"A9-7 5D77)"1-	DPB13	DESTER PLUNGER DPB13	2
16	5340 66 113-1		7"5		BRACKET	2
17	91162		:V7°11,	PD-4	NIPPLE PD-4	6
18	91169			PEF-4	ELBOW PEF-4	8
19	91203			PHD-4	ELBOW PHD-4	3
20	91180			PZ-16	PIPE BAND PZ-16	7
21	9642051014		J1"M")"	M5X10	SMALL PAN-HEAD SCREW M5X10	11
22	9670062008			M6X20	HEXAGON SOCKET BOLT M6X20	4
23	9670062508		v"ht"1bh	M6X25	HEXAGON SOCKET BOLT M6X25	1
24	91067		'T"A9-7 5DD"1'-	DPB11	DESTER PLUNGER DPB11	1
26	91171			PHD6	ELBOW PHD6	1
27	5340 66 111-1		t fi li*. D7 7"55')	1	BRACKET	1
29	91057			LA-W8DR	OIL PUMP LA-W8DR	1
30	91186			PKD-6	TEE PKD-6	1
31	91060		7 99-	PQ10T	CONNECTOR PQ10T	1
32	91152		..7V7 11,	PD-6	NIPPLE PD-6	1
33	91058		D"t9D3D1VF"	JHD-306	HED JHD-306	1
34	91165		A f7 A"DF"	PZ-14	PIPE BAND PZ-14	2
35	9430040140		A f7 (1-1))	4X140	PIPE 4X140	4
36	9430040150		A (7 (#-U))	4X150	PIPE 4X150	4
37	9430040110		A O (#-UD)	4X110	PIPE 4X110	1
38	9430040130		11 (7 01-1))	4X130	PIPE 4X130	2
40	9430040100		A O 01-1D)	4X100	PIPE 4X100	1
41	9431060600		A (7 (t(o))	6X600	PIPE 6X600	1
42	9431060250		A O (tfo))	6X250	PIPE 6X250	1
43	9431060730		A O 1(7 (t(o))	6X730	PIPE 6X730	1
44	9431060185		A O -(7 (t-roD)	6X185	PIPE 6X185	2
45	9431061110		11 O (f n)	6X1110	PIPE 6X1110	1
46	9431060735		A 1(7 (t(W))	6X735	PIPE 6X735	1
47	9430040355		11 O (-9D)	4X355	PIPE 4X355	2
48	9710050014		A"V,"h"	M5	SPRING WASHER M5	11

TAPE INSERTER

SECTION



TAPE INSERTER

SECTION

SECTION NUMBER

*q—aptifsgu,atiztubixu6t)b.ttziizatitmu c<mo.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	AL1,3a,E.I.TMaNa	ON4A/ MatW	COMPONENT PARTS	PART NAME	MR Q'ty
5330 89 800-3	5-7° -9-	ASSY	TAPE INSERTER ASSY		
	1-11.19.20				
5340 61 921-1	7-7"(D/-9-	ASSY	TAPE INSERTER ASSY		1
	1-20				
5340 61 922	7° 1'Z),-9-	ASSY	TAPE INSERTER ASSY(WARM BLACK)		1
	1-20				
5340 61 923-1	17) (tV5'-f3	11VF	COUNTER ASSY		1
	12-18				
5340 61 924	ID ftVT-(MA,2ZVF		COUNTER ASSY(WARM BLACK)		1
	12-18				
1 5290 61 961-1	T-7° (D/-9-*D9-f		TAPE INSERTER BODY		1
2 5290 61 964-1	5-7° M./9"-		TAPE HOLDER		1
3 9642030614	t DE," M3X6		SMALL. PAN-HEAD SCREW M3X6		6
4 5290 61 963	5-7° v.0.%%		TAPE GUIDE		1
5 9716030014	ti,"h" M3		PLAIN WASHER M3		2
6 5290 61 965	7-L		ARM		1
7 9670061208	9VF7tiNtiF M6X12		HEXAGON SOCKET BOLT M6X12		2
8 5341 89 822-1	7"55VF		BRACKET		1
9 9716100014	ti,"J" M10		PLAIN WASHER M10		4
10 90680	/5)1" R-21		CONED DISC SPRING R-21		4
11 9662100014	tVF M10		HEXAGON NUT M10		4
12 5341 61 933	7"5Vh0t-L7"5V9)		BRACKET(WARM BLACK)		1
12 5486 61 933-1	7"")F		BRACKET		1
13 9642051014	t"N"DEPN M5X10		SMALL PAN-HEAD SCREW M5X10		2
14 9710050008	A'V"/"/J" M5		SPRING WASHER M5		2
15 5340 61 926	7'5"t•		BRACKET		1
16 9680050508	F;L D" M5X5		SET SCREW M5X5		2
17 5340 61 925	A9:i1-'		STAND		1
18 5290 61 941	h', - DC24V		COUNTER DC24V		1
18 5336 61 941	)3)5-(4-L7"5V2)		COUNTER(WARM BLACK)		1
19 91551	7-1J-5*-7° (200M)		MAKER TAPE(200M)		2
20 5300 46 042	7VD1'-		WASHER		1

))11"- (OPS)

COVER (OPS)


セクション

SECTION

セクション番号

SECTION NUMBER

5340Z 710



COVER (OPS)

SECTION

SECTION NUMBER

ophISAU. Vkl iz7ftkt4;44.3itb15. t3ZB41mittAtang-1..7:<
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

i\ll ⁴	firs	t	/ S E T Na	ONa#5/ 1	COMPONENT PARTS	PART NAME	MR CrtY
1	5512	71	114	A ⁿ f7A."	"9FA""M5X8	SMALL BINDING SCREW M5X8	22
				CED2'J		FOR CE SPEC.	
1	90813			AN ⁿ fDh"DD"	M5X10	SMALL BINDING SCREW M5X10	22
2	5340	73	010-3	hA ⁿ -		COVER	2
3	5300	72	021	A9VF"		STUD	11
4	9660060014			tVh M6		HEXAGON NUT M6	15
5	5340	89	510-1			COVER	
5	5340	89	520-1			COVER	
				CED3')		FOR CE SREC.	
5	5346	89	530-1	hA ⁿ -(5fh9"1)-)		COVER(LIGHT GRAY)	1
6	90651			GS-'W" GS-6		GS-RING GS-6	6
7	5300	71	156	t ⁰		PIN	9
8	5340	73	015-2	tA ⁿ -		COVER	2
8	5346	73	035-1	h1l ⁿ -(9"-99"1,-)		COVER(DARK GRAY)	2
9	9710050008			A'VP'h" M5		SPRING WASHER M5	19
10	9642052514			J ¹ 1"DD" M5X25		SMALL PAN-HEAD SCREW M5X25	4
12	9642051014			t'1"3V.P' M5X10		SMALL PAN-HEAD SCREW M5X10	14
3	5340	72	020-2			COVER	1
3	5346	72	040-1	1JA ⁿ -(9"-92"U-)		COVER(DARK GRAY)	1
4	5300	73	031	A9vh"		STUD	2
5	5340	71	111-1			COVER	1
5	5346	71	113-1	JA ⁿ -(5(FM-)		COVER(LIGHT GRAY)	
16	5340	75	011-1			COVER	1
17	5300	71	155	7""vt-		BRACKET	5
18	90164					KNOB	1
19	5340	71	120-1			COVER	1
19	5340	71	130-1	hA ⁿ -		COVER	1
				CED3')		FOR CE SPEC.	
19	5346	71	130-1	t1l ⁿ -(51(F9"1)-)		COVER(LIGHT GRAY)	
20	9670051001			97VFilINDF M5X10		HEXAGON SOCKET BOLT M5X10	1
21	5310	71	157	A9VF"		STUD	2
22	9642040414			t D D" M4X4		SMALL PAN-HEAD SCREW M4X4	4
				1'D7,5'y7 1i3;3')		FOR STEPLESS INK FEED CONTROL	
23	5340	71	152-1	n ⁰		PANEL	1
24	5340	71	150-2			COVER	
24	5346	71	160-1	hA ⁿ -(50.9N'L)-)		COVER(LIGHT GRAY)	1
25	5300	72	013	A9vh"		STUD	4
26	9660050014			tVF M5		HEXAGON NUT M5	1
28	5300	73	014			COVER	2
29	5310	73	013	7U-G		FRAME	2
30	5290	61	135-1	51nt,		LABEL	2
				IV4i 7)03"-r		EXCEPT JAPAN	
32	5486	61	643	Y-AtD 150MM		EARTH WIRE 150MM	1
				CED2		FOR CE SPEC.	
33	90643			AVV,"h" B5		TOOTHED LOCK WASHER B5	4
				CED3')		FOR CE SPEC.	
34	9642041014			t1"DE)" M4X10		SMALL PAN-HEAD SCREW M4X10	2
				CED3')		FOR CE SPEC.	
35	9660040014			tVh M4		HEXAGON NUT M4	2
				CED3')		FOR CE SPEC.	
36	5290	74	087-2	51'4)(1-(J")		LABEL (ENGLISH)	1
36	5290	74	091			LABEL (JAPANESE)	1
37	5290	74	083-2	51'11,(t'f7")		LABEL (ENGLISH)	3
37	5290	74	093			LABEL(JAPANESE)	3
38	9710040014			A" 13" M4		SPRING WASHER M4	4
				fp+7,5:V7°U7,3')		FOR STEPLESS INK FEED CONTROL	
39	5340	73	052-1	hA ⁿ -		COVER	2
				fD+AYV7 UAB		FOR STEPLESS INK FEED CONTROL	

カA"- (OPS)

セクション

セクション番号

5340Z 710

SECTION

SECTION NUMBER

COVER (OPS)

**v p' ogAusOS

T11.4bMtsVztsitZlilizlita4Atht-L`c<ko.

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	SET /PART	Na fia	MNAffs/ OWM-9-i	comPoNENT PARTS	PART NAME	MR VM
39	5346 73	062-1	bil"-(51-99"1)-)		COVER(DARK GRAY)	2
			(7)+A777 E)A3r)		FOR STEPLESS INK FEED CONTROL	
40	5340 73	050-2			COVER	2
					FOR STEPLESS INK FEED CONTROL	
40	5346 73	060-1			COVER(DARK GRAY)	2
			1,4 5)70 L'72'		FOR STEPLESS INK FEED CONTROL	
43	5327 71	015	A9 VF"		STUD	
44	5340 74	121-1	51"11,		LABEL	1
45	5340 74	122			LABEL	2
46	5290 74	084	5Y4,(I/D.")		LABEL (ENGLISH)	6
46	5290 74	094			LABEL (JAPANESE)	6
47	5340 71	153	\$"(A")		NAME PLATE	
48	5344 74	412	031"7 D-F		LOGOTYPE PLATE	1
49	5340 74	131	51"11,		LABEL	2
49	5346 74	011-1	51"11)(9"-99"D-)		LABEL (DARK GRAY)	2
50	5340 74	133	51"11/		LABEL	2
50	5346 74	013	5A"11/ (9"-99"1,-)		LABEL (DARK GRAY)	2
51	5340 74	141	5111)		LABEL	2
51	5346 74	014	31"11)(9"-99"D-)		LABEL (DARK GRAY)	2
52	5340 74	138	51ND		LABEL	2
52	5346 74	015			LABEL (DARK GRAY)	2
53	5344 74	213-1	51"11)		LABEL	2
53	5346 74	017	51"11,(5"-99"1;-)		LABEL (DARK GRAY)	2
54	5340 74	139	5Y4/		LABEL	
54	5346 74	018	51"11)(9"-79"D-)		LABEL (DARK GRAY)	1
55	5336 74	052-1	51"11/ (9"-99"1;-)		LABEL (DARK GRAY)	1
55	5344 74	113-1	51"11)		LABEL	1
56	5340 74	136	51"11,		LABEL	1
56	5341 74	356			LABEL (DARK GRAY)	1
57	5346 74	021			LABEL (NAME PLATE)	
58	5346 74	022	5111)		LABEL	
59	5342 74	625	coU701,-1,		LOGOTYPE PLATE	

h1" (NOPS)


COVER (NOPS)

-t f,a

SECTION

49
SECTION NUMBER

5340Z 720



COVER (NOPS)

SECTION

SECTION NUMBER

* 0613a dt dzt41⁵At.S. 6tz ;IX*
 The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	rt5	gt-w	PART	Na	SLIVt/ 4AtW	COMPONENT PARTS	PART NAME	MR Vty
1	9660050014				tVF	M5	HEXAGON NUT M5	12
2	5300	72	021		A3vh"		STUD	5
3	5300	71	156		t°)		PIN	9
4	5340	73	020-3		hA'-		COVER	2
4	5346	73	040-1				COVER(DARK GRAY)	2
5	9642052514				t1'3D"	M5X25	SMALL PAN-HEAD SCREW M5X25	4
6	9710050008				A"v/"b'	M5	SPRING WASHER M5	21
7	5340	73	025-1		bA"-		COVER	2
7	5340	73	045-1		hA"-		COVER	2
					CED2r)		FOR CE SPEC.	
7	5346	73	027-1				COVER(DARK GRAY)	2
9	5340	89	521-2				COVER	
9	5346	89	523-1		hA"-(5fh9"D-)		COVER(LIGHT GRAY)	1
10	5512	71	114		A"(DF":VJ'A-A"VM5X8		SMALL BINDING SCREW M5X8	25
					CED3')		FOR CE SPEC.	
10	90813				A"IF":D"	M5X10	SMALL BINDING SCREW M5X10	25
11	5340	71	271-2		fi-DhA"-		CHAIN COVER	1
12	9642051014				t1"D*D"	M5X10	SMALL PAN-HEAD SCREW M5X10	15
13	5340	72	032		A9vh"		STUD	3
14	5340	72	050-3		hA"-		COVER	1
14	5346	72	050-2		hA"-(9"-99"U-)		COVER(DARK GRAY)	1
15	5340	71	210-5				COVER	1
15	5346	71	230-2		bA"-(5.(1-9"U-)		COVER(LIGHT GRAY)	1
16	5330	71	212-1		hA'-		COVER	1
16	5332	71	828-1		hA"-(5-fl-"1)-)		COVER(LIGHT GRAY)	1
17	5310	71	157		A9vh"		STUD	2
18	5340	71	220-2				COVER	1
18	5346	71	240-1		hi1"-(5-fF9"U-)		COVER(LIGHT GRAY)	1
19	5340	71	250-2				COVER	1
19	5346	71	260-1		hA"-(9"-99"1,-)		COVER(DARK GRAY)	1
20	5300	71	155		7"5"t-		BRACKET	5
23	99923				77)v-h"	PG-47	FAN GUARD PG-47	1
25	91314005				9vt)D"	4X6	TAPPING SCREW 4X6	4
26	90651				GS-1)9"	GS-6	GS-RING GS-6	4
29	5300	73	031		A9vh"		STUD	2
30	9642041614				11"DD"	M4X16	SMALL PAN-HEAD SCREW M4X16	2
31	9716040014					M4	PLAIN WASHER M4	2
32	9710040008				A" /3"	M4	SPRING WASHER M4	2
33	9660040014					M4	HEXAGON NUT M4	4
34	5300	73	015		'Y N"		STUD	1
35	5340	71	211-1		hA"-		COVER	1
37	5486	78	274-1		51"11)(*)3%')		LABEL(JAPANESE)	1
37	5486	78	275-2		11)(I/3")		LABEL(ENGLISH)	1
38	5290	61	633		7-At)	300MM	GROUND WIRE 300MM	2
					CED3r)		FOR CE SPEC.	
40	9642041014				11'3D"	M4X10	SMALL PAN-HEAD SCREW M4X1	2
					CED3',		FOR CE SPEC.	
41	90643				AVV,"b'	B5	TOOTHED LOCK WASHER B5	8
					CED3')		FOR CE SPEC.	
42	5290	74	075		FCC51'4,		FCC LABEL	1
					7)(9/3,ht9"		U.S.A., CANADA	
43	5341	71	215		A9VF"		STUD	1
44	5341	71	255		ATJF"		STUD	1
45	5290	74	087-2		51"11,(I-(3")		LABEL(ENGLISH)	1
45	5290	74	091				LABEL(JAPANESE)	1
46	5340	71	115-1		*D"2/3/1"-		AUXILIARY COVER	1
46	5346	71	116-1		11D"vv1"-(5(h9"D-)		AUXILIARY COVER(LIGHT GRAY)	1
47	5340	74	121-1				LABEL	
48	5290	74	084		51"11,(I-f3")		LABEL(ENGLISH)	4

bA"- (NOPS)

COVER (NOPS)

SECTION

セクション番号

SECTION NUMBER

5340Z 720

* onfält, tflt dz:TT4bints. ta ut)Itt.44L <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	T ^{Na} Na	savls/ *449I	COMPONENT PARTS	PART NAME Na	MR Wty
48	5290 74 094	5\'\'11)(*Da")		LABEL (JAPANESE)	4
49	5290 74 201	514, (90KG)		LABEL (90KG)	1
50	5290 74 2102	tv1ta 5N"1)(120KG)		LABEL (120KG)	1
51	5290 74 301			LABEL (ENGLISH)	1
51	5290 74 302			LABEL (JAPANESE)	1
51	5290 74 312			LABEL (GERMANY)	1
51	5290 74 313	5r\ND (75DAD")		LABEL (FRENCH)	1
51	5290 74 314			LABEL (SPANISH)	1
52	9670050801	v7vh1"10. M5X8		HEXAGON SOCKET BOLT M5X8	4
53	5340 74 132	51ND		LABEL	3
53	5346 74 012-1	5 11/ (3. 1-99"D-)		LABEL (DARK GRAY)	6
54	5340 74 133	51"11,		LABEL	2
54	5346 74 013	51"11)(9"-99"-D-)		LABEL (DARK GRAY)	2
55	5340 74 134	5Y 11,		LABEL	6
55	5346 74 016	51ND (9"-99"D-)		LABEL (DARK GRAY)	6
56	5340 74 135	51ND		LABEL	1
56	5346 74 019	5Y4J (9"-99"D-)		LABEL (DARK GRAY)	1
57	5342 74 681-1	5\'\'11, (9\'\'-99"D-)		LABEL (DARK GRAY)	1
57	5344 74 181-1	5\'\'111		LABEL	1
58	5336 74 075-1	51Nb(z1-"11,9"1/-)		LABEL (MIDDLE GRAY)	1
58	5340 74 137			LABEL	1
59	5342 72 333			COVER	1
59	5342 72 733-1	hA"-• (9"-99"D.-)		COVER (DARK GRAY)	1
60	5342 72 732-1	hA"- (9"-99"1p-)		COVER (DARK GRAY)	1
60	5344 72 332-2	hA"-		COVER	1

9"(1 7Dt"DhA"-

1ST SAFETY COVER


セクション

SECTION

セクション番号

SECTION NUMBER

5340Z 750



1ST SAFETY COVER

ong, fltcf iz711475⁵Ats. 6 tz. 3ZFJ417.1 dt#It At4 <
The dimension of the parts marked with a w differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


Na	t-	--/SET /PART	Na	OA4/ //	COMPONENT	PARTS	ART NAME	OR Vty
1	5290	52	422	t0 D			PIN	4
3	9710030008			A"vf"h"	M3		SPRING WASHER M3	22
4	5340	75	411-4	7D1"DhA"-			SAFETY COVER	1
8	9660040014			Jvh	M4		HEXAGON NUT M4	10
9	9710040008			i' t j	M4		SPRING WASHER M4	16
10	5290	76	022	A0)37	U-F		SWITCH PLATE	5
11	9648043014			/5DD"	M4X30		SMALL FLUSH HEAD SCREW M4X30	8
12	98303001			A-(V3	S845B20		SWITCH S845B20	5
				CED2')fh"	(.230V		230V, FOR NON CE SPEC.	
12	98303002-1			si')f	V-16-2C16		SWITCH V-16-2C16	5
				230Vfh"-	(		EXCEPT 230V	
13	9716030014			t5/"1j"	M3		PLAIN WASHER M3	14
14	9642031414			t1"3D"	M3X14		SMALL PAN-HEAD SCREW M3X14	10
15	5340	75	211-5	7D1"DhA"-			SAFETY COVER	1
16	5340	75	220	tDD"			HINGE	1
17	91310006			F D"	M5X5		SET SCREW M5X5	6
18	5290	75	031	ht			CAM	4
19	5340	75	420-1	tDD"			HINGE	1
20	5340	75	430-1	tDD"			HINGE	1
23	5295	75	020-1	tDD"			HINGE	1
24	9642061614			t1"3D"	M6X16		SMALL PAN-HEAD SCREW M6X16	4
25	9716060014			t5	" M6		PLAIN WASHER M6	4
26	5300	53	213	72			KNOB	4
27	5330	75	031	ht			CAM	2
				CED2r)			FOR CE SPEC.	
27	5330	75	031	ht			CAM	1
				CE	-(J"-(,230V		230V, FOR NON CE SPEC.	
28	95338			A(')3	WK244XP-2U		SWITCH WK244XP-2U	5
				CED2r)			FOR CE SPEC.	
28	95338			Af"	WK244XP-2U		SWITCH WK244XP-2U	1
				CED2')103"-f,	230V		230V, FOR NON CE SPEC.	
29	9642044014			1ft"D*D"	M4X40		SMALL PAN-HEAD SCREW M4X40	10
				CED3')			FOR CE SPEC.	
30	5340	75	323	tDD"			HINGE	2
31	5340	75	441-4	hA"-			COVER	1
33	5340	75	320	tDD"			HINGE	2
34	5295	75	031-1	A("h1,			SWITCH CAM	3
				CED3')			FOR CE SPEC.	
34	5295	75	031-1	A-(vfht			SWITCH CAM	1
				CED2.)03"1(,	230V		230V, FOR NON CE SPEC.	
35	9642031014			J1"3D"	M3X10		SMALL PAN-HEAD SCREW M3X10	12
36	5340	75	111-4	7Dt"DhA"-			SAFETY COVER	1
37	5340	75	443-3	hA"-			COVER	1
38	5340	75	442	hA"-			COVER	1
39	9642052514			t1"DD"	M5X25		SMALL PAN-HEAD SCREW M5X25	6
40	9710050008			A"v/"h"	M5		SPRING WASHER M5	10
41	5340	75	340-1	7"55VF			BRACKET	1
42	9642050814			1"DD"	M5X8		SMALL PAN-HEAD SCREW M5X8	4
43	5340	75	330-1	MI"-			COVER	1
44	9670052008			s)h*v1-"11/F	M5X20		HEXAGON SOCKET BOLT M5X20	2
45	5340	75	324	7""vh			BRACKET	1
46	5340	75	311-3	7Dt"D1A"-			SAFETY COVER	1
47	5295	75	040	tDD"			HINGE	1
48	5340	75	350-1	7"55vh			BRACKET	1
49	5322	75	020-1	tDD"			HINGE	1
50	5344	75	621-2	7Dt"D1i1"-			SAFETY COVER	1
51	9642041014			t1"3*D"	M4X10		SMALL PAN-HEAD SCREW M4X10	4
52	5330	75	492-1	tDD"			HINGE	1
54	5300	75	112	t0 D			PIN	2

1ST SAFETY COVER

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	gr	1-4g	SET	Na	BRAT/	PART NAME	MR
16	PART	Na	0fatW	COMPONENT	PARTS	Na	Q'ty
55	5330	75	120-1	tDD"	HINGE		1
56	9642040807			J1'D D" M4X8	SMALL PAN-HEAD SCREW M4X8		12
57	91321			79"r91-41"771-148	MAGNET CmCH n-148		2
58	9642051614			D:D" M5X14	SMALL PAN-HEAD SCREW M5X16		2
60	9642040607			t1"DD" M4X6	SMALL PAN-HEAD SCREW M4X6		4
61	5340	75	444		FIXING PLATE		
62	5290	74	082-1	5'NND(I.(D"))	LABEL(ENGLISH)		6
62	5290	74	092	5V4,(1711DD")	LABEL (JAPANESE)		5
63	5340	75	585-1		COVER		1
64	9670051008			9"1-74"11/h M5X10	HEXAGON SOCKET BOLT M5X10		3
65	9648041014			/53D" M4X10	SMALL FLUSH HEAD SCREW M4X10		2
66	9642042514			JN"3.D" M4X25	SMALL PAN-HEAD SCREW M4X25		2

2ND SAFETY COVER



2ND SAFETY COVER

SECTION

SECTION NUMBER

* The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.


Na	B	t-4 / SET t qf PART Na	BaVfN/ Mat9/ COMPONENT PARTS	PART NAME Na	MR CrY
1	9642040814	J1"3 D" M4X8	SMALL PAN-HEAD SCREW M4X8	12	
2	9716040014	M4	PLAIN WASHER M4	12	
3	5295 75 020-1		HINGE	3	
4	5340 75 220	tDD"	HINGE	2	
5	5290 75 031	his	CAM	3	
6	91310006	F;tV)" M5X5	SET SCREW M5X5	3	
7	5290 76 022	A"O"7 D-F	SWITCH PLATE	3	
8	98303001	S845B20	SWITCH 5845B20	3	
		CED3')03"f.230V	230V,FOR NON CE SPEC.		
8	98303002-1	Af" V-16-2C16	SWITCH V-16-2C16	3	
		230v-03"-f	EXCEPT 230V		
9	9710030008	A"VP\h" M3	SPRING WASHER M3	10	
10	9642031414	J1"DD" M3X14	SMALL PAN-HEAD SCREW M3X14	6	
11	5340 75 611-5	7D1"D/JA"-	SAFETY COVER	1	
12	9710040014	W`V1"/P M4	SPRING WASHER M4	2	
13	9642040807	J1N`D DN` M4X8	SMALL PAN-HEAD SCREW M4X8	8	
14	9642041014	I`1":DN' M4X10	SMALL PAN-HEAD SCREW M4X10	2	
15	95338	I'J3 WK244XP-2U	SWITCH WK244XP-2U	3	
		CED3')	FOR CE SPEC.		
16	9660040014	tVF M4	HEXAGON NUT M4	8	
17	9710040008	A"VI"tP` M4	SPRING WASHER M4	14	
18	5330 75 031	hG	CAM	3	
		CED3r)	FOR CE SPEC.		
19	9642044014	t D DN` M4X40	SMALL PAN-HEAD SCREW M4X40	4	
		CED2r)	FOR CE SPEC.		
20	5290 52 423-1	t0 p	PIN	2	
21	9642061614	t1"DDN` M6X16	SMALL PAN-HEAD SCREW M6X16	1	
22	9716060014	t5/"h" M6	PLAIN WASHER M6	1	
23	5340 75 211-5	7Dt":43V-	SAFETY COVER	1	
24	5300 53 213	V7Z	KNOB	1	
25	9648043014	/5D*D" M4X30	SMALL FLUSH HEAD SCREW M4X30	6	
26	9716030014	t5P`1\` M3	PLAIN WASHER M3	6	
29	5310 32 119	0-9U-At-	ROTARY STAY	1	
30	5340 75 612-3	CD/3V-7F"	COVER	1	
33	9648051014	#53D" M5X10	SMALL FLUSH HEAD SCREW M5X10	2	
34	9642031014	J1"W) N M3X10	SMALL PAN-HEAD SCREW M3X10	4	
35	5340 75 511-4	7DV`:AAN`-	SAFETY COVER	1	
36	5330 75 483	hA"- vf	COVER CATCH	2	
37	5295 76 013	i*0-9-	SUPPORTER	2	
38	5330 89 620	tDD"	HINGE	1	
39	9642041614	I`V`DE)" M4X1 6	SMALL PAN-HEAD SCREW M4X16	2	
		CED3	FOR CE SPEC.		
40	5340 75 621		PLATE	1	
41	90730	A`-h-tN`2') 1.6X5	RIVET 1.6X5	3	
42	5340 75 615	I/1`O	FIXING PLATE	4	
43	5290 74 082-1	51"11)(I'(3")	LABEL(ENGLISH)	3	
43	5290 74 092	51N1)(:*)3")	LABEL (JAPANESE)	3	
44	5300 54 332		COLLAR	2	

SAFETY BAR

セクション
SECTION

セクション番号
SECTION NUMBER

5340Z 755



SAFETY BAR

SECTION


NUMbtx

*--.0413Au.latz- T MAtsVz6siEt1W1110t AM-Lt<ktIA,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	g 0, F t t t / SET No. Na	UNAt / COMPONENT PARTS	PART NAME	gR Wty
1	9642041214	t1"3,D" M4X12	SMALL PAN-HEAD SCREW M4X12	4
2	95338	A1"3 WK244XP-2U	SWITCH WK244XP-2U	2
3	5340 75 734	7"VF	BRACKET	2
4	5340 75 732		SPACER	4
5	9670064508	M6X45	HEXAGON SOCKET BOLT M6X45	4
6	9711060008	/5"A"* 6	CONED DISC SPRING 6	4
7	91310006	F\$*D" M5X5	SET SCREW M5X5	4
8	5340 75 733	A CV1hL	SWITCH CAM	2
9	5340 75 713	AM"	STUD	2
10	9721040008	E-1)9" E-4	E-RING E-4	8
11	5340 75 710-1		ARM	2
12	5340 75 781	Dt7F	SHAFT	2
13	9670081208	M8X12	HEXAGON SOCKET BOLT M8X12	2
14	9721070008	E-UD9" E-7	E-RING E-7	18
15	5290 29 313		WASHER	12
16	5340 75 712	AM"	STUD	11
17	9670063008	V 1:11,1' M6X30	HEXAGON SOCKET BOLT M6X30	10
18	5290 37 433	A"V35	SPRING STUD	4
19	5480 25 418	A701)9"	SPRING	8
20	5340 75 723	t0 D	PIN	6
21	5341 75 770	70 V-F	PLATE	2
22	9715050014	t5"/"t" M5	PLAIN WASHER M5	4
23	9670051608	95Vh1104)1- M5X16	HEXAGON SOCKET BOLT M5X16	8
24	5340 75 714	UD9	LINK	4
25	5340 75 740	7Dt"DA"- (D)	SAFETY BAR (D)	1
27	5340 75 780-1		ARM	2
28	5341 75 780	70 D-h	PLATE	2
29	5340 75 718	t D	PIN	3
30	5340 75 741	UD9	LINK	2
32	5344 75 722	7Dt"DA"-	SAFETY BAR	1
33	5340 75 114-1		COVER	1
34	9710050014	A"V1"h" M5	SPRING WASHER M5	4
35	9642051014	t'\ "DD" M5X10	SMALL PAN-HEAD SCREW M5X10	13
36	5340 75 115-1		COVER	1
37	5340 75 720	7Dt"DA"- (B)	SAFETY BAR (B)	1
38	5340 75 717	t0:'	PIN	1
39	9660060014	tVF M6	HEXAGON NUT M6	4
40	9710060008	nAVINX13 M6	SPRING WASHER M6	4
41	5340 75 725	UD9	LINK	2
42	5340 75 920	7Dt"DA"-	SAFETY BAR	1
43	5340 75 716	7Dt"DhA"-	SAFETY COVER	1
44	5340 75 117-1		COVER	1
45	9710050008	M5	SPRING WASHER M5	9
46	5340 75 118-1		COVER	1
47	5340 75 724	AM"	STUD	1
48	5340 75 116-3		COVER	2
49	9670062008	9h)1-*11)1- M6X20	HEXAGON SOCKET BOLT M6X20	2
51	5330 73 071-1		COVER	1
52	5340 75 910	7Dt"DA"-	SAFETY BAR	1
53	5340 75 736		SPACER	2
54	5340 75 735	70 D-F	PLATE	2
55	9670041408	9 h*"l bh M4X14	HEXAGON SOCKET BOLT M4X14	2
56	5340 75 922-1	U.D9	LINK	2
57	5340 75 751-1	7-t	ARM	2
58	9710040008	M4	SPRING WASHER M4	4

1ST BLANKET CLEANING

SECTION



1ST BLANKET CLEANING

SECTION

SECTION NUMBER 1

0381a us at if VA4biAts istZi4 itltl AM 1/c < o.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	t 71-49-/sET Na	45Mt/	4 &/ COMPONENT PARTS	PART NAME	MR CrtY
	5310 82 250	t:)D"300-5-	ASSY	CLEANING ROLLER ASSY	1
		12.13			
	5340 82 100-4	7"57), 'vhtDD"20105		BLANKET CLEANING DEVICE	1
		1-6.8-33.35-42.48.49.52, 54-61.63.64, 66, 68-75			
	5340 82 190	Dt7h	ASSY	SHAFT ASSY	1
		38-40, 42.52			
	5340 82 266Z-1	!)"	ASSY	SCREW ASSY	2
		56, 57			
	5340 82 713Z-2	o-5-7-G	ASSY	ROLLER ARM ASSY	1
		3.10			
	5340 82 714Z-2	o-5-7-L	ASSY	ROLLER ARM ASSY	1
		1, 10			
1	5340 82 714-2	0-5-7-G		ROLLER ARM	1
2	5310 82 181	AT-		STAY	2
3	5340 82 713-2	o-5-7-L		ROLLER ARM	1
4	90640	AVI, "b"	86	TOOTHED LOCK WASHER B6	2
5	9660060014	tVh	M6	HEXAGON NUT M6	4
6	9670061208	Vhrv1-404/F	M6X12	HEXAGON SOCKET BOLT M6X12	6
8	5300 82 256	)"		SCREW	2
9	5300 82 257	A7 "9D9"		SPRING	2
10	5486 25 423	7"VD2		BUSHING	2
11	5310 82 282	o-5-		ROLLER	1
12	5310 82 240	1 DD"20o-5-		CLEANING ROLLER	1
13	90675	1"7"1d9"	6000DDU	BALL BEARING 6000DDU	2
14	5300 58 513	F)035-		LOCK COLLAR	2
15	9684050508	h\$D"	M5X5	SET SCREW M5X5	7
16	5340 82 181-1	AT-		STAY	1
17	5300 82 185-1	t)		PIN	2
18	5300 82 187	A7 "1d9"		SPRING	1
19	5340 82 711	DA"-		LEVER	1
20	5340 82 230	7D-L		FRAME	1
21	5340 82 301	DA"-		LEVER	1
22	5330 82 720	D1'7F		SHAFT	1
23	5340 82 712	DA"-		LEVER	1
24	9648041014	153VJ"	M4X10	SMALL FLUSH HEAD SCREW M4X10	9
25	5300 82 259-1	ArqD9"		SPRING	2
26	5300 59 132	1di/9"-		HOLDER	1
27	5330 82 201	A7 "1)9"		SPRING	1
28	5340 82 160	71.-G		FRAME	1
29	9670051001	Vi91-40'11,1s	M5X10	HEXAGON SOCKET BOLT M5X10	1
30	5340 82 267	AFVA -		STOPPER	1
31	5340 82 264	t0 P		PIN	2
32	5330 82 711	EJ"		SCREW	2
33	5340 82 254	7"ov9		BLOCK	2
35	5340 82 240	7L'-L3		FRAME	1
36	5340 82 170	71.-G		FRAME	1
37	5300 82 188	A'7 "Up9"		SPRING	1
38	9410301608	A7015))9"o0D	3X16	SPRING PIN 3X16	4
39	5340 82 260	Y-L		ARM	2
40	5340 82 191	Dt7h		SHAFT	1
41	9721070014	E-9)9"	E-7	E-RING E-7	2
42	5340 82 220	DA"-		LEVER	1
43	5340 82 310	9)		RESERVOIR	1
44	9642040414	1"1"DV)"	M4X4	SMALL PAN-HEAD SCREW M4X4	1
45	5330 82 321	f9A"		LEAF SPRING	1
46	5310 82 323-2	AVDD"o-5-		SPONGE ROLLER	1
47	5330 82 425	551Vh		RACHET	1
48	5430 21 518-1	tVh		NUT	2
49	9670042008	9VF11"11,F	M4X20	HEXAGON SOCKET BOLT M4X20	2

9"-f1 フランケットセンシ"ヨウ

セクション
SECTIONセクション番号
SECTION NUMBER

5340Z 820


1 ST BLANKET CLEANING

* 7—06Aa.t1S 11UbiAtsZinib,e 31#14i4t4L 000.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	Ma	ET Na.	ART	in	HAVt/ 11	/ COMPONENT PARTS	PART NAME	Crty
52	5340	82	210		L,A"-		LEVER	1
54	5310	33	538-1		Vqa(9"-99"D-)		KNOB(DARK GRAY)	1
55	972104	t1014			E-4		E-RING E-4	2
56	90890				4-fDA1-"5)0A-70B-0606		BUSHING 70B-0606	2
57	5340	82	266-1				SCREW	2
58	90703				UtVF M6		U-NUT M6	4
59	5340	82	265		9VDt-		WASHER	2
60	5430	38	414		A7o'JD9"		SPRING	2
61	5480	53	126		A7'9.;;9"		SPRING	2
63	9642040814				t1'3v)" M4X8		SMALL PAN-HEAD SCREW M4X8	3
64	9716060014				1:5 j)" M6		PLAIN WASHER M6	4
66	5340	82	183		hA"-		COVER	1
68	5340	82	263-1		A"-		BAR	
69	5340	82	184		bA"-		COVER	1
70	9642041014				t1"3!) " M4X10		SMALL PAN-HEAD SCREW M4X10	3
71	9710040008				A"VP13" M4		SPRING WASHER M4	6
72	5340	82	251-2				STAY	1
73	5290	36	355-1		A7"w"		SPRING	2
74	5332	82	265				SPACER	4
75	5344	82	261		13".11,M,		GUIDE	1

2ND BLANKET CLEANING

SECTION



2ND BLANKET CLEANING

SECTION

SECTION NUMBER 1

* 06138 tt, it3Z14 dz". Ittat A#4 L <
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	/SET TI\laNa	an /COMPONENT PARTS	ART NAME	UR crty
5300	53 250-5	EA"*1-1141V7 ASSY	WATER BOTTLE CAP ASSY	1
		78-83		
5310	82 250	tDD"Br)0-5- ASSY	CLEANING ROLLER ASSY	2
		68.69		
5340	82 266Z-1	*D" ASSY	SCREW ASSY	2
		17.19		
5340	82 600-4	7"5) htDD"3')vi)3	BLANKET CLEANING DEVICE	1
		1-9.14-27,29.30.35-53.55-72.74.75,84-88		
5340	82 650	D1'7F ASSY	SHAFT ASSY	1
		3-6.8		
5340	82 713Z-2	o-5-7-G ASSY	ROLLER ARM ASSY	1
		71.72		
5340	82 714Z-2	Q-5-Y-L ASSY	ROLLER ARM ASSY	1
		70.71		
5340	82 720-1	D1'7h ASSY	SHAFT ASSY	
		4.74.75		
1	9648041014	/5D*D" M4X10	SMALL FLUSH HEAD SCREW M4X10	8
2	5310 33 538-1	VqZ(9"-99"D-)	KNOB(DARK GRAY)	1
3	5340 82 660		LEVER	1
4	9410301608	A701p9tOD 3X16	SPRING PIN 3X16	5
5	5340 82 260		ARM	2
6	5340 82 191	D1'7h	SHAFT	1
7	9721070014	E-qp9" E-7	E-RING E-7	3
8	5340 82 670	DA"-	LEVER	1
9	5340 82 730	Y-G	ARM	1
10	5330 82 425	5fIVF	RACHET	1
11	5330 82 321	OA"*	LEAF SPRING	1
12	9642040414	11"3*D" M4X4	SMALL PAN-HEAD SCREW M4X4	1
13	5310 82 323-2	Ati DD"0-5-	SPONGE ROLLER	1
14	9410302008	A7-1D9"t") 3X20	SPRING PIN 3X20	1
15	5310 82 282	0-5-	ROLLER	1
16	5340 82 181-1	AT-	STAY	1
17	90890	t'(DAF"5-0(Vh 70B-0606	BUSHING 70B-0606	2
18	9721040014	E-Up9" E-4	E-RING E-4	2
19	5340 82 266-1	*D"	SCREW	2
20	90703	UtI)1- M6	U-NUT M6	4
21	5340 82 265	9VDt-	WASHER	2
22	5430 38 414	A7-1:9"	SPRING	2
23	5480 53 126	A7° U:)9"	SPRING	2
24	5300 58 513	1-)0J5-	LOCK COLLAR	2
25	9642041014	t1"D*D" M4X10	SMALL PAN-HEAD SCREW M4X10	3
26	9670061208	M6X12	HEXAGON SOCKET BOLT M6X12	6
27	9716060014	t5 "*" M6	PLAIN WASHER M6	4
28	5340 82 740	%P,	RESERVOIR	1
29	9710040008	A"*/"h"* M4	SPRING WASHER M4	3
30	5340 82 184		COVER	1
35	9710040014	A b"* M4	SPRING WASHER M4	3
36	9716050014	t5,"h"* M5	PLAIN WASHER M5	2
37	9642040814	t1"D*D" M4X8	SMALL PAN-HEAD SCREW M4X8	3
38	5300 59 132		HOLDER	1
39	9684050508	1-\$*D" M5X5	SET SCREW M5X5	7
40	5300 82 221	A7oUD9"	SPRING	1
41	9670051001	95*vhell'h M5X10	HEXAGON SOCKET BOLT M5X10	3
42	5340 82 170	?D-L	FRAME	1
43	5340 82 267	AFVA -	STOPPER	1
44	5340 82 264	t")	PIN	2
45	5300 82 259-1	70 J \	SPRING	2
46	5340 82 263-1	A"-	BAR	1
47	5310 82 181	AT-	STAY	2

9"-f2

2')

3

6

5340Z 825

SECTION

SECTION NUMBER


2ND BLANKET CLEANING

*q-065AU.Mt tia⁵AYSZka15,tt3MizAttItiSMU'r<kt0.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No	491	1-1	S E T Na	Na	SMT/	COMPONENT	PARTS	Ma	PART NAME	alk Q'ty
48	5330	82	720		Dt7t.				SHAFT	
49	5340	82	301		DV-				LEVER	1
50	9670042008				Vh'VFAINDF	M4X20			HEXAGON SOCKET BOLT M4X20	2
51	5430	21	518-1		tVh				NUT	2
52	5340	82	251-2		AT-				STAY	1
53	5340	82	183						COVER	1
55	5300	82	184-1		W-				LEVER	1
56	5340	82	160		7D-L				FRAME	
57	5340	82	690		7D-L				FRAME	1
58	5300	82	256		*D"				SCREW	2
59	5300	82	257		A7°1D9"				SPRING	2
60	5330	82	711		DN				SCREW	2
61	5340	82	254		7"c:09				BLOCK	2
62	5300	82	185-1		t°D				PIN	2
63	5300	82	188						SPRING	1
64	5300	82	186		DV-				LEVER	1
65	90640				AVVP`h1	B6			TOOTHED LOCK WASHER B6	2
66	9660060014				VA. M6				HEXAGON NUT M6	4
67	5340	82	680		7D-G				FRAME	1
68	90675				1"7'w"	6000DDU			BALL BEARING 6000DDU	4
69	5310	82	240						CLEANING ROLLER	2
70	5340	82	714-2		o-5-7-L				ROLLER ARM	1
71	5486	25	423						BUSHING	2
72	5340	82	713-2						ROLLER ARM	1
74	5330	82	740-1		7-1,				ARM	1
75	5340	82	721-1		D1'7F				SHAFT	1
76	5300	82	543						NAME PLATE	1
77	5330	53	251-1		ZA"*"F11,				WATER BOTTLE	1
78	5300	53	256-3		il° D				PACKING	1
79	5300	53	254-3		Vh11)VVD				BOTTLE PACKING	1
80	9721030050				E-9:'9" E-3				E-RING E-3	3
81	5290	53	255		A7'qd9"				SPRING	1
82	5300	53	253		t°)				PIN	1
83	5300	53	252-1		4 1 0				CAP	1
84	5290	36	355-1		A7°9)9'				SPRING	2
85	5332	82	265						SPACER	4
86	5300	82	187		A7'UD9"				SPRING	1
87	5300	58	365						WASHER	1
88	5344	82	261						GUIDE	1

BLANKET CLEANING DRIVE

SECTION



BLANKET CLEANING DRIVE

SECTION

SECTION NUMBER

** OSA Us atz dt 74biAts, Z ag5, tnZIRYizs littmAS4 Lt < to.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	P. t-91	PART Na	SMA n/ LA /COMPONENT	PARTS	PART NAME	Q'ty
5340	82	340-1	7-L ASSY		ARM ASSY	1
			1.9.47.65			
5340	82	750	7-G ASSY		ARM ASSY	1
			1.2.5.59			
1	9410301608		A7°1D9"t°D 3X16		SPRING PIN 3X16	4
2	5340	82 760	7-L		ARM	1
3	5300	59 565-1	A7°1D9"		SPRING	2
4	5290	37 433	A"Vjh*		SPRING STUD	
5	5340	82 351	D1-7F		SHAFT	1
6	5330	59 566	7") E 7.		BUSHING	1
7	9710050014		A"VPNb" M5		SPRING WASHER M5	8
8	9642051014		I1"MD" M5X10		SMALL PAN-HEAD SCREW M5X10	24
9	5340	82 350	7-G		ARM	1
10	9710050008		A"VP`h" M5		SPRING WASHER M5	24
11	9660050014		tVF M5		HEXAGON NUT M5	8
12	5340	82 542	7"5 F		BRACKET	2
13	9670061208		Vh'VF*Nbh M6X12		HEXAGON SOCKET BOLT M6X12	6
14	9716060014		t5/"V M6		PLAIN WASHER M6	4
15	90629		7tV7°t°) SSP-6		SNAP PIN SSP-6	4
16	5300	57 023-1	t°)		PIN	2
17	97657-3		VDJ-fh" AS-20-N		SOLENOID AS-20-N J708-814	2
18	9670051001		Vh'Vh*NDF M5X10		HEXAGON SOCKET BOLT M5X10	10
19	5340	82 780-1	7"5°F		BRACKET	1
20	9716050014		ti/N`h" M5		PLAIN WASHER M5	4
21	5340	82 520	AhVA°-		STOPPER	1
22	5340	82 511-1	7"55*VF		BRACKET	
23	5340	82 131-2	7""VF		BRACKET	
24	5340	82 140-2	7""VF		BRACKET	1
25	5340	82 793-2			COVER	2
27	5300	82 520-1	7"57VF		BRACKET	1
29	9642061614		ti\N`DEP` M6X16		SMALL PAN-HEAD SCREW M6X16	3
30	9710060008		ANN VI"h" M6		SPRING WASHER M6	3
32	5340	82 530-3	nNo"		VALVE	1
37	90512		0-17)9" P-10A		O-RING P-10A	4
39	5310	52 121-1	DA"- 0"-99N)-)		LEVER(DARK GRAY)	1
40	9650052014		11,5)53D" M5X20		SCREW M5X20	1
41	5340	82 798	NBR*-A 10X13X200		NBR HOSE 10X13X200	1
42	5300	82 517	9NNIP.97°		GRIP	5
43	5340	82 796	NBR*-A 10X13X350		HOSE 10X13X350	1
44	9721070008		E-'J 9" E-7		E-RING E-7	2
45	5340	82 541-1	UD9		LINK	2
46	91710003		7, \ 0 1		SPACER	4
47	5340	82 360-1	7-G		ARM	1
48	5340	82 523	7""Vh		BRACKET	2
49	5340	82 791	NBR*-A 10X13X110		HOSE 10X13X110	1
50	5340	82 524	11 0-60		PIPE	1
51	5340	82 771-1			BRACKET	1
53	5340	82 120	7"51-		BRACKET	2
54	9410502008		A7°9D9"t°D 5X20		SPRING PIN 5X20	8
55	9670083508		V5Vh*"I07 M8X35		HEXAGON SOCKET BOLT M8X35	8
56	5340	82 110	7"57VF		BRACKET	2
57	5340	82 794	7NN VF		BRACKET	4
58	9670051608		Vh*NIJF M5X16		HEXAGON SOCKET BOLT M5X16	8
59	5340	82 770	7-G		ARM	1
60	5340	82 795	tn"-		COVER	1
61	5340	82 792-1	NBR*-A 10X13X100		NBR HOSE 10X13X100	1
62	5290	32 121	A7°17,9"		SPRING	1
63	5340	82 342	7"VD2		BUSHING	1
64	5290	36 351	A"V35.		SPRING STUD	1

7'5D"FtDD"3')91''')

BLANKET CLEANING DRIVE

セクション

SECTION

セクション番号

SECTION NUMBER


5340Z 828

* ofilig it, #14c: tc't4b44ts 6tz tt5C114 1/C < t
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	kh.m.	T.MaNO.	ii3840t / aa*WCOMPONENT PARTS Na	NAME	個数 Q'ty
65	5340 82 341		D1'7h	SHAFT	1
66	5300 12 224			PLATE	1

POWDER SPRAY DEVICE

SECTION



POWDER SPRAY DEVICE

SECTION


SECTION NUMBER 1

***q-0413AusatiztUbiAts6k6,tM041TAIM4A41,c<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering Parts, please inform us of the press serial number.

Na	t-9- /SET Na t PART Na	nim#/ mAtmvComPoNENT	PARTS	PART NAME	Vty
5332	83 030-1	A7 D-JA"lli	ASSY	SPRAY NOZZLE ASSY	
		9,42-51,58			
5344	83 050-1	lli"hfli	ASSY	BOTTLE ASSY	1
		3,5-10,12-14,16-26			
5430	14 450	ANO"	ASSY	VALVE ASSY	1
		32-36			
3	9710050008	ll%vpktpx	M5	SPRING WASHER M5	2
5	5430 32 815	7ii		KNOB	1
6	5480 14 428-1	DA"-		LEVER	1
7	9660050014	"F M5		HEXAGON NUT M5	1
8	5340 83 261			KNOB	1
9	90505	0-9:29"	P-16	0-RING P-16	3
10	90511	0-UD2"	P-20	0-RING P-20	1
12	5430 39 118			KNOB	1
13	5430 14 437	fill)9N-		HOLDER	1
14	9648051014	1/53D"	M5X10	SMALL FLUSH HEAD SCREW M5X10	2
15	91190	hN 13		HOSE BAND 13	2
16	91238	li-AIV7 W 1/4"		HOSE NIPPLE 1/4"	3
17	91235	tAtAill,\$" 1/4"		ELBOW 1/4"	2
18	91258	-)7° It, 1/4"		NIPPLE 1/4"	2
19	90904004-1	ANO"AB2X1201	AC115V	VALVE AB2X1201 AC115V	1
20	5430 14 470-1	13"1-114"	7	BOTTLE CAP	1
21	5430 14 460	70 1)1		PLATE	1
22	90609	BE-'J9"	BE-80	BE-RING BE-80	1
23	5430 14 433-1	A° :9		PACKING	1
24	5430 14 431	t" HI'		BOTTLE	1
25	5430 14 438	)\".' I."		BAND	1
26	9642051014	11°3 D"	M5X10	SMALL PAN-HEAD SCREW M5X10	2
28	5344 83 031	7""Vh		BRACKET	1
29	9670061208	9"1-\$"10'	M6X12	HEXAGON SOCKET BOLT M6X12	2
30	9670051208	9 1-7N"lbF	M5X12	HEXAGON SOCKET BOLT M5X12	2
31	5340 83 276	7015-1,		PLATE	1
32	5430 14 452	)7F.		KNOB	1
33	9662120014	tA. M12		HEXAGON NUT M12	1
34	5430 14 453	A7 9 N		SPRING	1
35	5430 14 454			PIN	1
36	5430 14 451	ANO"		VALVE	1
38	91280	v""T 1/4"		JOINT 1/4"	1
39	9670062508	VhA'404/F	M6X25	HEXAGON SOCKET BOLT M6X25	4
40	5340 83 277	7""Vh		BRACKET	2
41	5340 61 957-1	17-3:)7 WA/-		AIR COMPRESSOR	1
42	9660040014	VA' M4		HEXAGON NUT M4	4
43	9710040014	A° V M4		SPRING WASHER M4	4
44	9716040014	t5/")j" M4		PLAIN WASHER M4	2
45	5332 83 023	70 D-1,		PLATE	2
46	90510	0-UD9` P-6		0-RING P-6	2
47	5332 74 202	D-11)		SEAL	2
48	5332 83 020-1	*-A=V7°ll)		HOSE NIPPLE	1
49	5332 83 031-2	A9VF"		STUD	2
50	5332 83 040	\$11,5"-		HOLDER	2
51	5332 83 014	A7°D-JA'n,		SPRAY NOZZLE	2
52	5344 83 032			BRACKET	1
53	9670050808	95V1-\$"0	M5X8	HEXAGON SOCKET BOLT M5X8	2
54	5332 83 033	7""Vf.		BRACKET	1
55	5340 83 032	lli-AA":;F"		HOSE BAND	1
56	5310 83 272		8X12X1300	HOSE 8X12X1300	2
58	5640 35 624	9VDt-		WASHER	2
59	9670081208	s) 1-40°ll, h	M8X12	HEXAGON SOCKET BOLT M8X12	1

REGISTER PUNCH

SECTION



REGISTER PUNCH

SECTION


SECTION NUMBER

*v- opSgu, 44z-. iztubiAts 6fr. 6, itZ4 ItiS4 Agi- < to.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	-b71-t9 /SET Na 0-1 PART Na	BAVt / *h / COMPONENT PARTS	PART NAME Na	OR Qty
5110	10 010-4	DEPA9-A D1vh RP22	REGISTER PUNCH SET RP22	1
		1-15.17.18.20.24-29.32-45		
5110	10 100-4	DD"A9-A) ASSY	REGISTER PUNCH ASSY	1
		1-15.17.18.20.24-29.32-40		
5110	20 110-1	7-L ASSY	ARM ASSY	1
		1.4.40		
5340	54 690	DD"A5-D-F ASSY	REGISTER MARKING DEVICE ASSY	1
		46-49		
1	5110 20 131-1		NAME PLATE	1
2	9721080008	E-1JD9" E-8	E-RING E-8	8
3	5110 20 121	t'D	PIN	2
4	5110 20 111		ARM	1
5	5110 20 119	i° J 7.1.	SPRING	2
6	5110 20 112	t'D	PIN	2
7	5110 10 121	7""VF	BRACKET	2
8	5110 20 132-1	(A":*)	NAME PLATE	1
9	9710060008	M6	SPRING WASHER M6	4
10	9670061208	v5.)1-*"10- M6X12	HEXAGON SOCKET BOLT M6X12	4
11	90790	1g1'5.2)2 D' M3X10	KNOB BOLT M3X10	1
12	5110 10 141		COVER	1
13	9660030014	tVF M3	HEXAGON NUT M3	1
14	5110 10 110	7'D-F	PLATE	1
15	9670052008	95.1-13"ilif M5X20	HEXAGON SOCKET BOLT M5X20	4
17	5110 20 115		SCREW	4
18	5110 20 114-1	7""vh	BRACKET	
20	5110 10 190-1	A DTtVh(B)	PUNCH SET(B)	
24	5110 20 113-1	7""vf.	BRACKET	
25	5110 10 171	11"-F"	BOARD	
26	5110 10 122	AT-	STAY	2
27	99948	7"VD2 BU-692B	BUSHING BU-692B	4
28	9642042014	J'\'3D" M4X20	SMALL PAN-HEAD SCREW M4X20	4
29	5110 10 180-1	A ^a DtVF(A)	PUNCH SET(A)	1
32	9716050014	t5/N'h" M5	PLAIN WASHER M5	3
33	9710050008	A'VP'h" M5	SPRING WASHER M5	3
34	9642050814	D D" M5X8	SMALL PAN-HEAD SCREW M5X8	3
35	9642041214	1'1"3D" M4X12	SMALL PAN-HEAD SCREW M4X12	4
36	9710040008	M4	SPRING WASHER M4	4
37	90773	I9D" 4.8X20	WOOD SCREW 4.8X20	4
38	5110 10 123	7'D-F	PLATE	1
39	5110 10 130		SCALE	
40	90730	A -/J-t"2') 1.6X5	RIVET 1.6X5	2
41	5110 20 150	DD"A9-t) (6MM)	REGISTER PIN(6MM)	1
42	5110 20 160	DEP A5-t D(6MM)	REGISTER PIN(6MM)	1
43	5110 20 170	DD"A9-t :) (2MM)	REGISTER PIN(2MM)	
44	5110 20 180	DD"A9-t 7) (2MM)	REGISTER PIN(2MM)	1
45	5110 20 140	DD'A3-A"-(6MM)	REGISTER BAR(6MM)	
46	5340 54 692		SHEET	1
47	5340 54 693		PIN	2
48	5340 54 691	D-F	SHEET	
49	9652030614	F5ADD" M3X6	SMALL TRUSS SCREW M3X6	2
50	5110 20 190	DD"A9-11"-(2MM)	REGISTER BAR(2MM)	1

FRAME (CD)

SECTION



FRAME (CD)

ØfII

dz: 114biAts 646,

< to.

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	/ SET S PART	rtla No.	4	/ COMPONENT	PARTS	ART NAME	MR Wty
1	5300 87	425-1		V 0."		GUIDE	
2	5290 87	421-1		ASVF"		STUD	2
3	5330 87	435-1		t"-IF"		GUIDE	1
4	5340 86	212-1		7D-G		FRAME	1
5	5290 52	422		to D		PIN	2
6	96519			A (	AV41401-R	SWITCH AVW401-R	1
6	96522			A-f "	AVW402-R	SWITCH AVW402-R	1
				CED2r)		FOR CE SPEC.	
7	5340 61	411		7""VF		BRACKET	1
8	9710050008			A"VP\h"	M5	SPRING WASHER M5	1 2
9	9642051014				M5X10	SMALL PAN-HEAD SCREW M5X10	4
10	5290 87	423-1		h"-(F"		GUIDE	1
11	5290 87	441		77""5"		OIL RECEIVER	1
12	5290 87	422-1		ASVF"		STUD	2
13	9670041008			Vh Vhiti"11/1-	M4X10	HEXAGON SOCKET BOLT M4X10	1 2
14	5340 87	421-1		ASVF"		STUD	6
15	9710060008			w'vp'v*	M6	SPRING WASHER M6	1 2
16	9660060014			tVF	M6	HEXAGON NUT M6	1 2
17	9670083508			V5.VF41"fl,F	M8X35	HEXAGON SOCKET BOLT M8X35	4
18	5340 86	211-2		7D-L,		FRAME	1
19	5340 87	423-1		ASVF"		STUD	1
20	5300 87	424-1		h"-fF"		GUIDE	1
21	5330 87	436-1		V-(F"		GUIDE	1
22	9670081608			Vh VFiti"11/F	M8X16	HEXAGON SOCKET BOLT M8X16	2
23	9710080008				M8	SPRING WASHER M8	6
24	5290 24	126		919D1'-		WASHER	2
25	5290 86	413		7"".)D)9"		BUSHING	2
26	96589				AJ4534	SWITCH AJ4534	1
27	9716050014			t5,"h"	M5	PLAIN WASHER M5	8
28	5340 87	462		7"5VF		BRACKET	2
29	5290 87	431-2		77"7		OIL RECEIVER	1
30	5310 87	423-2		h' IF"		GUIDE	1
31	9642052014			1"34D"	M5X20	SMALL PAN-HEAD SCREW M5X20	4
32	5340 87	461		7"5D		BRUSH	2
33	5340 87	422-1		ASVF"		STUD	1
34	5340 61	437-1		7""VF		BRACKET	1
35	9642050814				m5x8	SMALL PAN-HEAD SCREW M5X8	4
36	9660080014			tVF	M8	HEXAGON NUT M8	4

9r"),E,"1["-D"9 (CD)

DRIVE,DRIVEN SHAFTS (CD)


セクション

SECTION

セクション番号

SECTION NUMBER

5340Z 870



DRIVE,DRIVEN SHAFTS (CD)

ogla l2 CR1 f t: ttZi iI.U#143..1t4i L/C < id
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO.	1-4 / SET PART No.	ORIV15 / COMPONENT PARTS	PART NAME	QTY
	5300 87 212Z	A7°C0'9f ASSY	SPROCKET ASSY	1
		56,60		
	5300 87 213Z-2	77° C5.1) F ASSY	SPROCKET ASSY	1
		56,57		
	5310 87 150-1	0-99-W"ff" ASSY	ROTARY GUIDE ASSY	1
		27-32,39-42		
	5340 87 110-2	A7°C0'9f ASSY	SPROCKET ASSY	1
		23,24,43-45		
1	9642040814	1\ "Th)" M4X8	SMALL PAN-HEAD SCREW M4X8	2
2	9710040008	M4	SPRING WASHER M4	2
3	5340 87 126		SCALE	1
4	9670054008	VVF7tMliH M5X40	HEXAGON SOCKET BOLT M5X40	3
5	5330 24 515		INDICATOR	1
6	5340 87 127		SPACER	1
7	5340 87 117	W'A	BOSS	2
8	9684060608	h)4D" M6X6	SET SCREW M6X6	8
9	9648040814	/5DD" M4X8	SMALL FLUSH HEAD SCREW M4X8	4
10	5340 87 124	7""Vh	BRACKET	1
11	5340 87 123	7"57VF	BRACKET	1
12	97837	:t)VA-095 GXL-N12F	PROXIMITY SWITCH GXL-N12F	2
13	9642030314	J-V\3D%\ M3X3	SMALL PAN-HEAD SCREW M3X3	4
14	9670051001	M5X10	HEXAGON SOCKET BOLT M5X10	2
15	5340 87 125	7""Vh	BRACKET	1
16	5340 87 119	91 9"7°D-F	TIMING PLATE	1
17	5340 87 121	9-CE.D9"7°D-F	TIMING PLATE	1
18	9670061408	V h"11,1 M6X14	HEXAGON SOCKET BOLT M6X14	3
19	5340 87 115	\$10"-	HOLDER	
20	90207	V-WMD9' 6203LL.13	BALL BEARING 6203LLB	1
21	5290 25 114		COVER	1
22	9670061208	V F7h"lkh M6X12	HEXAGON SOCKET BOLT M6X12	3
23	9411603600	-A°-t°D 6X36	TAPER PIN 6X36	1
24	5340 87 113-1	A7°o"F	SPROCKET	
27	5522 45 126	h"-O-"o-5-	GUIDE ROLLER	24
28	5310 87 154	Dt7F	SHAFT	8
29	5300 87 161-1	7D-L1	FRAME	2
30	9670061008	V5""11j1- M6X10	HEXAGON SOCKET BOLT M6X10	8
31	9660060014	tVh M6	HEXAGON NUT M6	4
32	9670062008	VVW`ItiF M6X20	HEXAGON SOCKET BOLT M6X20	5
34	9670052008	VhVh*Nbh M5X20	HEXAGON SOCKET BOLT M5X20	2
35	5340 87 512	7"5hV17	BRACKET	1
36	5340 87 511	JLI	CAM	
37	9716050014	ti h" M5	PLAIN WASHER M5	4
38	9670051608	V5.Vfli"114- M5X16	HEXAGON SOCKET BOLT M5X16	2
39	9642051014	11"3E1" M5X10	SMALL PAN-HEAD SCREW M5X10	9
40	9710050008	11" W M5	SPRING WASHER M5	9
41	9686062008	h)4 D" M6X20	SET SCREW M6X20	2
42	5300 87 162	*10"-	HOLDER	2
43	5340 87 111-2		SHAFT	1
44	5340 87 112-1	A7°o"F	SPROCKET	1
45	9411603200	y...n°_ t°p 6X32	TAPER PIN 6X32	1
46	5300 87 121-1	V7	GEAR	1
48	5340 21 572		COVER	1
49	5340 87 116	T)	WASHER	1
50	9670081208	VhVhiti"Jbh M8X1 2	HEXAGON SOCKET BOLT M8X12	1
51	9670064508	V7VFili"0. M6X45	HEXAGON SOCKET BOLT M6X45	4
52	5330 87 216	7""Vb	BRACKET	2
53	5330 87 218	*11/9"-	HOLDER	2
54	5340 87 214-1	71i1D9'-	HOLDER	2
55	5330 87 217	hi-	COLLAR	2

91:.''),D"2')F,D"9 (CD)


DRIVE,DRIVEN SHAFTS (CD)

セクション
SECTIONセクション番号
SECTION NUMBER

5340Z 870

*7—706AU,M4Lizt1.4b⁵A46t?6,il*izUd*A4L℃<40.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	Ftg. /SET	Na	M4 /	COMPONENT PARTS	PART NAME	Q'ty
Mat 91	PART Na	41			Na	
56	90315		ii"-1 ¹ / ₁ "7T:i9'	6003ZZ	BALL BEARING 6003ZZ	4
57	5300 87 213-2		A7° 0"1:		SPROCKET	1
58	5310 87 522				CAM	1
59	5340 87 213		)35-		COLLAR	1
60	5300 87 212		A7,c)oh')F		SPROCKET	1
61	9684050508		FI M5X5		SET SCREW M5X5	2
62	5330 87 215		7"c09		BLOCK	2
63	5330 87 221		A7 ⁰ qD9"		SPRING	2
64	5640 48 107		I7-hVFMt9"		AIR CUT RING	8
65	5340 87 220		D1:7h		SHAFT	1
66	9670061608		M6X16		HEXAGON SOCKET BOLT M6X16	6
67	5340 87 118		70 ⁰ /-1:		PLATE	1
69	90319		ti"—W7 ¹ :9“	6203ZZ	BALL BEARING 6203ZZ	1




CHAIN GRIPPER (CD)

SECTION

SECTION NUMBER

* — ODOM iltZ": ii:tiAbsAtS, 7 l6. Udt < to.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	hit, ,,,I4/"FrzT" No.	0137 hitatW	M#/ COMPONENT PARTS Na	PART NAME	Q'ty
5300 87 410		fi—D	ASSY	CHAIN ASSY	2
		1,25			
5310 87 301-2		9"JVA	-1"—A ASSY	GRIPPER BASE ASSY	3
		2,3,6,10,15,16,22,26-28			
5310 87 302-1		9"P.911°—D1'7h	ASSY	GRIPPER SHAFT ASSY	3
		6,16,28			
5340 87 300-3		IDT'99"JVA°—	ASSY	CHAIN DELIVERY GRIPPER ASSY	3
		2-10,15-17,19,21,22,26-28			
1 5300 87 412				CHAIN	6
2 5300 87 312-1				BRACKET	3
3 9684050508		f D" M5X5		SET SCREW M5X5	3
4 9716050014		t5,'/J' M5		PLAIN WASHER M5	3
5 90203			625ZZ	BALL BEARING 625ZZ	3
6 5290 87 316-1		7-11		ARM	3
7 5290 87 317-1		tō p		PIN	3
8 9710050008		A"V/"h" M5		SPRING WASHER M5	3
9 9660050014		tVF M5		HEXAGON NUT M5	3
10 5310 87 310-1		9" P9A°—s"—A		GRIPPER BASE	3
14 9670051001		V7'91-404,1- M5X10		HEXAGON SOCKET BOLT M5X10	12
15 5290 87 315-1				SPACER	3
16 5310 87 313-1		D1-7h		SHAFT	3
17 5340 87 321-1		A7-M)9"		SPRING	12
19 5321 87 318-2		9"JVA°—		GRIPPER	15
21 9670061608		V7Vh*"11/1- M6X16		HEXAGON SOCKET BOLT M6X16	15
22 5300 87 311-1		7"55VF		BRACKET	3
25 90853		D'31'pFIJD9 RF2040 (1")		JOINT LINK RF2040(1")	6
26 9411301600		Y-11° —t—D 3X16		TAPER PIN 3X16	3
27 9411302000			3X20	TAPER PIN 3X20	3
28 9411302200		,—)1° —t°) 3X22		TAPER PIN 3X22	3



PAPER DELIVERY TABLE (CD)

SECTION

SECTION NUMBER' --

* OUP. 4Itz:: tz'tab⁵Ats.6ta?o, 5.4ta <
 The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

M.	if3	At-91PART	fil ^a Na	titat-g-/	COMPONENT	PARTS	Na	ART NAME	MR ty
		5310 88 140-1		5-7'11/91-	"SD"9 ASSY			DRIVE SHAFT ASSY	1
				32-34					
		5340 88 240-1		AID5-7"11)	ASSY			DELIVERY TABLE DOLLY ASSY	2
				22-26					
1	5340 32 721			ホ-ス	10X17X2600				
2	91211			ホ-スハ"ント"	16				
3	9410302008			スフ°リンク"	ヒ°ン 3X20				
4	5320 87 218			ヒ"ニールホ-ス	10X17X220				
5	9670061208			ソケットホ"ルト	M6X12				
6	9710050014			ハ"ネサ"カ"ネ	M5				
7	9642051014			ナハ"コネシ"	M5X10				
8				フ"ラケット					
10				ハ"ルフ"					
11				スヒ°ント"ル					
12				スフ°リンク"					
13				カハ"-					
14				ツマミ(タ"ークク"レ-)					
15				フ°レート					
16	9650052014			マルサラコネシ"	M5X20				
17	5330 88 236-1			カラー					
18	5340 88 234			レール					
19	9670051001			ソケットホ"ルト	M5X10				
20	5330 88 237-1			スタツト"					
21	5290 88 250			レール					
22	5310 44 314			スケール					
23	5340 88 241-1			ハイシテ-フル					
24	92312008			キヤスター	LPK-75				
25	90770			モクネシ"	4.1X20				
26	9716060014			ヒラサ"カ"ネ	M6				
27	9648052014			サラコネシ"	M5X20				
28	9648051614			サラコネシ"	M5X16				
29	9648051014			サラコネシ"	M5X10				
30	5290 89 143			フ"ツシユ					
32	5290 88 142			スフ°ロケット					
33	9410402508			スフ°リンク"	ヒ°ン 4X25				
34	5310 88 141-1			シャフト					
35	90843			ローラ-チェ-ン	RS37-1 53P				
36	5290 88 235			ウエイト					
37	5310 88 146			フ°レート					
38	9414202514			ワリヒ°ン	2X25				
39	90856			シ"ヨイントリンク	RS37-1 1/2"				
40	9670081608			ソケットホ"ルト	M8X16				
41	9710080008			ハ"ネサ"カ"ネ	M8				
42	5310 88 233			ステ-					
43	5340 88 150			チェ-ン					
44	5290 88 231			スタツト"					
45	90214			ホ"-ルハ"アリンク"	6000ZZ				
46	5340 88 232-1			スタツト"					
47	5290 88 220-2			フレ-ム					
48	9662080014			ナツト	M8				
49	5290 88 210-2			フレ-ム					
50	5290 31 116			リンク					
51	9721070008			E-リンク"	E-7				
52	9642032014			ナハ"コネシ"	M3X20				
53	90644			ハツキサ"カ"ネ	A3				
54	5310 88 145-1			フ"ラケット					
55	97313			スイッチ	VX-5-1C22				
56	97381			アクチュエ-ター	VAM22				
57	98501			カハ"-	360010-1				

MD5-7"n0 (CD)

PAPER DELIVERY TABLE (CD)

3 ./

SECTION

SECTION NUMBER

5340Z 880

* osa Mt :If:41)5At.c.6it?6, Uat t/C

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No	SET	afina#/ 4A4W	COMPONENT	PARTS Na	PART NAME	gR Vty
58	5300 21 424	70 1)-1..			PLATE	1
59	9642050814	71"Th')"	M5X8		SMALL PAN-HEAD SCREW M5X8	2
60	5340 88 233-1	A9vh'			STUD	4
61	5340 88 151	h"-0."			GUIDE	2


9"1""9F"" (CD)

STAND LIFTING DRIVE (CD)

セクション
SECTION

セクション番号
SECTION NUMBER

5340Z 890



STAND LIFTING DRIVE (CD)

SECTION

*v- 08.V.uNiati k:7T4MAUZtz6stOZB4icitglt Agi-u r<ko.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

No.	A	/SÆT Ma P RT Na	UNAt/ Mfikt/compoNENT PARTS	PART NAME	MR Qty
	5290	88 112Z	*11,9"- ASSY 27,48	HOLDER ASSY	1
	5290	88 190-3	+ "7 ASSY 51,85,86,88	GEAR ASSY	1
	5290	88 194Z	+ "7 ASSY 1,2	GEAR ASSY	1
	5300	89 210	95D7°D17F ASSY 9,16,17	CLAMP SHAFT ASSY	1
	5310	88 160-1	ADI "11) ASSY(9"-99"D-) 37,80,82,83	HANDLE ASSY(DARK GRAY)	1
	5330	88 110	7"55VF ASSY 17,25,27-30,40-43,46,47	BRACKET ASSY	1
	5330	88 111Z	7"5ivf. ASSY 25,27	BRACKET ASSY	1
	5330	88 120Z	7-L ASSY 31,33	ARM ASSY	1
	5330	89 130-1	ADF "IliErP7F ASSY 58,60,78,81	HANDLE SHAFT ASSY	1
	5330	89 217Z	97)9 ASSY 2,6	LINK ASSY	1
	5340	89 218Z-1	bL ASSY 2,5	CAM ASSY	1
1	5290	88 194	V'T	GEAR	1
2	5290	89 219	7'VD2	BUSHING	3
3	5290	88 193	A3Vh"	STUD	1
4	5290	89 216	t°p	PIN	1
5	5340	89 218-1	bL	CAM	1
6	5330	89 217	UD9	LINK	1
7	5290	89 215	95D2	CRANK	1
8	9684060608		F D" M6X6	SET SCREW M6X6	6
9	5290	89 213	Dt7h	SHAFT	1
10	9642051614		f1"D D" M5X16	SMALL PAN-HEAD SCREW M5X16	5
11	5290	89 211	tIli9"-	HOLDER	1
12	9710050008		A "h"* M5	SPRING WASHER M5	6
13	90211		1"-11,1'7JD9" 6202ZZ	BALL BEARING 6202ZZ	2
14	5290	89 212	/35-	COLLAR	1
15	9723350008		C-Up9" C-35	C-RING C-35	1
16	5300	89 214	V'7	GEAR	1
17	9410302508		A7°JD9"t°D 3X25	SPRING PIN 3X25	2
19	9642061014		t1"3.D" M6X10	SMALL PAN-HEAD SCREW M6X10	1
20	5290	37 814	-1D9"	SPRING	1
21	5290	88 134	25VT	CLUTCH	1
22	9684050508		I' E)" M5X5	SET SCREW M5X5	7
23	9660060014		tVh M6	HEXAGON NUT M6	3
24	9710060008		A h" M6	SPRING WASHER M6	3
25	5330	88 111	7""Vh	BRACKET	1
26	9721070008		E-'J 9" E-7	E-RING E-7	4
27	90242		7"VD2 DUB1210	BUSHING DUB1210	5
28	5290	88 180	+ "Y	GEAR	1
29	5310	88 113-1	Dt7F	SHAFT	1
30	5290	88 183	=	KEY	1
31	5290	88 131	7"VD/	BUSHING	1
32	9660050014		tVF M5	HEXAGON NUT M5	1
33	5330	88 120	Y-L	ARM	1
34	5290	51 064	A7-9D9"	SPRING	1
35	5290	51 070	49JV"\$	PAWL	1
36	5290	51 063-1	t-D	PIN	1
37	9648051014		#53D" M5X10	SMALL FLUSH HEAD SCREW M5X10	5
38	9717120008		tli:#"h" M12	CORRUGATED WASHER M12	1

9"-f75."9F"') (CD)

t,VR
SECTION


SECTION NUMBER

5340Z 890

STAND LIFTING DRIVE (CD)

*---,"36.V.ii., 64Lizt14MAAt.cZkb5stOZW11#1S AALT< O.
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	t. 4 ¹ 4/SET Na	MAZA/ Mat t/COMPONENT PARTS	PART NAME	Mtk crt y
39	5290 29 315	F\$ t5-	LOCK COLLAR	1
40	5290 37 613	Λ V%	BEVEL GEAR	1
41	5290 88 133		SHAFT	
42	5290 37 614	t"?	GEAR	1
43	9410302008	A7 ⁽¹ 9)9"t°) 3X20	SPRING PIN 3X20	
44	9670062508	vh"vhen/h M6X25	HEXAGON SOCKET BOLT M6X25	4
45	5340 88 122	9)9	LINK	1
46	5290 88 115	53IVF*1'-11,	RATCHET WHEEL	1
47	9410402808	770 9p9UtOp 4X28	SPRING PIN 4X28	1
48	5290 88 112	401,9"-	HOLDER	1
49	5290 88 144-1		WORM WHEEL	1
50	9410502508	A7°9)9"t°) 5X25	SPRING PIN 5X25	
51	5290 88 191-3	Dt2h	SHAFT	1
52	5290 82 162	7"VD2	BUSHING	1
53	5310 89 134-2	VqZ(9"-99	KNOB(DARK G RAY)	1
54	5310 89 133-3	(" -77	KNOB(DARK G RAY)	1
55	5290 89 120	DA"-	LEVER	1
56	5290 89 148	b5-	COLLAR	1
57	90603	CE-9)9" CE-12	CE-RING CE-12	1
58	5330 89 131-1	D17h	SHAFT	1
59	5290 89 112	7"VD2	BUSHING	1
60	5290 89 135	A7°05vh	SPROCKET	1
61	5340 88 260	DA"-	LEVER	1
62	5330 88 262	A9VF"	STUD	1
63	5330 35 423	A9VF"	STUD	1
64	5290 35 131-1	A7 ⁰ 9)9"	SPRING	1
65	5340 88 270	9)9	LINK	1
66	5290 21 521	A7 ⁰ 9)9"	SPRING	1
67	9721040008	E-9)9" E-4	E-RING E-4	1
68	5300 33 562	lj5-	COLLAR	2
69	90628	7,t ° t ⁰ SSP-4	SNAP PIN SSP-4	2
70	9670041008	V5')Ft"JDF M4X10	HEXAGON SOC KET BOLT M4X10	4
71	97630-1	VDJ-0" AS -05N AC11 5V	SOLENOID AS -05N AC115V	1
72	5300 33 561-2	t ⁰	PIN	1
73	5330 57 151	7"5"F	BRACKET	
74	9670061208	vhvht"JDF M6X12	HEXAGON SOC KET BOLT M6X12	2
75	9710040008	A"v,"/)" M4	SPRING WASH ER M4	4
76	9660040014	tVF M4	HEXAGON NUT M4	4
77	5300 12 224		PLATE	1
78	9410403208	A7°9)9"t°) 4X32	SPRING PIN 4X32	1
79	5290 51 427	A"Vjh'	SPRING STUD	1
80	5310 88 161-2	A)1"11,t)9-f(5"-99"D-)	HANDLE BODY(DARK GRAY)	1
81	5290 89 129	t5-	COLLAR	2
82	5310 37 815-1	7 ° D-F(9"-99"D-)	PLATE(DARK GRAY)	1
83	5310 37 820	ADF"11)(9"-99"D-)	HANDLE(DARK GRAY)	1
84	5330 89 153		SPACER	1
85	5290 88 192-2	," 7	GEAR	1
86	9410402208	7,7°U)9"t°) 4X22	SPRING PIN 4X22	
87	5290 29 311		WASHER	1
88	9410252208	70°9)9"t°) 2.5X22	SPRING PIN 2.5X22	1



SIDE GUIDE (CD)

SECTION

JLUL1U1'J AUMbtX

* 88u.tltz.. 17J1AMAts kzosi3Z1141:adtA*1.,z<kto.,
The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

M.	Ii	/SET Na PART Na	UPLA#/ 4fittg1	COMPONENT PARTS &	ART NAME	gR WtY
	5340	89 225Z-2	/fF"h"-fF"	ASSY	SIDE GUIDE ASSY	1
			8.32			
	5340	89 226Z-2	/0-"h"-0."	ASSY	SIDE GUIDE ASSY	1
			7.8			
1	9721100008		E-9.'2"	E-10	E-RING E-10	3
2	5290 29 311		7VD1'-		WASHER	3
3	5290 89 224		A7"1D2"		SPRING	1
4	9648051614		#5:D" M5X16		SMALL FLUSH HEAD SCREW M5X16	2
5	5321 29 220-1		7"VD2		BUSHING	1
6	96531		AV)f CS-16-5N		SWITCH CS-16-5N	1
7	5340 89 226-2		1-"h"-fh"		SIDE GUIDE	1
8	5290 37 513-1		7"VD2		BUSHING	4
9	5310 89 223		Pt7F		SHAFT	1
10	5330 89 370		1D9		LINK	1
11	5290 89 324		1" 1)		SPRING STUD	1
12	9710060008		A"V/"b" M6		SPRING WASHER M6	2
13	9660060014		tVF M6		HEXAGON NUT M6	2
14	9684063008		F D" M6X30		SET SCREW M6X30	1
15	9642040814		t1"3D" M4X8		SMALL PAN-HEAD SCREW M4X8	2
16	9710040008		1"v/"h" M4		SPRING WASHER M4	2
17	5486 42 517		7"VF		BRACKET	1
18	9648040814		/5DD" M4X8		SMALL FLUSH HEAD SCREW M4X8	2
19	9721030008		E-Up2" E-3		E-RING E-3	3
20	5330 89 374		AhVA°-		STOPPER	1
21	5330 89 376-1		77"U)2"		SPRING	1
22	5330 89 373		qp9		LINK	1
23	5290 89 325-1		7"1D9"		SPRING	1
24	5290 33 122		il" n		SPRING STUD	1
25	5290 89 323-3		t"A		BOSS	1
26	5290 89 227-1		7"VD/		BUSHING	1
27	5290 32 141		v7i1		KNOB	2
28	90607		CE-Up9" CE-18		CE-RING CE-18	1
29	9684050508		F;(D" M5X5		SET SCREW M5X5	9
30	5330 89 360		7-L		ARM	1
31	5310 89 311		D1'7F		SHAFT	1
32	5340 89 225-2		/0-"1J"-(F"		SIDE GUIDE	1
33	5290 29 315		h\$/35-		LOCK COLLAR	1
34	9642051614		1"1"3D" M5X16		SMALL PAN-HEAD SCREW M5X16	3
35	9710050008		A h" M5		SPRING WASHER M5	9
36	5290 89 222		7"VD2		BUSHING	1
37	5330 89 221-1		7"):7)/		BUSHING	1
38	5340 89 320-1		7ophh"r1"		FRONT GUIDE	1
39	9670061208		9 Ft"10. M6X12		HEXAGON SOCKET BOLT M6X12	4
40	5330 89 351		7"5,VF		BRACKET	1
41	5340 89 411		AT-		STAY	1
42	9642051014		1"1"3D" M5X10		SMALL PAN-HEAD SCREW M5X10	6
43	5340 89 412		h"-fh"		GUIDE	2
44	5340 89 413		h"-fh"		GUIDE	2
45	9648040614		/53D" M4X6		SMALL FLUSH HEAD SCREW M4X6	4
46	5330 89 375-1		hA"-		COVER	1
47	5340 89 421		71(-5-A"-		FEELER BAR	1
48	9410302508		A7"1 9"t°D 3X25		SPRING PIN 3X25	3
49	90601		CE-UD9" CE-8		CE-RING CE-8	2
50	5300 75 112		t,°		PIN	2
51	5290 89 422		1)"		SCREW	1
52	5300 59 134		1:0J5-		LOCK COLLAR	1
53	5290 89 423-1		77"1D9"		SPRING	1
54	9642031614		1"1"3D" M3X16		SMALL PAN-HEAD SCREW M3X16	2
55	9716030014		t7,"1J" M3		PLAIN WASHER M3	2

1-0-b-(h) (CD)

SIDE GUIDE <CD>

セクション
SECTION


セクション番号

SECTION NUMBER

5340Z 892

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

NO	LINE	PART	Na	COMPONENT PARTS	PART NAME	MR
56	5341 89 422	T`55")1.			BRACKET	1
57	98304004	7170;1"		VX-5247-1A2	MICRO SWITCH VX-5247-1A2	1
59	5290 89 228	7059"			PLUG	1
61	5310 86 213	AT-			STAY	
62	9670051608	97Vh\$NDF	M5X16		HEXAGON SOCKET BOLT M5X16	2
63	5341 89 423	7""VF			BRACKET	
64	9710030008	A"VP`h"	M3		SPRING WASHER M3	2



BACK GUIDE (CD)

SECTION

SECTION NUMBER ' -- -

The dimension of the parts marked with a * differ depending on the press serial number. When ordering parts, please inform us of the press serial number.

Na	I	SET / PART Na	OMn / 4AZ'AVCOMPONENT PARTSNa	PART NAME	MR Qty
1	9648051014		#53D" M5X10	SMALL FLUSH HEAD SCREW M5X10	4
2	5340 89 1 46		A"V9h"-fh"	BACK GUIDE	2
3	5340 89 1 47-1		W")9V-(F"	BACK GUIDE	1
4	90630		At')7°t°D SSP-8	SNAP PIN SSP-8	1
5	5340 89 1 45		7"5h)F	BRACKET	1
6	9684050508		F)1V)" M5X5	SET SCREW M5X5	5
9	5290 29 314			LOCK COLLAR	
10	5290 29 210		7"VD2	BUSHING	2
11	9710050008		A"VP" h" M5	SPRING WASHER M5	4
12	9642051614		J1"DE)" M5X16	SMALL PAN-HEAD SCREW M5X16	4
13	5341 89 139-1		"2*11)9"-	RACK HOLDER	
14	9684060608		1- E)" M6X6	SET SCREW M6X6	1
15	5330 89 1 44-1		5)9	RACK	1
16	9670081608		9 F;h"lbh M8X16	HEXAGON SOCKET BOLT M8X16	2
17	90802		RS35-1 46?	CHAIN RS35-1 46P	1
18	5290 89 1 42		A7c c0")F	SPROCKET	1
19	5330 89 1 41		Dt7h	SHAFT	1
20	5310 29 232		AT-	STAY	1
21	5341 89 138-1		7°1)-F	PLATE	1
22	9670051001		M5X10	HEXAGON SOCKET BOLT M5X10	2

gfi A#` 4*1
PART NUMBER INDEX

PART NUMBER INDEX

PART Na	SECTION Na	Na	A5 A 4 ci Na	SECTION Na	Na	PART Na	SECTION Na	Na
NBH -624S	5340Z 355	130	5290 22 318	5340Z 220	47	5290 31 151-1	5340Z 650	4
5110 10 010-4	5340Z 840		5290 23 112	5340Z 240	87	5290 31 152-1	5340Z 650	a
5110 10 100-4	5340Z 840		5290 23 112	5340Z 245	87	5290 31 153-1	5340Z 650	2
5110 10 110	5340Z 840	14	5290 23 112	5340Z 265	58	5290 31 214	5340Z 355	40
5110 10 121	5340Z 840	7	5290 23 113	5340Z 250	10	5290 32 112	5340Z 320	42
5110 10 122	5340Z 840	26	5290 23 113	5340Z 260	38	5290 32 113	5340Z 320	51
5110 10 123	5340Z 840	38	5290 23 115	5340Z 540	93	5290 32 114	5340Z 320	55
5110 10 130	5340Z 840	as	5290 24 118	5340Z 530	98	5290 32 115	5340Z 320	43
5110 10 141	5340Z 840	12	5290 24 126	5340Z 860	24	5290 32 117	5340Z 320	50
5110 10 171	5340Z 840	25	5290 24 127	5340Z 230	20	5290 32 121	5340Z 320	54
5110 10 180-1	5340Z 840	29	5290 24 127	5340Z 240	88	5290 32 121	5340Z 828	62
5110 10 190-1	5340Z 840	20	5290 24 127	5340Z 245	88	5290 32 122	5340Z 320	53
5110 20 110-1	5340Z 840		5290 24 127	5340Z 365	44	5290 32 123-1	5340Z 320	47
5110 20 111	5340Z 840	4	5290 24 127	5340Z 540	98	5290 32 125	5340Z 320	46
5110 20 112	5340Z 840	6	5290 24 233	5340Z 240	102	5290 32 126	5340Z 320	45
5110 20 113-1	5340Z 840	24	5290 24 233	5340Z 245	102	5290 32 141	5340Z 320	48
5110 20 114-1	5340Z 840	18	5290 24 234	5340Z 240	103	5290 32 141	5340Z 355	16
5110 20 115	5340Z 840	17	5290 24 234	5340Z 245	103	5290 32 141	5340Z 892	27
5110 20 119	5340Z 840	5	5290 24 251	5340Z 240	12	5290 32 211-2	5340Z 320	49
5110 20 121	5340Z 840	3	5290 24 251	5340Z 245	12	5290 32 212-3	5340Z 320	62
5110 20 131-1	5340Z 840		5290 24 251	5340Z 540	71	5290 32 213	5340Z 320	66
5110 20 132-1	5340Z 840	8	5290 24 252	5340Z 240	112	5290 32 214	5340Z 320	67
5110 20 140	5340Z 840	45	5290 24 252	5340Z 245	112	5290 32 216	5340Z 320	65
5110 20 150	5340Z 840	41	5290 24 253	5340Z 240		5290 32 217	5340Z 320	91
5110 20 160	5340Z 840	42	5290 24 253	5340Z 245	1	5290 32 420-4	5340Z 320	
5110 20 170	5340Z 840	43	5290 24 275	5340Z 513	23	5290 32 422-2	5340Z 320	93
5110 20 180	5340Z 840	44	5290 25 113	5340Z 250	18	5290 32 426-1	5340Z 320	94
5110 20 190	5340Z 840	50	5290 25 114	5340Z 250	12	5290 32 429-1	5340Z 320	4
5290 14 120	5340Z 110	8	5290 25 114	5340Z 260	26	5290 32 430-4	5340Z 320	
5290 16 200-4	5340Z 170		5290 25 114	5340Z 365	49	5290 32 432-2	5340Z 320	95
5290 16 212	5340Z 170	36	5290 25 114	5340Z 870	21	5290 32 439-1	5340Z 320	7
5290 16 215-1	5340Z 170	29	5290 25 115	5340Z 260	20	5290 32 440-2	5340Z 320	6
5290 16 226	5340Z 170	61	5290 26 112	5340Z 210	78	5290 32 451-1	5340Z 320	3
5290 16 311	5340Z 170	7	5290 26 112	5340Z 220	77	5290 32 452	5340Z 320	103
5290 16 312	5340Z 170	27	5290 26 112	5340Z 370	31	5290 32 452	5340Z 350	55
5290 16 313	5340Z 170	22	5290 26 222	5340Z 260	15	5290 32 452	5340Z 355	74
5290 16 314	5340Z 170	26	5290 29 210	5340Z 330	32	5290 32 454	5340Z 380	
5290 16 315	5340Z 170	21	5290 29 210	5340Z 370	20	5290 32 533-3	5340Z 320	8
5290 16 316	5340Z 170	25	5290 29 210	5340Z 895	10	5290 33 122	5340Z 892	24
5290 16 411	5340Z 170	32	5290 29 220-1	5340Z 511	129	5290 33 141	5340Z 330	65
5290 16 412-1	5340Z 170	53	5290 29 222-1	5340Z 511	130	5290 33 142-1	5340Z 330	12
5290 16 413	5340Z 170	57	5290 29 222-1	5340Z 530	38	5290 33 213-1	5340Z 330	28
5290 16 414	5340Z 170	56	5290 29 311	5340Z 230	7	5290 33 2132-1	5340Z 330	
5290 16 416-1	5340Z 170	66	5290 29 311	5340Z 360	36	5290 33 214	5340Z 330	20
5290 16 417	5340Z 170	34	5290 29 311	5340Z 365	18	5290 33 214	5340Z 511	23
5290 16 418	5340Z 170	33	5290 29 311	5340Z 380	44	5290 33 214	5340Z 520	42
5290 16 419	5340Z 170	67	5290 29 311	5340Z 530	2	5290 33 214	5340Z 540	87
5290 17 111	5340Z 170	50	5290 29 311	5340Z 890	87	5290 33 215-1	5340Z 330	31
5290 17 113	5340Z 170	15	5290 29 311	5340Z 892	2	5290 33 215Z-1	5340Z 330	
5290 17 113	5340Z 320	79	5290 29 312	5340Z 260	43	5290 33 230-2	5340Z 330	17
5290 17 113	5340Z 880	10	5290 29 312	5340Z 310	7	5290 33 314	5340Z 330	29
5290 17 115	5340Z 170	47	5290 29 312	5340Z 330	40	5290 33 431	5340Z 330	13
5290 17 115	5340Z 320	81	5290 29 312	5340Z 355	90	5290 33 451-1	5340Z 210	35
5290 17 115	5340Z 880	12	5290 29 312	5340Z 380	21	5290 33 451-1	5340Z 220	3
5290 17 119	5340Z 170	51	5290 29 312	5340Z 511	110	5290 33 454	5340Z 210	107
5290 17 120-1	5340Z 170	5	5290 29 313	5340Z 240	13	5290 33 454	5340Z 220	5
5290 17 127	5340Z 320	89	5290 29 313	5340Z 245	13	5290 33 454	5340Z 370	71
5290 21 123	5340Z 330	39	5290 29 313	5340Z 330	59	5290 33 454	5340Z 380	62
5290 21 142	5340Z 210	108	5290 29 313	5340Z 370	37	5290 33 455	5340Z 330	8
5290 21 142	5340Z 220	4	5290 29 313	5340Z 380	15	5290 33 511	5340Z 380	51
5290 21 161	5340Z 210	36	5290 29 313	5340Z 513	30	5290 33 512	5340Z 380	49
5290 21 161	5340Z 220	75	5290 29 313	5340Z 530	5	5290 33 515	5340Z 380	50
5290 21 161	5340Z 330	44	5290 29 313	5340Z 755	15	5290 33 534	5340Z 370	25
5290 21 161	5340Z 530	75	5290 29 314	5340Z 330	19	5290 34 130	5340Z 330	49
5290 21 164-1	5340Z 360	73	5290 29 314	5340Z 360	16	5290 34 141-1	5340Z 330	50
5290 21 164-1	5340Z 370	61	5290 29 314	5340Z 540	121	5290 34 142	5340Z 330	36
5290 21 212	5340Z 511	38	5290 29 314	5340Z 895	9	5290 34 151	5340Z 330	46
5290 21 316	5340Z 350	65	5290 29 315	5340Z 365	13	5290 34 152-1	5340Z 170	3
5290 21 316	5340Z 511	51	5290 29 315	5340Z 512	15	5290 34 152-1	5340Z 330	67
5290 21 316	5340Z 530	104	5290 29 315	5340Z 530	87	5290 34 153	5340Z 330	48
5290 21 521	5340Z 350	77	5290 29 315	5340Z 890	39	5290 35 113	5340Z 380	38
5290 21 521	5340Z 380	43	5290 29 315	5340Z 892	33	5290 35 131-1	5340Z 240	51
5290 21 521	5340Z 890	66	5290 29 411	5340Z 230	35	5290 35 131-1	5340Z 245	51
5290 21 612	5340Z 210	28	5290 29 411	5340Z 365	26	5290 35 131-1	5340Z 540	2
5290 21 612	5340Z 220	95	5290 29 412	5340Z 210	68	5290 35 131-1	5340Z 890	64
5290 21 612	5340Z 370	10	5290 29 412	5340Z 220	72	5290 35 136-1	5340Z 330	1
5290 21 641	5340Z 330	63	5290 29 412	5340Z 230	34	5290 36 110	5340Z 360	33
5290 21 641	5340Z 355	98	5290 29 412	5340Z 365	27	5290 36 212	5340Z 360	47
5290 21 641	5340Z 370	44	5290 31 116	5340Z 880	50	5290 36 214	5340Z 350	104
5290 21 643	5340Z 330	62	5290 31 122	5340Z 310	26	5290 36 214	5340Z 360	41
Roan oo 11A	Roan 17 oin		Roan ol 100	Mo/107 010	10	moon oc	cnwn, nese,	

PART NUMBER INDEX

PART Na	SECTION Na	Na
5290 36 351	5340Z 828	64
5290 36 353	5340Z 360	23
5290 36 354-1	5340Z 360	5
5290 36 355-1	5340Z 360	26
5290 36 355-1	5340Z 820	73
5290 36 355-1	5340Z 825	84
5290 37 123	5340Z 210	118
5290 37 123	5340Z 220	116
5290 37 123	5340Z 330	3
5290 37 123	5340Z 360	34
5290 37 123	5340Z 370	65
5290 37 123	5340Z 513	43
5290 37 123	5340Z 530	11
5290 37 151-1	5340Z 370	43
5290 37 210	5340Z 370	59
5290 37 232	5340Z 370	52
5290 37 233-1	5340Z 370	60
5290 37 233-1	5340Z 530	121
5290 37 240-1	5340Z 370	55
5290 37 251-1	5340Z 370	56
5290 37 251-1	5340Z 520	52
5290 37 310-2	5340Z 370	51
5290 37 310Z-1	5340Z 370	
5290 37 314	5340Z 370	27
5290 37 421-1	5340Z 370	62
5290 37 431	5340Z 370	42
5290 37 432	5340Z 370	41
5290 37 433	5340Z 210	17
5290 37 433	5340Z 220	74
5290 37 433	5340Z 360	58
5290 37 433	5340Z 370	48
5290 37 433	5340Z 511	67
5290 37 433	5340Z 755	18
5290 37 433	5340Z 828	4
5290 37 434-1	5340Z 330	43
5290 37 434-1	5340Z 370	47
5290 37 513-1	5340Z 530	77
5290 37 513-1	5340Z 892	8
5290 37 514	5340Z 530	19
5290 37 610	5340Z 370	
5290 37 611	5340Z 370	4
5290 37 612	5340Z 370	1
5290 37 613	5340Z 370	6
5290 37 613	5340Z 890	40
5290 37 614	5340Z 370	3
5290 37 614	5340Z 890	42
5290 37 712	5340Z 370	50
5290 37 713	5340Z 370	72
5290 37 721	5340Z 370	17
5290 37 722	5340Z 370	15
5290 37 814	5340Z 370	9
5290 37 814	5340Z 890	20
5290 38 121	5340Z 320	19
5290 38 121	5340Z 380	20
5290 38 141-1	5340Z 330	58
5290 38 232	5340Z 380	16
5290 38 233	5340Z 380	25
5290 38 235	5340Z 240	107
5290 38 235	5340Z 245	107
5290 38 235	5340Z 512	67
5290 38 235	5340Z 535	12
5290 38 235	5340Z 540	118
5290 38 236	5340Z 380	30
5290 38 238	5340Z 380	24
5290 38 238	5340Z 535	31
5290 38 310-1	5340Z 380	6
5290 38 321	5340Z 380	5
5290 38 322-2	5340Z 380	18
5290 38 330	5340Z 380	9
5290 38 341	5340Z 380	10
5290 41 114-1	5340Z 210	41
5290 41 114-1	5340Z 220	102
5290 43 112	5340Z 360	35
5290 43 112Z	5340Z 360	
5290 51 043	5340Z 511	46
5290 51 043	5340Z 513	16
5290 51 063-1	5340Z 511	30
5290 51 063-1	5340Z 890	36
5290 51 064	5340Z 511	28
5290 51 064	5340Z 890	34
5290 51 070	5340Z 511	29

t/6 A Na	-t Na	Na
5290 51 070	5340Z 890	35
5290 51 082	5340Z 511	18
5290 51 083	5340Z 511	17
5290 51 083	5340Z 540	22
5290 51 090-1	5340Z 511	47
5290 51 120-3	5340Z 511	72
5290 51 122	5340Z 511	70
5290 51 123-1	5340Z 360	10
5290 51 123-1	5340Z 511	68
5290 51 123-1	5340Z 514	43
5290 51 132-1	5340Z 530	85
5290 51 133	5340Z 511	59
5290 51 133	5340Z 530	84
5290 51 134	5340Z 511	126
5290 51 134	5340Z 530	91
5290 51 135	5340Z 511	58
5290 51 135	5340Z 530	83
5290 51 212-3	5340Z 512	32
5290 51 231-1	5340Z 512	31
5290 51 312	5340Z 511	83
5290 51 414	5340Z 513	26
5290 51 414	5340Z 535	43
5290 51 423	5340Z 513	18
5290 51 424-1	5340Z 513	31
5290 51 425-1	5340Z 513	90
5290 51 426-1	5340Z 513	32
5290 51 427	5340Z 513	15
5290 51 427	5340Z 890	79
5290 51 429	5340Z 513	89
5290 51 432	5340Z 512	43
5290 51 433	5340Z 512	42
5290 51 437-1	5340Z 512	45
5290 51 437-1	5340Z 513	39
5290 51 521	5340Z 512	28
5290 51 521	5340Z 513	12
5290 51 622-2	5340Z 512	22
5290 51 632-2	5340Z 512	23
5290 51 632-2	5340Z 513	79
5290 51 640-2	5340Z 512	
5290 51 642-2	5340Z 512	17
5290 51 642-2	5340Z 513	82
5290 51 650	5340Z 512	25
5290 51 722	5340Z 514	12
5290 51 730-1	5340Z 514	61
5290 51 730-1	5340Z 535	46
5290 51 731-1	5340Z 514	44
5290 51 732	5340Z 514	33
5290 51 732	5340Z 535	25
5290 51 735	5340Z 514	13
5290 51 735	5340Z 535	19
5290 51 736	5340Z 514	1
5290 51 736	5340Z 535	35
5290 51 737	5340Z 514	28
5290 51 738	5340Z 514	26
5290 51 740	5340Z 514	52
5290 51 742	5340Z 514	6
5290 51 742	5340Z 535	39
5290 51 744	5340Z 514	34
5290 51 821-1	5340Z 514	14
5290 51 822	5340Z 514	8
5290 51 830	5340Z 514	7
5290 52 112	5340Z 514	18
5290 52 115	5340Z 514	17
5290 52 119-1	5340Z 514	35
5290 52 119-1	5340Z 520	25
5290 52 119-1	5340Z 535	24
5290 52 130	5340Z 514	
5290 52 213-1	5340Z 520	62
5290 52 244	5340Z 210	84
5290 52 244	5340Z 220	62
5290 52 244	5340Z 360	9
5290 52 244	5340Z 535	28
5290 52 322	5340Z 530	73
5290 52 422	5340Z 750	1
5290 52 422	5340Z 860	5
5290 52 423-1	5340Z 530	128
5290 52 423-1	5340Z 751	20
5290 52 535	5340Z 512	5
5290 52 535	5340Z 513	a
5290 53 121	5340Z 514	63
5290 53 121	5340Z 520	24

PART Na	SECTION Na	Na
5290 53 132-1	5340Z 535	20
5290 53 255	5340Z 530	62
5290 53 255	5340Z 825	81
5290 53 336	5340Z 513	83
5290 54 325	5340Z 210	97
5290 54 325	5340Z 220	63
5290 54 338	5340Z 355	41
5290 54 338	5340Z 512	73
5290 54 338	5340Z 540	16
5290 54 413	5340Z 540	7
5290 54 542-1	5340Z 355	99
5290 54 669-1	5340Z 540	1
5290 61 135-1	5340Z 611	40
5290 61 135-1	5340Z 710	30
5290 61 633	5340Z 611	39
5290 61 633	5340Z 615	53
5290 61 633	5340Z 720	38
5290 61 916-3	5340Z 630	5
5290 61 941	5340Z 680	18
5290 61 961-1	5340Z 680	1
5290 61 963	5340Z 680	4
5290 61 964-1	5340Z 680	2
5290 61 965	5340Z 680	6
5290 74 075	5340Z 720	42
5290 74 082-1	5340Z 750	62
5290 74 082-1	5340Z 751	43
5290 74 083-2	5340Z 710	37
5290 74 084	5340Z 710	46
5290 74 084	5340Z 720	48
5290 74 087-2	5340Z 710	36
5290 74 087-2	5340Z 720	45
5290 74 091	5340Z 710	36
5290 74 091	5340Z 720	45
5290 74 092	5340Z 750	62
5290 74 092	5340Z 751	43
5290 74 093	5340Z 710	37
5290 74 094	5340Z 710	46
5290 74 094	5340Z 720	48
5290 74 201	5340Z 720	49
5290 74 202	5340Z 720	50
5290 74 301	5340Z 720	51
5290 74 302	5340Z 720	51
5290 74 312	5340Z 720	51
5290 74 313	5340Z 720	51
5290 74 314	5340Z 720	51
5290 75 031	5340Z 750	18
5290 75 031	5340Z 751	5
5290 76 022	5340Z 750	10
5290 76 022	5340Z 751	7
5290 82 162	5340Z 890	52
5290 83 351	5340Z 320	74
5290 84 991	5340Z 380	48
5290 86 413	5340Z 860	25
5290 87 315-1	5340Z 872	15
5290 87 316-1	5340Z 872	6
5290 87 317-1	5340Z 872	7
5290 87 421-1	5340Z 860	2
5290 87 422-1	5340Z 860	12
5290 87 423-1	5340Z 860	10
5290 87 431-2	5340Z 860	29
5290 87 441	5340Z 860	11
5290 88 112	5340Z 890	48
5290 88 112Z	5340Z 890	
5290 88 115	5340Z 890	46
5290 88 131	5340Z 890	31
5290 88 133	5340Z 890	41
5290 88 134	5340Z 890	21
5290 88 142	5340Z 880	32
5290 88 144-1	5340Z 890	49
5290 88 170	5340Z 512	3
5290 88 170	5340Z 513	5
5290 88 180	5340Z 890	28
5290 88 183	5340Z 890	30
5290 88 190-3	5340Z 890	
5290 88 191-3	5340Z 890	51
5290 88 192-2	5340Z 890	85
5290 88 193	5340Z 890	3
5290 88 194	5340Z 890	1
5290 88 194Z	5340Z 890	
5290 88 210-2	5340Z 880	49
5290 68 220-2	5340Z 880	47

iii PART NUMBER INDEX

PART Na	SECTION Na		66 4 Na	SECTION Na	Na	PART Na	SECTION Na	Na
5290 231	5340Z 880	44	5300 53 213	5340Z 751	24	5300 82 543	5340Z 825	76
5290 235	5340Z 880	36	5300 53 214-1	5340Z 530	65	5300 87 121-1	5340Z 870	46
5290 250	5340Z 880	21	5300 53 216	5340Z 530	56	5300 87 161-1	5340Z 870	29
5290 112	5340Z 890	59	5300 53 250-5	5340Z 530		5300 87 162	5340Z 870	42
5290 120	5340Z 890	55	5300 53 250-5	5340Z 825		5300 87 212	5340Z 870	60
5290 129	5340Z 890	81	5300 53 252-1	5340Z 530	64	5300 87 212Z	5340Z 870	
5290 135	5340Z 890	60	5300 53 252-1	5340Z 825	83	5300 87 213-2	5340Z 870	57
5290 142	5340Z 895	18	5300 53 253	5340Z 530	63	5300 87 2132-2	5340Z 870	
5290 143	5340Z 880	30	5300 53 253	5340Z 825	82	5300 87 311-1	5340Z 872	22
5290 148	5340Z 890	56	5300 53 254-3	5340Z 530	61	5300 87 312-1	5340Z 872	2
5290 211	5340Z 890	11	5300 53 254-3	5340Z 825	79	5300 87 410	5340Z 872	
5290 212	5340Z 890	14	5300 53 256-3	5340Z 530	59	5300 87 412	5340Z 872	
5290 213	5340Z 890		5300 53 256-3	5340Z 825	78	5300 87 424-1	5340Z 860	20
5290 215	5340Z 890	7	5300 54 152	5340Z 210	117	5300 87 425-1	5340Z 860	
5290 216	5340Z 890	4	5300 54 152	5340Z 220	117	5300 89 210	5340Z 890	
5290 219	5340Z 355	156	5300 54 161-1	5340Z 330	68	5300 89 214	5340Z 890	16
5290 219	5340Z 890	2	5300 54 332	5340Z 360	71	5310 12 220-1	5340Z 320	34
5290 222	5340Z 892	36	5300 54 332	5340Z 751	44	5310 12 223-1	5340Z 320	35
5290 224	5340Z 892	3	5300 56 088	5340Z 210	43	5310 17 117-1	5340Z 170	45
5290 227-1	5340Z 892	26	5300 56 088	5340Z 220	87	5310 17 117-1	5340Z 320	83
5290 228	5340Z 892	59	5300 56 091	5340Z 512	70	5310 17 117-1	5340Z 535	17
5290 323-3	5340Z 892	25	5300 57 023-1	5340Z 828	16	5310 17 117-1	5340Z 880	14
5290 324	5340Z 355	21	5300 57 052	5340Z 330	42	5310 22 313-1	5340Z 210	4
5290 324	5340Z 892	11	5300 58 143-1	5340Z 320	11	5310 22 313-1	5340Z 220	49
5290 325-1	5340Z 892	23	5300 58 144	5340Z 355	191	5310 24 211	5340Z 240	3
5290 422	5340Z 535	65	5300 58 144	5340Z 511	109	5310 24 211	5340Z 245	3
5290 422	5340Z 892	51	5300 58 145	5340Z 350	82	5310 29 232	5340Z 290	80
5290 423-1	5340Z 892	53	5300 58 145	5340Z 355	113	5310 29 232	5340Z 315	
5295 020-1	5340Z 750	23	5300 58 364	5340Z 511	55	5310 29 232	5340Z 895	20
5295 020-1	5340Z 751	3	5300 58 364	5340Z 530	106	5310 31 120-1	5340Z 310	
5295 031-1	5340Z 750	34	5300 58 365	5340Z 511	128	5310 31 121-2	5340Z 310	24
5295 031-1	5340Z 750	34	5300 58 365	5340Z 530	153	5310 31 154-1	5340Z 650	
5295 040	5340Z 750	47	5300 58 365	5340Z 825	87	5310 31 215	5340Z 310	21
5295 013	5340Z 751	37	5300 58 513	5340Z 355	67	5310 32 111	5340Z 320	44
5300 224	5340Z 170	44	5300 58 513	5340Z 820	14	5310 32 116	5340Z 320	59
5300 224	5340Z 320	37	5300 58 513	5340Z 825	24	5310 32 118	5340Z 320	58
5300 224	5340Z 514	21	5300 59 132	5340Z 310	47	5310 32 119	5340Z 751	29
5300 224	5340Z 535	16	5300 59 132	5340Z 513	74	5310 32 410	5340Z 315	4
5300 224	5340Z 828	66	5300 59 132	5340Z 820	26	5310 33 211-1	5340Z 330	26
5300 224	5340Z 880	15	5300 59 132	5340Z 825	38	5310 33 538-1	5340Z 240	53
5300 224	5340Z 890	77	5300 59 133	5340Z 310	48	5310 33 538-1	5340Z 245	53
5300 116	5340Z 170	46	5300 59 134	5340Z 892	52	5310 33 538-1	5340Z 370	35
5300 116	5340Z 320	82	5300 59 331	5340Z 310	50	5310 33 538-1	5340Z 511	35
5300 116	5340Z 880	13	5300 59 565-1	5340Z 210	40	5310 33 538-1	5340Z 820	54
5300 424	5340Z 240	39	5300 59 565-1	5340Z 220	61	5310 33 538-1	5340Z 825	2
5300 424	5340Z 245	39	5300 59 565-1	5340Z 360	66	5310 36 215	5340Z 360	44
5300 424	5340Z 250	29	5300 59 565-1	5340Z 828	3	5310 37 510	5340Z 370	28
5300 424	5340Z 880	58	5300 59 566	5340Z 360	77	5310 37 510Z	5340Z 370	
5300 317	5340Z 210	3	5300 59 566	5340Z 520	17	5310 37 511	5340Z 370	32
5300 317	5340Z 220	48	5300 71 155	5340Z 710	17	5310 37 710	5340Z 370	
5300 117	5340Z 650	35	5300 71 155	5340Z 720	20	5310 37 711	5340Z 370	18
5300 550	5340Z 320	39	5300 71 156	5340Z 710	7	5310 37 720	5340Z 370	11
5300 568	5340Z 365	64	5300 71 156	5340Z 720	3	5310 37 720Z	5340Z 370	
5300 569	5340Z 320	22	5300 72 013	5340Z 710	25	5310 37 724	5340Z 370	14
5300 571	5340Z 320	20	5300 72 021	5340Z 710	3	5310 37 730	5340Z 370	
5300 574	5340Z 320	26	5300 72 021	5340Z 720	2	5310 37 810	5340Z 370	
5300 561-2	5340Z 210	49	5300 73 014	5340Z 710	28	5310 37 811-1	5340Z 370	67
5300 561-2	5340Z 220	108	5300 73 015	5340Z 720	34	5310 37 815-1	5340Z 370	68
5300 561-2	5340Z 380	35	5300 73 031	5340Z 710	14	5310 37 815-1	5340Z 890	82
5300 561-2	5340Z 890	72	5300 73 031	5340Z 720	29	5310 37 820	5340Z 370	69
5300 562	5340Z 890	68	5300 75 112	5340Z 750	54	5310 37 820	5340Z 890	83
5300 352	5340Z 360	29	5300 75 112	5340Z 892	50	5310 38 351	5340Z 380	2
5300 411	5340Z 370	39	5300 82 184-1	5340Z 825	55	5310 44 314	5340Z 320	108
5300 234-1	5340Z 380	29	5300 82 185-1	5340Z 820	17	5310 44 314	5340Z 880	22
5300 243	5340Z 230	30	5300 82 185-1	5340Z 825	62	5310 52 121-1	5340Z 828	39
5300 243	5340Z 330	70	5300 82 186	5340Z 825	64	5310 52 122-3	5340Z 514	20
5300 243	5340Z 365	34	5300 82 187	5340Z 820	18	5310 52 122-3	5340Z 535	55
5300 243	5340Z 530	6	5300 82 187	5340Z 825	86	5310 52 214	5340Z 520	55
5300 042	5340Z 680	20	5300 82 188	5340Z 820	37	5310 52 292	5340Z 210	53
5300 160	5340Z 511	52	5300 82 188	5340Z 825	63	5310 52 292	5340Z 220	115
5300 170	5340Z 511	54	5300 82 221	5340Z 825	40	5310 52 293	5340Z 210	45
5300 170	5340Z 530	105	5300 82 256	5340Z 535	11	5310 52 293	5340Z 220	113
5300 180-1	5340Z 511	49	5300 82 256	5340Z 820	8	5310 52 523	5340Z 513	58
5300 633-2	5340Z 512	24	5300 82 256	5340Z 825	58	5310 52 660	5340Z 520	56
5300 641-1	5340Z 512	19	5300 82 257	5340Z 820	9	5310 53 155-1	5340Z 530	127
5300 641Z	5340Z 512		5300 82 257	5340Z 825	59	5310 55 315	5340Z 315	7
5300 644	5340Z 512	18	5300 82 259-1	5340Z 820	25	5310 71 157	5340Z 710	21
5300 842-1	5340Z 514	9	5300 82 259-1	5340Z 825	45	5310 71 157	5340Z 720	17
5300 197	5340Z 530	152	5300 82 517	5340Z 828	42	5310 73 013	5340Z 710	29
5300 213	5340Z 530	66	5300 82 520-1	5340Z 530	54	5310 82 181	5340Z 820	2
5300 213	5340Z 530	66	5300 82 520-1	5340Z 530	54	5310 82 181	5340Z 820	2

PART NUMBER INDEX

PART	Na	SECTION	Na	Na
5310 82 240		5340Z 820		12
5310 82 240		5340Z 825		69
5310 82 250		5340Z 820		
5310 82 250		5340Z 825		
5310 82 282		5340Z 820		11
5310 82 282		5340Z 825		15
5310 82 323-2		5340Z 820		46
5310 82 323-2		5340Z 825		13
5310 83 272		5340Z 830		56
5310 86 213		5340Z 892		61
5310 87 150-1		5340Z 870		
5310 87 154		5340Z 870		28
5310 87 301-2		5340Z 872		
5310 87 302-1		5340Z 872		
5310 87 310-1		5340Z 872		10
5310 87 313-1		5340Z 872		16
5310 87 423-2		5340Z 860		30
5310 87 522		5340Z 870		58
5310 88 113-1		5340Z 890		29
5310 88 140-1		5340Z 880		
5310 88 141-1		5340Z 880		34
5310 88 145-1		5340Z 880		54
5310 88 146		5340Z 880		37
5310 88 160-1		5340Z 890		
5310 88 161-2		5340Z 890		80
5310 88 233		5340Z 880		42
5310 89 133-3		5340Z 890		54
5310 89 134-2		5340Z 890		53
5310 89 223		5340Z 892		9
5310 89 311		5340Z 892		31
5320 24 240		5340Z 240		11
5320 24 240		5340Z 245		11
5320 87 217-1		5340Z 880		8
5320 87 218		5340Z 880		4
5321 22 121		5340Z 210		15
5321 22 121		5340Z 220		59
5321 29 220-1		5340Z 892		5
5321 43 117		5340Z 355		162
5321 43 118		5340Z 520		63
5321 51 564		5340Z 512		68
5321 51 630		5340Z 513		84
5321 51 641-1		5340Z 513		85
5321 51 641Z		5340Z 513		
5321 87 318-2		5340Z 872		19
5322 24 230		5340Z 240		
5322 24 230		5340Z 245		
5322 24 231		5340Z 240		100
5322 24 231		5340Z 245		100
5322 24 232		5340Z 240		101
5322 24 232		5340Z 245		101
5322 24 271		5340Z 240		60
5322 24 271		5340Z 245		60
5322 51 300-1		5340Z 511		
5322 51 310-1		5340Z 511		82
5322 51 410-2		5340Z 513		20
5322 51 610-2		5340Z 512		14
5322 51 630-3		5340Z 512		
5322 51 643		5340Z 512		20
5322 51 700		5340Z 514		4
5322 51 700Z		5340Z 514		
5322 51 810		5340Z 514		54
5322 51 810Z		5340Z 514		
5322 51 900-3		5340Z 512		
5322 51 920-2		5340Z 512		
5322 51 921		5340Z 512		21
5322 51 931		5340Z 512		16
5322 52 311		5340Z 530		10
5322 52 311Z		5340Z 530		
5322 52 314-1		5340Z 530		8
5322 52 353-3		5340Z 530		89
5322 52 355-1		5340Z 530		113
5322 52 357-1		5340Z 530		76
5322 53 163-2		5340Z 530		111
5322 53 163-2		5340Z 535		51
5322 53 217-1		5340Z 530		53
5322 53 331		5340Z 511		123
5322 53 331		5340Z 535		13
5322 53 332		5340Z 535		33
5322 53 333-1		5340Z 535		32
5322 53 334		5340Z 535		23
5322 53 350-1		5340Z 535		37

PART	Na	SECTION	Na	Na
5322 53 350Z-1		5340Z 535		
5322 53 352-2		5340Z 535		53
5322 53 410-2		5340Z 535		
5322 53 411-2		5340Z 535		3
5322 53 412		5340Z 535		5
5322 53 431-1		5340Z 513		35
5322 53 433-2		5340Z 513		37
5322 75 020-1		5340Z 750		49
5323 65 211-1		5340Z 652		6
5323 65 212-1		5340Z 652		5
5327 52 371		5340Z 530		147
5327 52 373		5340Z 530		145
5327 52 374-1		5340Z 530		144
5327 52 375		5340Z 530		146
5327 52 376		5340Z 530		149
5327 52 410-1		5340Z 530		
5327 52 411		5340Z 530		123
5327 52 421		5340Z 530		130
5327 53 009		5340Z 530		
5327 53 110		5340Z 530		18
5327 53 154		5340Z 530		134
5327 53 181-1		5340Z 530		138
5327 53 183		5340Z 530		137
5327 53 184-2		5340Z 530		139
5327 54 653		5340Z 540		78
5327 71 015		5340Z 710		43
5330 11 181		5340Z 110		24
5330 13 111-1		5340Z 110		6
5330 16 112-2		5340Z 170		18
5330 16 422		5340Z 170		64
5330 21 662		5340Z 210		86
5330 21 662		5340Z 220		82
5330 21 664		5340Z 210		80
5330 21 664		5340Z 220		65
5330 23 113		5340Z 230		21
5330 23 113		5340Z 240		81
5330 23 113		5340Z 245		81
5330 23 113		5340Z 365		43
5330 24 113		5340Z 540		97
5330 24 311		5340Z 240		62
5330 24 311		5340Z 245		62
5330 24 313		5340Z 240		79
5330 24 313		5340Z 245		79
5330 24 314-1		5340Z 240		70
5330 24 314-1		5340Z 245		70
5330 24 315		5340Z 240		76
5330 24 315		5340Z 245		76
5330 24 316-1		5340Z 240		75
5330 24 316-1		5340Z 245		75
5330 24 317		5340Z 240		72
5330 24 317		5340Z 245		72
5330 24 318		5340Z 240		78
5330 24 318		5340Z 245		78
5330 24 319-2		5340Z 240		63
5330 24 319-2		5340Z 245		63
5330 24 321-1		5340Z 240		65
5330 24 321-1		5340Z 245		65
5330 24 322-1		5340Z 240		67
5330 24 322-1		5340Z 245		67
5330 24 341		5340Z 240		44
5330 24 341		5340Z 245		44
5330 24 341		5340Z 513		70
5330 24 349-3		5340Z 240		49
5330 24 349-3		5340Z 245		49
5330 24 349-3		5340Z 355		101
5330 24 351		5340Z 240		47
5330 24 351		5340Z 245		47
5330 24 515		5340Z 870		5
5330 24 522		5340Z 260		28
5330 24 522		5340Z 365		61
5330 25 113		5340Z 260		25
5330 25 118		5340Z 250		15
5330 26 121-1		5340Z 260		22
5330 26 211-1		5340Z 260		29
5330 26 216		5340Z 260		30
5330 26 221		5340Z 260		17
5330 26 223-3		5340Z 260		14
5330 26 224-3		5340Z 260		16
5330 26 225-2		5340Z 260		18
5330 29 234		5340Z 315		6
5330 29 236		5340Z 290		40

PART	Na	SECTION	Na	Na
5330 29 314		5340Z 511		75
5330 31 111-2		5340Z 310		23
5330 31 112-2		5340Z 310		34
5330 31 113-2		5340Z 310		37
5330 31 116		5340Z 310		36
5330 31 118		5340Z 310		51
5330 31 130		5340Z 310		
5330 31 140		5340Z 310		39
5330 31 150		5340Z 310		40
5330 31 160		5340Z 310		
5330 31 161		5340Z 310		45
5330 31 170		5340Z 310		46
5330 31 180		5340Z 310		42
5330 31 181		5340Z 310		43
5330 31 211-1		5340Z 310		10
5330 31 212		5340Z 310		3
5330 31 216		5340Z 310		30
5330 31 218		5340Z 310		9
5330 31 220-1		5340Z 310		
5330 31 221		5340Z 310		13
5330 31 232		5340Z 310		16
5330 31 268		5340Z 310		20
5330 32 560		5340Z 320		
5330 32 562		5340Z 320		109
5330 32 563		5340Z 320		17
5330 32 566		5340Z 320		13
5330 32 570		5340Z 320		
5330 32 575		5340Z 320		31
5330 32 576-1		5340Z 320		33
5330 32 580-1		5340Z 320		
5330 33 110-2		5340Z 330		55
5330 33 110Z-2		5340Z 330		
5330 33 130-1		5340Z 330		64
5330 33 140		5340Z 330		
5330 33 210-2		5340Z 330		
5330 33 240-2		5340Z 330		66
5330 33 410		5340Z 330		54
5330 33 410Z		5340Z 330		
5330 33 420-1		5340Z 330		52
5330 33 430		5340Z 330		
5330 33 440-1		5340Z 330		6
5330 33 440Z-1		5340Z 330		
5330 33 453		5340Z 330		7
5330 33 620		5340Z 380		47
5330 34 110		5340Z 330		38
5330 35 221		5340Z 350		94
5330 35 222		5340Z 350		70
5330 35 223		5340Z 350		93
5330 35 224		5340Z 350		95
5330 35 225		5340Z 350		68
5330 35 231		5340Z 260		11
5330 35 231		5340Z 350		4
5330 35 232-1		5340Z 260		10
5330 35 232-1		5340Z 310		6
5330 35 232-1		5340Z 350		6
5330 35 233		5340Z 260		3
5330 35 233		5340Z 350		10
5330 35 234		5340Z 260		2
5330 35 235		5340Z 260		37
5330 35 235		5340Z 350		110
5330 35 310		5340Z 350		
5330 35 311		5340Z 350		102
5330 35 311		5340Z 355		118
5330 35 312		5340Z 350		84
5330 35 312		5340Z 355		114
5330 35 322		5340Z 350		76
5330 35 323-2		5340Z 350		75
5330 35 330-1		5340Z 350		62
5330 35 330Z-1		5340Z 350		
5330 35 341-1		5340Z 350		60
5330 35 351-1		5340Z 350		24
5330 35 352		5340Z 350		47
5330 35 354-2		5340Z 350		48
5330 35 361-1		5340Z 350		23
5330 35 362		5340Z 350		29
5330 35 370		5340Z 350		
5330 35 371		5340Z 350		86
5330 35 410		5340Z 350		85
5330 35 421		5340Z 350		103
5330 35 422		5340Z 350		99
5330 35 423		5340Z 530		120

PART NUMBER INDEX

145 Po P ART Na	g SECTION Na	Ma	45 [I P ART Na	g 44 SECTION Na	Ma	P ART Na	g SECTION Na	Na
5330 35 423	5340Z 890	63	5330 61 622-1	5340Z 618	18	5340 16 113-1	5340Z 170	18
5330 35 424-1	5340Z 350	100	5330 61 641-3	5340Z 611	5	5340 16 421	5340Z 170	41
5330 35 430	5340Z 350	89	5330 61 643-1	5340Z 611	9	5340 16 423	5340Z 170	58
5330 35 441	5340Z 350	91	5330 61 644-3	5340Z 611	8	5340 17 112	5340Z 170	48
5330 35 461	5340Z 350	21	5330 61 646	5340Z 611	7	5340 17 113	5340Z 170	20
5330 35 462-1	5340Z 350	45	5330 71 212-1	5340Z 720	16	5340 114	5340Z 170	40
5330 35 463-1	5340Z 350	37	5330 73 071-1	5340Z 755	51	5340 114	5340Z 320	80
5330 35 464	5340Z 350	5	5330 75 031	5340Z 750	27	5340 114	5340Z 880	11
5330 35 465	5340Z 350	13	5330 75 031	5340Z 750	27	5340 123	5340Z 170	38
5330 35 466	5340Z 350	44	5330 75 031	5340Z 751	18	5340 125	5340Z 170	63
5330 35 467-2	5340Z 350	36	5330 75 120-1	5340Z 750	55	5340 127	5340Z 170	
5330 35 468	5340Z 350	111	5330 75 483	5340Z 751	36	5340 111	5340Z 210	44
5330 35 472	5340Z 350	114	5330 75 492-1	5340Z 750	52	5340 112	5340Z 210	30
5330 35 473	5340Z 350	115	5330 82 201	5340Z 513	73	5340 112	5340Z 220	101
5330 35 536	5340Z 355	28	5330 82 201	5340Z 820	27	5340 120	5340Z 210	24
5330 35 551-2	5340Z 355	76	5330 82 321	5340Z 820	45	5340 120Z	5340Z 210	
5330 35 552	5340Z 350	56	5330 82 321	5340Z 825	11	5340 130	5340Z 210	27
5330 35 552	5340Z 355	77	5330 82 326	5340Z 650	11	5340 130	5340Z 220	93
5330 35 561	5340Z 355	92	5330 82 425	5340Z 820	47	5340 131	5340Z 210	20
5330 35 563	5340Z 350	54	5330 82 425	5340Z 825	10	5340 131	5340Z 220	98
5330 35 571-1	5340Z 355	22	5330 82 711	5340Z 820	32	5340 133	5340Z 210	52
5330 35 573-1	5340Z 355	14	5330 82 711	5340Z 825	60	5340 133	5340Z 220	90
5330 35 783	5340Z 355	68	5330 82 720	5340Z 820	22	5340 134-1	5340Z 210	81
5330 35 792	5340Z 355	91	5330 82 720	5340Z 825	48	5340 134-1	5340Z 220	80
5330 35 792	5340Z 540	52	5330 82 740-1	5340Z 825	74	5340 140	5340Z 210	75
5330 35 797	5340Z 355	38	5330 87 215	5340Z 870	62	5340 140Z	5340Z 210	
5330 36 211	5340Z 360	39	5330 87 216	5340Z 870	52	5340 143	5340Z 210	67
5330 36 312-1	5340Z 360	17	5330 87 217	5340Z 870	55	5340 143	5340Z 220	71
5330 36 313-1	5340Z 360	24	5330 87 218	5340Z 870	53	5340 144	5340Z 210	54
5330 36 314-1	5340Z 360	12	5330 87 221	5340Z 870	63	5340 144	5340Z 220	84
5330 36 370	5340Z 360	25	5330 87 435-1	5340Z 860	a	5340 145	5340Z 210	55
5330 36 384	5340Z 360	72	5330 87 436-1	5340Z 860	21	5340 145	5340Z 220	85
5330 36 391	5340Z 360	57	5330 88 110	5340Z 890		5340 146	5340Z 210	77
5330 36 392	5340Z 360	49	5330 88 111	5340Z 890	25	5340 146	5340Z 220	92
5330 36 531-1	5340Z 360	4	5330 88 111Z	5340Z 890		5340 147	5340Z 210	72
5330 36 531Z-1	5340Z 360		5330 88 120	5340Z 890	33	5340 147	5340Z 220	79
5330 37 110	5340Z 330	56	5330 88 120Z	5340Z 890		5340 148	5340Z 210	69
5330 37 110Z	5340Z 330		5330 88 236-1	5340Z 880	17	5340 148	5340Z 220	40
5330 37 230-1	5340Z 370	57	5330 88 237-1	5340Z 880	20	5340 151	5340Z 210	70
5330 37 230Z-1	5340Z 370		5330 88 262	5340Z 890	62	5340 151	5340Z 220	2
5330 37 320	5340Z 370	38	5330 89 130-1	5340Z 890		5340 152	5340Z 210	63
5330 38 130	5340Z 330	60	5330 89 131-1	5340Z 890	58	5340 152	5340Z 220	15
5330 38 142	5340Z 330	61	5330 89 141	5340Z 895	19	5340 154-1	5340Z 210	61
5330 38 220-2	5340Z 380	17	5330 89 144-1	5340Z 895	15	5340 154-1	5340Z 220	35
5330 38 240	5340Z 380	13	5330 89 153	5340Z 890	84	5340 160	5340Z 210	65
5330 51 111	5340Z 511	73	5330 89 217	5340Z 890	6	5340 171	5340Z 210	37
5330 51 112-3	5340Z 511	78	5330 89 217Z	5340Z 890		5340 171	5340Z 220	60
5330 51 132	5340Z 511	60	5330 89 221-1	5340Z 892	37	5340 172	5340Z 210	34
5330 51 412	5340Z 513	21	5330 89 351	5340Z 892	40	5340 172	5340Z 220	56
5330 51 563	5340Z 512	71	5330 89 360	5340Z 892	30	5340 173	5340Z 210	33
5330 51 564	5340Z 512	72	5330 89 370	5340Z 892	10	5340 173	5340Z 220	57
5330 51 622-2	5340Z 512	60	5330 89 373	5340Z 892	22	5340 174	5340Z 210	26
5330 51 712	5340Z 514	5	5330 89 374	5340Z 892	20	5340 174	5340Z 220	55
5330 51 712	5340Z 535	38	5330 89 375-1	5340Z 892	46	5340 175	5340Z 210	12
5330 52 492	5340Z 210	22	5330 89 376-1	5340Z 892	21	5340 175	5340Z 220	21
5330 52 492	5340Z 220	86	5330 89 620	5340Z 751	38	5340 175	5340Z 350	32
5330 52 634	5340Z 520	47	5330 89 800-3	5340Z 680		5340 180	5340Z 210	
5330 52 660-1	5340Z 520	41	5332 71 828-1	5340Z 720	16	5340 180	5340Z 220	
5330 52 671	5340Z 520	43	5332 74 202	5340Z 830	47	5340 181	5340Z 210	8
5330 53 195-2	5340Z 530	57	5332 82 265	5340Z 820	74	5340 181	5340Z 220	52
5330 53 251-1	5340Z 530	58	5332 82 265	5340Z 825	85	5340 182	5340Z 210	5
5330 53 251-1	5340Z 825	77	5332 83 014	5340Z 830	51	5340 182	5340Z 220	50
5330 54 518	5340Z 540	60	5332 83 020-1	5340Z 830	48	5340 183	5340Z 210	13
5330 54 519-2	5340Z 540	56	5332 83 023	5340Z 830	45	5340 183	5340Z 220	24
5330 54 521	5340Z 355	100	5332 83 030-1	5340Z 830		5340 191	5340Z 210	1
5330 54 521	5340Z 540	44	5332 83 031-2	5340Z 830	49	5340 191	5340Z 220	46
5330 55 550	5340Z 530	103	5332 83 033	5340Z 830	54	5340 210	5340Z 210	47
5330 55 631	5340Z 513	50	5332 83 040	5340Z 830	50	5340 210	5340Z 220	109
5330 57 151	5340Z 210	58	5336 61 941	5340Z 680	18	5340 220	5340Z 210	119
5330 57 151	5340Z 220	112	5336 74 052-1	5340Z 710	55	5340 511	5340Z 210	76
5330 57 151	5340Z 380	39	5336 74 075-1	5340Z 720	58	5340 520	5340Z 210	74
5330 57 151	5340Z 890	73	5340 11 110-3	5340Z 110	10	5340 520	5340Z 220	99
5330 59 566	5340Z 828	6	5340 11 113	5340Z 110	39	5340 520Z	5340Z 210	
5330 61 321	5340Z 520	12	5340 11 114	5340Z 110	39	5340 520Z	5340Z 220	
5330 61 598	5340Z 611	35	5340 11 151	5340Z 110	26	5340 530	5340Z 220	94
5330 61 598	5340Z 615	49	5340 11 152-1	5340Z 110	47	5340 530Z	5340Z 220	
5330 61 599	5340Z 611	36	5340 11 170-1	5340Z 110	25	5340 540	5340Z 210	73
5330 61 599	5340Z 615	50	5340 15 111	5340Z 110'	15	5340 540	5340Z 220	110
5330 61 622-1	5340Z 614	18	5340 15 112	5340Z 110	18	5340 550-2	5340Z 210	87
5330 61 622-1	5340Z 615	18	5340 16 111-1	5340Z 170	18	5340 550Z-2	5340Z 210	
annm cl	M04A7 c2c	i st	sAn l c i1o-1	m,mAn7 17n	1 2	m,3An mcn	mnAn7 ala	

PART NUMBER INDEX

PART	Na	SECTION	Na	Na
5340 21 560		5340Z 220		
5340 21 561		5340Z 210	102	
5340 21 561		5340Z 220	39	
5340 21 562-2		5340Z 210	88	
5340 21 562-2		5340Z 220	88	
5340 21 563		5340Z 210	89	
5340 21 563		5340Z 220	83	
5340 21 564		5340Z 210	92	
5340 21 564		5340Z 220	13	
5340 21 570		5340Z 210		
5340 21 571		5340Z 210	105	
5340 21 572		5340Z 210	103	
5340 21 572		5340Z 220	30	
5340 21 572		5340Z 870	48	
5340 21 580		5340Z 210	94	
5340 21 590		5340Z 210	106	
5340 21 590		5340Z 220	91	
5340 21 610		5340Z 210	109	
5340 21 621		5340Z 210	110	
5340 21 621		5340Z 220	8	
5340 21 622		5340Z 210	113	
5340 21 622		5340Z 220	22	
5340 21 630		5340Z 210		
5340 21 630		5340Z 220		
5340 21 631-1		5340Z 210	114	
5340 21 631-1		5340Z 220	26	
5340 21 632-1		5340Z 210	116	
5340 21 632-1		5340Z 220	27	
5340 21 633		5340Z 210	111	
5340 21 633		5340Z 220	16	
5340 21 640		5340Z 210	112	
5340 21 640		5340Z 220	17	
5340 21 710		5340Z 220	114	
5340 21 721		5340Z 220	107	
5340 21 730		5340Z 220	76	
5340 21 730Z		5340Z 220		
5340 21 740		5340Z 220	42	
5340 21 751		5340Z 220	97	
5340 21 760-1		5340Z 220	89	
5340 21 760Z-1		5340Z 220		
5340 21 770		5340Z 220		
5340 21 771		5340Z 220	32	
5340 21 780		5340Z 220	38	
5340 21 790		5340Z 220	7	
5340 21 810		5340Z 520	65	
5340 21 830-1		5340Z 210	98	
5340 21 830-1		5340Z 220	43	
5340 21 840		5340Z 210	90	
5340 21 841		5340Z 210	101	
5340 21 841		5340Z 220	67	
5340 21 842		5340Z 210	91	
5340 21 850-1		5340Z 210	100	
5340 21 860-1		5340Z 220	44	
5340 21 871		5340Z 220	45	
5340 21 880-1		5340Z 220	66	
5340 21 891		5340Z 210	120	
5340 23 110-3		5340Z 230	23	
5340 23 110Z-3		5340Z 230		
5340 23 112		5340Z 230	22	
5340 23 114		5340Z 230	49	
5340 23 115		5340Z 230	51	
5340 23 115Z		5340Z 230		
5340 23 116-1		5340Z 230	56	
5340 23 117		5340Z 230	58	
5340 23 117Z		5340Z 230		
5340 23 118		5340Z 230	53	
5340 23 118		5340Z 240	90	
5340 23 118		5340Z 245	90	
5340 23 131		5340Z 230	48	
5340 23 132		5340Z 230	45	
5340 23 133		5340Z 230	44	
5340 23 134		5340Z 230	46	
5340 23 135		5340Z 230	47	
5340 23 136		5340Z 230	43	
5340 23 210		5340Z 230		
5340 23 211		5340Z 230	28	
5340 23 211		5340Z 365	21	
5340 23 212		5340Z 230	36	
5340 23 212		5340Z 365	28	
5340 23 220		5340Z 230	33	
5340 23 231		5340Z 230	31	

PART	Na	SECTION	Na	Na
5340 23 231		5340Z 365	33	
5340 23 231Z		5340Z 230		
5340 23 231Z		5340Z 365		
5340 23 232		5340Z 230	38	
5340 23 232		5340Z 365	46	
5340 23 232Z		5340Z 230		
5340 23 232Z		5340Z 365		
5340 23 233		5340Z 230	37	
5340 23 233		5340Z 365	47	
5340 23 235		5340Z 230	65	
5340 23 236		5340Z 230	25	
5340 23 237-1		5340Z 230	8	
5340 23 237-1		5340Z 365	16	
5340 23 238		5340Z 230	61	
5340 23 240		5340Z 230	2	
5340 23 250		5340Z 230		
5340 23 251		5340Z 230	16	
5340 23 311		5340Z 230	59	
5340 23 312		5340Z 230	60	
5340 24 111-1		5340Z 240	86	
5340 24 111-1		5340Z 245	86	
5340 24 112-1		5340Z 240	58	
5340 24 112-1		5340Z 245	58	
5340 24 113-1		5340Z 240	82	
5340 24 113-1		5340Z 245	82	
5340 24 121		5340Z 240	84	
5340 24 121		5340Z 245	84	
5340 24 122		5340Z 240	94	
5340 24 122		5340Z 245	94	
5340 24 123		5340Z 240	91	
5340 24 123		5340Z 245	91	
5340 24 124		5340Z 240	61	
5340 24 124		5340Z 245	61	
5340 24 131-1		5340Z 240	34	
5340 24 140		5340Z 240	24	
5340 24 140		5340Z 245	93	
5340 24 150		5340Z 240	93	
5340 24 150		5340Z 245	24	
5340 24 161		5340Z 240	23	
5340 24 161		5340Z 245	23	
5340 24 162		5340Z 240	26	
5340 24 162		5340Z 245	26	
5340 24 163		5340Z 240	31	
5340 24 163		5340Z 245	31	
5340 24 164-1		5340Z 240	20	
5340 24 164-1		5340Z 245	20	
5340 24 213-1		5340Z 240	2	
5340 24 213-1		5340Z 245	2	
5340 24 215		5340Z 240	9	
5340 24 215		5340Z 245	9	
5340 24 220		5340Z 240		
5340 24 221		5340Z 240	95	
5340 24 221		5340Z 245	95	
5340 24 262		5340Z 240	96	
5340 24 262		5340Z 245	96	
5340 24 263		5340Z 240	97	
5340 24 263		5340Z 245	97	
5340 24 266		5340Z 240	98	
5340 24 266		5340Z 245	98	
5340 24 267		5340Z 240	99	
5340 24 267		5340Z 245	99	
5340 24 344		5340Z 240	45	
5340 24 344		5340Z 245	45	
5340 24 541		5340Z 240	42	
5340 24 541		5340Z 245	42	
5340 24 550-1		5340Z 240		
5340 24 550-1		5340Z 245		
5340 24 561-1		5340Z 240	114	
5340 24 561-1		5340Z 245	114	
5340 24 564		5340Z 240	36	
5340 24 565		5340Z 245	36	
5340 24 570		5340Z 240	55	
5340 24 580-1		5340Z 240	57	
5340 24 580-1		5340Z 245	57	
5340 24 590		5340Z 240	113	
5340 24 590		5340Z 245	113	
5340 24 611-3		5340Z 245	34	
5340 24 620		5340Z 245	55	
5340 25 110-1		5340Z 250		
5340 25 111-1		5340Z 250	16	

PART	Na	SECTION	Na	Na
5340 25 116-2		5340Z 650		9
5340 25 120-1		5340Z 650		
5340 25 121		5340Z 650		34
5340 25 150		5340Z 250		26
5340 25 160		5340Z 250		30
5340 25 211		5340Z 250		20
5340 25 212		5340Z 250		5
5340 25 213		5340Z 250		3
5340 25 214		5340Z 250		8
5340 25 215		5340Z 250		4
5340 25 216		5340Z 250		33
5340 26 230-2		5340Z 260		23
5340 29 111-6		5340Z 290		7
5340 29 112-9		5340Z 290		1
5340 29 235-1		5340Z 290		27
5340 29 236		5340Z 290		6
5340 29 237-1		5340Z 290		28
5340 29 238		5340Z 290		21
5340 29 241		5340Z 290		29
5340 31 001-3		53401 315		1
5340 31 002-5		5340Z 315		8
5340 32 174-1		5340Z 320		92
5340 32 175		5340Z 320		71
5340 32 713		5340Z 320		64
5340 32 714		5340Z 320		76
5340 32 716		5340Z 320		70
5340 32 717		5340Z 320		78
5340 32 718		5340Z 320		87
5340 32 721		5340Z 880		1
5340 33 121-1		5340Z 330		57
5340 33 452		5340Z 330		9
5340 35 235		5340Z 260		40
5340 35 310		5340Z 355		
5340 35 321		5340Z 350		87
5340 35 353-1		5340Z 350		71
5340 35 381-1		5340Z 350		50
5340 35 391		5340Z 350		35
5340 35 451-1		5340Z 350		72
5340 35 454		5340Z 355		106
5340 35 455		5340Z 350		59
5340 35 456		5340Z 350		109
5340 35 511-5		5340Z 355		72
5340 35 512		5340Z 355		142
5340 35 521-6		5340Z 355		112
5340 35 533-2		5340Z 355		111
5340 35 534-3		5340Z 355		29
5340 35 535		5340Z 355		104
5340 35 554		5340Z 350		53
5340 35 555		5340Z 355		78
5340 35 556		5340Z 355		78
5340 35 557		5340Z 355		78
5340 35 572		5340Z 355		7
5340 35 610-1		5340Z 355		
5340 35 613		5340Z 355		36
5340 35 620-1		5340Z 355		
5340 35 630		5340Z 355		58
5340 35 640		5340Z 355		35
5340 35 650		5340Z 355		
5340 35 651		5340Z 355		143
5340 35 662		5340Z 355		18
5340 35 670		5340Z 355		
5340 35 671		5340Z 355		145
5340 35 672		5340Z 355		146
5340 35 673		5340Z 355		147
5340 35 674		5340Z 355		148
5340 35 675		5340Z 355		149
5340 35 676		5340Z 355		150
5340 35 680		5340Z 355		
5340 35 690		5340Z 355		
5340 35 711		5340Z 355		25
5340 35 720		5340Z 355		24
5340 35 720Z		5340Z 355		
5340 35 722		53401 350		64
5340 35 740		5340Z 355		
5340 35 740Z		5340Z 355		
5340 35 760		5340Z 355		144
5340 35 842-2		5340Z 355		61
5340 35 910		5340Z 355		
5340 35 920		5340Z 355		
5340 35 921		5340Z 355		131
5340 36 210-1		5340Z 360		

31j7
P

En
nn

4

1

PART NUMBER INDEX

S P	El ART	Na	SECTION	Na		a P	El ART	Na	SECTION	Ma	Na	J1 P	El ART	Na	SECTION	Na	Na
5340	36	220-1	5340Z	360	43	5340	51	300-1	5340Z	513		5340	52	280-1	5340Z	540	86
5340	36	310-1	5340Z	360		5340	51	313-1	5340Z	511	92	5340	52	290-1	5340Z	540	104
5340	36	311	5340Z	360	18	5340	51	400-1	5340Z	513		5340	52	301	5340Z	520	36
5340	36	315	5340Z	360	19	5340	51	413	5340Z	513	46	5340	52	302-2	5340Z	540	88
5340	36	340-2	5340Z	360	13	5340	51	421-1	5340Z	513	48	5340	52	303	5340Z	540	84
5340	36	344-1	5340Z	360	27	5340	51	422-1	5340Z	513	24	5340	52	312	5340Z	530	12
5340	36	380	5340Z	360	50	5340	51	423-2	5340Z	513	17	5340	52	313	5340Z	530	9
5340	36	411-1	5340Z	360	59	5340	51	423Z-2	5340Z	513		5340	52	320	5340Z	530	70
5340	36	413-2	5340Z	360	55	5340	51	425	5340Z	513	45	5340	52	320Z	5340Z	530	
5340	36	414	5340Z	360	1	5340	51	431-2	5340Z	512	44	5340	52	330	5340Z	530	
5340	36	417	5340Z	360	65	5340	51	434	5340Z	512	48	5340	52	341	5340Z	530	81
5340	36	420	5340Z	360	76	5340	51	435-3	5340Z	512	41	5340	52	342-1	5340Z	530	86
5340	36	431	5340Z	360	64	5340	51	436-2	5340Z	512	47	5340	52	350	5340Z	530	79
5340	36	432	5340Z	360	75	5340	51	440	5340Z	513	42	5340	52	354-1	5340Z	530	90
5340	36	433	5340Z	360	68	5340	51	442-1	5340Z	513	44	5340	52	360	5340Z	530	78
5340	36	434	5340Z	360	80	5340	51	451	5340Z	513	49	5340	52	371-1	5340Z	530	74
5340	36	435-1	5340Z	360	82	5340	51	500-1	5340Z	513		5340	52	371Z-1	5340Z	530	
5340	36	450	5340Z	360		5340	51	510-2	5340Z	512	62	5340	52	380	5340Z	530	99
5340	36	451	5340Z	360	83	5340	51	510-2	5340Z	513	10	5340	52	500-4	5340Z	513	
5340	36	452-1	5340Z	360	85	5340	51	521-1	5340Z	512	7	5340	52	510-1	5340Z	513	61
5340	36	453	5340Z	360	84	5340	51	521-1	5340Z	513	7	5340	52	516	5340Z	513	55
5340	36	510-3	5340Z	365	35	5340	51	522-2	5340Z	512	6	5340	52	517-1	5340Z	513	52
5340	36	515	5340Z	365		5340	51	522-2	5340Z	513	4	5340	52	518-1	5340Z	513	64
5340	36	516-8	5340Z	365	4	5340	51	523-1	5340Z	512	29	5340	52	519	5340Z	513	56
5340	36	517	5340Z	365	37	5340	51	524-1	5340Z	512	30	5340	52	520-2	5340Z	513	
5340	36	518	5340Z	365	38	5340	51	525-1	5340Z	513	14	5340	52	521	5340Z	513	69
5340	36	521	5340Z	365	52	5340	51	526	5340Z	512	75	5340	52	522	5340Z	513	68
5340	36	522-1	5340Z	365	59	5340	51	527	5340Z	512	63	5340	52	524-1	5340Z	513	57
5340	36	523-1	5340Z	365	51	5340	51	530-1	5340Z	512		5340	52	530-2	5340Z	513	66
5340	36	524	5340Z	365	67	5340	51	531	5340Z	512	69	5340	52	603	5340Z	365	66
5340	36	530	5340Z	365		5340	51	532-1	5340Z	512	65	5340	52	604	5340Z	365	65
5340	36	540	5340Z	365	25	5340	51	540	5340Z	512		5340	52	6042	5340Z	365	
5340	36	550-1	5340Z	365	10	5340	51	541	5340Z	512	74	5340	52	605	5340Z	520	58
5340	36	555-2	5340Z	365	11	5340	51	550	5340Z	512	12	5340	52	606	5340Z	355	23
5340	36	561-1	5340Z	290	33	5340	51	550	5340Z	513	13	5340	52	606	5340Z	365	55
5340	36	562	5340Z	290	34	5340	51	560-1	5340Z	512	61	5340	52	606	5340Z	520	59
5340	36	563-1	5340Z	290	37	5340	51	570	5340Z	512	82	5340	52	606	5340Z	530	67
5340	36	571	5340Z	365	62	5340	51	590-1	5340Z	513		5340	52	610-2	5340Z	520	53
5340	37	130-1	5340Z	370	40	5340	51	591-1	5340Z	513	78	5340	52	6102-2	5340Z	520	
5340	51	000-6	5340Z	511	15	5340	51	592	5340Z	513	81	5340	52	615	5340Z	520	66
5340	51	016	5340Z	511	12	5340	51	700	5340Z	514	45	5340	52	620	5340Z	520	11
5340	51	017	5340Z	511	2	5340	51	700Z	5340Z	514		5340	52	631	5340Z	520	
5340	51	040-1	5340Z	511	9	5340	51	720	5340Z	514		5340	52	632	5340Z	380	41
5340	51	041	5340Z	511	42	5340	51	721	5340Z	514	15	5340	52	632	5340Z	520	14
5340	51	041Z	5340Z	511		5340	51	820-1	5340Z	512		5340	52	633	5340Z	540	103
5340	51	042-3	5340Z	511	45	5340	51	821	5340Z	512	81	5340	52	634	5340Z	520	10
5340	51	042Z-3	5340Z	511		5340	51	822-1	5340Z	512	80	5340	52	635	5340Z	520	3
5340	51	043-2	5340Z	511	7	5340	51	823	5340Z	512	79	5340	52	640	5340Z	520	7
5340	51	044-2	5340Z	511	16	5340	51	830-3	5340Z	511	96	5340	52	650	5340Z	520	6
5340	51	047-1	5340Z	511	10	5340	51	832	5340Z	511	97	5340	52	652	5340Z	520	20
5340	51	048	5340Z	511	95	5340	51	832Z	5340Z	511		5340	53	120-1	5340Z	530	7
5340	51	050	5340Z	511		5340	51	840-1	5340Z	511		5340	53	120Z-1	5340Z	530	
5340	51	051-1	5340Z	511	40	5340	51	841	5340Z	511	101	5340	53	130	5340Z	530	
5340	51	052-1	5340Z	511	124	5340	51	842	5340Z	511	103	5340	53	131	5340Z	530	125
5340	51	053-2	5340Z	511	31	5340	51	850	5340Z	511	108	5340	53	160-3	5340Z	530	135
5340	51	054	5340Z	511	22	5340	51	860	5340Z	511		5340	53	161	5340Z	380	64
5340	51	060	5340Z	511	27	5340	51	870-1	5340Z	511		5340	53	170-1	5340Z	530	94
5340	51	060Z	5340Z	511		5340	51	871-1	5340Z	511	99	5340	53	170-1	5340Z	535	50
5340	51	080	5340Z	511	25	5340	51	872-1	5340Z	511	119	5340	53	170Z-1	5340Z	530	
5340	51	080	5340Z	530	132	5340	51	873	5340Z	511	115	5340	53	170Z-1	5340Z	535	
5340	51	081	5340Z	511	19	5340	51	874	5340Z	511	122	5340	53	174	5340Z	530	96
5340	51	090-1	5340Z	511	24	5340	51	875	5340Z	511	113	5340	53	175	5340Z	512	13
5340	51	090Z-1	5340Z	511		5340	51	876-2	5340Z	511	116	5340	53	175	5340Z	513	11
5340	51	095	5340Z	511	36	5340	51	880	5340Z	511	117	5340	53	175	5340Z	530	95
5340	51	096	5340Z	511	37	5340	51	891	5340Z	511	111	5340	53	175	5340Z	535	54
5340	51	110-1	5340Z	511		5340	52	111-1	5340Z	514	32	5340	53	176	5340Z	530	95
5340	51	131	5340Z	511	74	5340	52	112	5340Z	514	64	5340	53	176	5340Z	535	54
5340	51	136-1	5340Z	511	91	5340	52	117	5340Z	514	41	5340	53	182	5340Z	530	109
5340	51	140	5340Z	511	64	5340	52	130	5340Z	514		5340	53	190-2	5340Z	530	51
5340	51	140Z	5340Z	511		5340	52	131	5340Z	514	40	5340	53	211	5340Z	530	49
5340	51	142	5340Z	511	63	5340	52	132	5340Z	514	39	5340	53	212-1	5340Z	530	52
5340	51	150	5340Z	511	80	5340	52	141-2	5340Z	514	31	5340	53	220-1	5340Z	535	
5340	51	210-2	5340Z	512		5340	52	161-2	5340Z	514	23	5340	53	221	5340Z	535	52
5340	51	211-1	5340Z	512	33	5340	52	200	5340Z	520		5340	53	222	5340Z	535	48
5340	51	213-1	5340Z	512	35	5340	52	211	5340Z	520	51	5340	53	270	5340Z	535	
5340	51	214-1	5340Z	512	34	5340	52	212	5340Z	520	35	5340	53	271	5340Z	535	63
5340	51	216-1	5340Z	512	40	5340	52	220	5340Z	520	38	5340	53	272	5340Z	535	57
5340	51	217	5340Z	512	39	5340	52	240	5340Z	520	40	5340	53	273	5340Z	535	59
5340	51	219	5340Z	512	36	5340	52	250-1	5340Z	520	49	5340	53	274	5340Z	535	61
5340	51	232	5340Z	511	39	5340	52	260	5340Z	520	29	5340	53	275	5340Z	535	

PART NUMBER INDEX

PART Na	SECTION Na	Na
5340 53 290	5340Z 535	56
5340 53 311	5340Z 535	14
5340 53 312	5340Z 535	27
5340 53 340	5340Z 535	40
5340 53 340Z	5340Z 535	
5340 53 341-1	5340Z 535	21
5340 53 344	5340Z 535	18
5340 53 361	5340Z 535	38
5340 53 413-1	5340Z 535	2
5340 53 420	5340Z 513	76
5340 54 111-4	5340Z 540	95
5340 54 112-1	5340Z 540	99
5340 54 113	5340Z 540	96
5340 54 114	5340Z 540	101
5340 54 513-2	5340Z 540	92
5340 54 514	5340Z 540	91
5340 54 515	5340Z 540	122
5340 54 516	5340Z 540	49
5340 54 521-1	5340Z 540	81
5340 54 523-2	5340Z 540	79
5340 54 610-2	5340Z 540	
5340 54 620-2	5340Z 540	
5340 54 621-2	5340Z 540	43
5340 54 622-2	5340Z 540	40
5340 54 623	5340Z 540	27
5340 54 626-2	5340Z 540	37
5340 54 627	5340Z 540	28
5340 54 628	5340Z 540	25
5340 54 629-1	5340Z 540	30
5340 54 631-1	5340Z 540	39
5340 54 632-1	5340Z 540	42
5340 54 633	5340Z 540	33
5340 54 634-1	5340Z 540	64
5340 54 635-1	5340Z 540	74
5340 54 636	5340Z 540	53
5340 54 637-1	5340Z 540	70
5340 54 638-1	5340Z 540	83
5340 54 639	5340Z 540	113
5340 54 640-2	5340Z 540	
5340 54 641-2	5340Z 540	31
5340 54 644-1	5340Z 540	50
5340 54 645	5340Z 540	114
5340 54 646-1	5340Z 540	76
5340 54 651-2	5340Z 540	32
5340 54 652-1	5340Z 540	51
5340 54 654-1	5340Z 540	77
5340 54 655	5340Z 540	69
5340 54 656-1	5340Z 540	73
5340 54 657-1	5340Z 540	68
5340 54 660-5	5340Z 540	
5340 54 661-3	5340Z 540	35
5340 54 662-3	5340Z 540	41
5340 54 663-2	5340Z 540	34
5340 54 664-2	5340Z 540	29
5340 54 670-1	5340Z 540	
5340 54 673-2	5340Z 540	15
5340 54 674	5340Z 540	8
5340 54 675	5340Z 540	10
5340 54 677	5340Z 540	12
5340 54 678-2	5340Z 540	17
5340 54 680	5340Z 540	3
5340 54 690	5340Z 840	
5340 54 691	5340Z 840	48
5340 54 692	5340Z 840	46
5340 54 693	5340Z 840	47
5340 55 111-7	5340Z 510	10
5340 55 112-6	5340Z 510	1
5340 55 113-1	5340Z 510	11
5340 55 114	5340Z 510	12
5340 55 115	5340Z 510	14
5340 55 116-1	5340Z 510	9
5340 55 117	5340Z 510	5
5340 55 118	5340Z 510	8
5340 55 119	5340Z 510	13
5340 55 121-2	5340Z 510	15
5340 61 120	5340Z 611	1
5340 61 123	5340Z 611	12
5340 61 124	5340Z 611	17
5340 61 134	5340Z 614	20
5340 61 134	5340Z 615	20
5340 61 134	5340Z 616	20

PART Na	SECTION Na	m _i
5340 61 134	5340Z 618	20
5340 61 140	5340Z 614	1
5340 61 140	5340Z 615	1
5340 61 140	5340Z 616	1
5340 61 140	5340Z 618	1
5340 61 141	5340Z 614	12
5340 61 141	5340Z 615	12
5340 61 141	5340Z 616	12
5340 61 141	5340Z 618	12
5340 61 142	5340Z 614	15
5340 61 142	5340Z 615	15
5340 61 142	5340Z 616	15
5340 61 142	5340Z 618	15
5340 61 151-2	5340Z 110	27
5340 61 161	5340Z 290	11
5340 61 162-1	5340Z 290	18
5340 61 164	5340Z 290	26
5340 61 170	5340Z 290	
5340 61 173	5340Z 290	17
5340 61 211-3	5340Z 620	31
5340 61 212	5340Z 620	4
5340 61 213	5340Z 620	8
5340 61 214	5340Z 620	8
5340 61 222	5340Z 620	21
5340 61 224	5340Z 620	15
5340 61 226	5340Z 620	21
5340 61 230	5340Z 620	27
5340 61 240-1	5340Z 620	3
5340 61 243	5340Z 620	11
5340 61 244	5340Z 620	5
5340 61 250-1	5340Z 620	33
5340 61 251-3	5340Z 614	27
5340 61 251-3	5340Z 615	27
5340 61 251-3	5340Z 616	27
5340 61 251-3	5340Z 618	27
5340 61 260	5340Z 615	48
5340 61 411	5340Z 860	7
5340 61 423	5340Z 110	38
5340 61 436-1	5340Z 380	57
5340 61 437-1	5340Z 860	34
5340 61 461	5340Z 110	1
5340 61 598	5340Z 611	37
5340 61 598	5340Z 615	51
5340 61 599	5340Z 611	38
5340 61 599	5340Z 615	52
5340 61 611	5340Z 355	107
5340 61 612	5340Z 290	38
5340 61 640-6	5340Z 611	
5340 61 642-1	5340Z 611	13
5340 61 643-3	5340Z 611	
5340 61 645-2	5340Z 611	4
5340 61 646	5340Z 611	15
5340 61 647	5340Z 611	15
5340 61 648	5340Z 620	26
5340 61 801-4	5340Z 611	6
5340 61 803-2	5340Z 611	6
5340 61 891	5340Z 630	8
5340 61 892	5340Z 630	10
5340 61 895	5340Z 630	
5340 61 911-1	5340Z 630	8
5340 61 912	5340Z 630	10
5340 61 914-1	5340Z 630	9
5340 61 915-2	5340Z 630	
5340 61 921-1	5340Z 680	
5340 61 922	5340Z 680	
5340 61 923-1	5340Z 680	
5340 61 924	5340Z 680	
5340 61 925	5340Z 680	17
5340 61 926	5340Z 680	15
5340 61 957-1	5340Z 830	41
5340 61 991-2	5340Z 611	21
5340 66 111-1	5340Z 656	27
5340 66 112	5340Z 656	6
5340 66 113-1	5340Z 656	16
5340 66 114	5340Z 655	2
5340 71 111-1	5340Z 710	15
5340 71 115-1	5340Z 720	46
5340 71 120-1	5340Z 710	19
5340 71 130-1	5340Z 710	19
5340 71 150-2	5340Z 710	24
5340 71 152-1	5340Z 710	23

PART Na	SECTION Na	Na
5340 71 153	5340Z 710	47
5340 71 210-5	5340Z 720	15
5340 71 211-1	5340Z 720	35
5340 71 220-2	5340Z 720	18
5340 71 250-2	5340Z 720	19
5340 71 271-2	5340Z 720	11
5340 72 020-2	5340Z 710	13
5340 72 032	5340Z 720	13
5340 72 050-3	5340Z 720	14
5340 73 010-3	5340Z 710	2
5340 73 015-2	5340Z 710	8
5340 73 020-3	5340Z 720	4
5340 73 025-1	5340Z 720	7
5340 73 045-1	5340Z 710	40
5340 73 050-2	5340Z 710	39
5340 73 052-1	5340Z 710	44
5340 74 121-1	5340Z 720	47
5340 74 122	5340Z 710	45
5340 74 125	5340Z 240	110
5340 74 125	5340Z 245	110
5340 74 125	5340Z 540	116
5340 74 131	5340Z 710	49
5340 74 132	5340Z 720	53
5340 74 133	5340Z 710	50
5340 74 133	5340Z 720	54
5340 74 134	5340Z 720	55
5340 74 135	5340Z 720	56
5340 74 136	5340Z 710	56
5340 74 137	5340Z 720	58
5340 74 138	5340Z 710	52
5340 74 139	5340Z 710	54
5340 74 141	5340Z 710	51
5340 75 011-1	5340Z 710	16
5340 75 111-4	5340Z 750	36
5340 75 114-1	5340Z 755	33
5340 75 115-1	5340Z 755	36
5340 75 116-3	5340Z 755	48
5340 75 117-1	5340Z 755	44
5340 75 118-1	5340Z 755	46
5340 75 211-5	5340Z 750	15
5340 75 211-5	5340Z 751	23
5340 75 220	5340Z 750	16
5340 75 220	5340Z 751	4
5340 75 311-3	5340Z 750	46
5340 75 320	5340Z 750	33
5340 75 323	5340Z 750	30
5340 75 324	5340Z 750	45
5340 75 330-1	5340Z 750	43
5340 75 340-1	5340Z 750	41
5340 75 350-1	5340Z 750	48
5340 75 411-4	5340Z 750	4
5340 75 420-1	5340Z 750	19
5340 75 430-1	5340Z 750	20
5340 75 441-4	5340Z 750	31
5340 75 442	5340Z 750	38
5340 75 443-3	5340Z 750	37
5340 75 444	5340Z 750	61
5340 75 511-4	5340Z 751	35
5340 75 585-1	5340Z 750	63
5340 75 611-5	5340Z 751	11
5340 75 612-3	5340Z 751	30
5340 75 615	5340Z 751	42
5340 75 621	5340Z 751	40
5340 75 710-1	5340Z 755	11
5340 75 712	5340Z 755	16
5340 75 713	5340Z 755	9
5340 75 714	5340Z 755	24
5340 75 716	5340Z 755	43
5340 75 717	5340Z 755	38
5340 75 718	5340Z 755	29
5340 75 720	5340Z 755	37
5340 75 723	5340Z 755	20
5340 75 724	5340Z 755	47
5340 75 725	5340Z 755	41
5340 75 732	5340Z 755	4
5340 75 733	5340Z 755	8
5340 75 734	5340Z 755	3
5340 75 735	5340Z 755	54
5340 75 736	5340Z 755	53
5340 75 740	5340Z 755	25

PART NUMBER INDEX

P A R T Na	SECTION Na	Na	S5 6111 14 43 Na	SECTION Na	Na	P A R T Na	SECTION Na	Na
5340 75 741	5340Z 755	30	5340 82 542	5340Z 828	12	5340 89 147-1	5340Z 895	3
5340 75 751-1	5340Z 755	57	5340 82 600-4	5340Z 825		5340 89 218-1	5340Z 890	5
5340 75 780-1	5340Z 755	27	5340 82 650	5340Z 825		5340 89 218Z-1	5340Z 890	
5340 75 781	5340Z 755	12	5340 82 660	5340Z 825	3	5340 89 225-2	5340Z 892	32
5340 75 811-1	5340Z 240	9	5340 82 670	5340Z 825	8	5340 89 225Z 2	5340Z 892	
5340 75 820-1	5340Z 240		5340 82 680	5340Z 825	67	5340 89 226-2	5340Z 892	7
5340 75 820-1	5340Z 245		5340 82 690	5340Z 825	57	5340 89 226Z-2	5340Z 892	
5340 75 821-1	5340Z 240	108	5340 82 711	5340Z 820	19	5340 89 320-1	5340Z 892	38
5340 75 821-1	5340Z 245	108	5340 82 712	5340Z 820	23	5340 89 411	5340Z 892	41
5340 75 830-1	5340Z 240	104	5340 82 713-2	5340Z 820	3	5340 89 412	5340Z 892	43
5340 75 830-1	5340Z 245	104	5340 82 713-2	5340Z 825	72	5340 89 413	5340Z 892	44
5340 75 832-1	5340Z 540	21	5340 82 713Z-2	5340Z 820		5340 89 421	5340Z 892	47
5340 75 833-1	5340Z 240	105	5340 82 713Z-2	5340Z 825		5340 89 510-1	5340Z 710	5
5340 75 833-1	5340Z 245	105	5340 82 714-2	5340Z 820	1	5340 89 520-1	5340Z 710	5
5340 75 834-1	5340Z 240	106	5340 82 714-2	5340Z 825	70	5340 89 521-2	5340Z 720	9
5340 75 834-1	5340Z 245	106	5340 82 714Z-2	5340Z 820		5341 24 214	5340Z 240	8
5340 75 834-1	5340Z 540	24	5340 82 714Z-2	5340Z 825		5341 24 214	5340Z 245	8
5340 75 840-1	5340Z 540		5340 82 720-1	5340Z 825		5341 31 510	5340Z 312	
5340 75 850-1	5340Z 540		5340 82 721-1	5340Z 825	75	5341 31 511	5340Z 312	7
5340 75 851-1	5340Z 540	20	5340 82 730	5340Z 825	9	5341 31 512	5340Z 312	3
5340 75 852-1	5340Z 540	110	5340 82 740	5340Z 825	28	5341 31 513	5340Z 312	6
5340 75 853-1	5340Z 540	109	5340 82 750	5340Z 828		5341 31 514	5340Z 312	4
5340 75 910	5340Z 755	52	5340 82 760	5340Z 828	2	5341 31 515	5340Z 312	5
5340 75 920	5340Z 755	42	5340 82 770	5340Z 828	59	5341 31 516-1	5340Z 312	14
5340 75 922-1	5340Z 755	56	5340 82 771-1	5340Z 828	51	5341 32 130-1	5340Z 320	105
5340 76 001-2	5340Z 110	46	5340 82 780-1	5340Z 828	19	5341 32 140-1	5340Z 320	60
5340 82 100-4	5340Z 820		5340 82 791	5340Z 828	49	5341 32 171	5340Z 320	68
5340 82 110	5340Z 828	56	5340 82 792-1	5340Z 828	61	5341 32 172	5340Z 320	72
5340 82 120	5340Z 828	53	5340 82 793-2	5340Z 828	25	5341 32 510-1	5340Z 320	38
5340 82 131-2	5340Z 828	23	5340 82 794	5340Z 828	57	5341 32 520-1	5340Z 320	40
5340 82 140-2	5340Z 828	24	5340 82 795	5340Z 828	60	5341 32 532	5340Z 320	15
5340 82 160	5340Z 820	28	5340 82 796	5340Z 828	43	5341 33 200-2	5340Z 330	
5340 82 160	5340Z 825	56	5340 82 798	5340Z 828	41	5341 33 221-1	5340Z 330	25
5340 82 170	5340Z 820	36	5340 83 032	5340Z 830	55	5341 33 316-1	5340Z 330	30
5340 82 170	5340Z 825	42	5340 83 261	5340Z 830	8	5341 33 317	5340Z 330	22
5340 82 181-1	5340Z 820	16	5340 83 276	5340Z 830	31	5341 35 460	5340Z 350	
5340 82 181-1	5340Z 825	16	5340 83 277	5340Z 830	40	5341 35 532	5340Z 355	151
5340 82 183	5340Z 820	66	5340 86 211-2	5340Z 860	18	5341 35 534-1	5340Z 355	110
5340 82 183	5340Z 825	53	5340 86 212-1	5340Z 860	4	5341 35 536	5340Z 355	187
5340 82 184	5340Z 820	69	5340 87 110-2	5340Z 870		5341 35 538-1	5340Z 355	103
5340 82 184	5340Z 825	30	5340 87 111-2	5340Z 870	43	5341 35 539	5340Z 355	44
5340 82 190	5340Z 820		5340 87 112-1	5340Z 870	44	5341 35 562	5340Z 355	81
5340 82 191	5340Z 820	40	5340 87 113-1	5340Z 870	24	5341 35 742	5340Z 355	152
5340 82 191	5340Z 825	6	5340 87 115	5340Z 870	19	5341 35 750-1	5340Z 355	97
5340 82 210	5340Z 820	52	5340 87 116	5340Z 365	57	5341 35 753	5340Z 355	153
5340 82 220	5340Z 820	42	5340 87 116	5340Z 870	49	5341 35 754	5340Z 355	154
5340 82 230	5340Z 820	20	5340 87 117	5340Z 870	7	5341 35 761-2	5340Z 355	17
5340 82 240	5340Z 820	35	5340 87 118	5340Z 870	67	5341 35 762	5340Z 355	155
5340 82 251-2	5340Z 820	72	5340 87 119	5340Z 870	16	5341 35 770	5340Z 355	69
5340 82 251-2	5340Z 825	52	5340 87 121	5340Z 870	17	5341 35 781-2	5340Z 355	75
5340 82 254	5340Z 820	33	5340 87 123	5340Z 870	11	5341 35 782	5340Z 355	66
5340 82 254	5340Z 825	61	5340 87 124	5340Z 870	10	5341 35 784	5340Z 355	65
5340 82 260	5340Z 820	39	5340 87 125	5340Z 870	15	5341 35 791	5340Z 355	31
5340 82 260	5340Z 825	5	5340 87 126	5340Z 870	3	5341 35 793-2	5340Z 355	52
5340 82 263-1	5340Z 820	68	5340 87 127	5340Z 870	6	5341 35 795	5340Z 355	37
5340 82 263-1	5340Z 825	46	5340 87 213	5340Z 260	44	5341 35 812	5340Z 355	119
5340 82 264	5340Z 820	31	5340 87 213	5340Z 870	59	5341 35 821	5340Z 355	63
5340 82 264	5340Z 825	44	5340 87 214-1	5340Z 870	54	5341 35 822-1	5340Z 355	82
5340 82 265	5340Z 820	59	5340 87 220	5340Z 870	65	5341 35 823	5340Z 355	84
5340 82 265	5340Z 825	21	5340 87 300-3	5340Z 872		5341 35 824	5340Z 355	160
5340 82 266-1	5340Z 820	57	5340 87 321-1	5340Z 872	17	5341 35 843	5340Z 355	60
5340 82 266-1	5340Z 825	19	5340 87 421-1	5340Z 860	14	5341 35 844	5340Z 355	59
5340 82 266Z-1	5340Z 820		5340 87 422-1	5340Z 860	33	5341 35 851-2	5340Z 355	53
5340 82 266Z-1	5340Z 825		5340 87 423-1	5340Z 860	19	5341 35 882	5340Z 355	34
5340 82 267	5340Z 820	30	5340 87 461	5340Z 860	32	5341 35 883	5340Z 355	46
5340 82 267	5340Z 825	43	5340 87 462	5340Z 860	28	5341 35 892	5340Z 355	158
5340 82 301	5340Z 820	21	5340 87 511	5340Z 870	36	5341 35 921	5340Z 355	159
5340 82 301	5340Z 825	49	5340 87 512	5340Z 870	35	5341 35 924	5340Z 355	161
5340 82 310	5340Z 820	43	5340 87 562	5340Z 290	32	5341 53 610-1	5340Z 513	86
5340 82 340-1	5340Z 828		5340 88 122	5340Z 890	45	5341 53 622	5340Z 513	87
5340 82 341	5340Z 828	65	5340 88 150	5340Z 880	43	5341 61 154-1	5340Z 110	29
5340 82 342	5340Z 828	63	5340 88 151	5340Z 880	61	5341 61 155	5340Z 110	29
5340 82 350	5340Z 828	9	5340 88 232-1	5340Z 880	46	5341 61 651-1	5340Z 290	41
5340 82 351	5340Z 828	5	5340 88 233-1	5340Z 880	60	5341 61 933	5340Z 680	12
5340 82 360-1	5340Z 828	47	5340 88 234	5340Z 880	18	5341 71 215	5340Z 720	43
5340 82 511-1	5340Z 828	22	5340 88 240-1	5340Z 880		5341 71 255	5340Z 720	44
5340 82 520	5340Z 828	21	5340 88 241-1	5340Z 880	23	5341 74 081	5340Z 615	56
5340 82 523	5340Z 828	48	5340 88 260	5340Z 890	61	5341 74 356	5340Z 710	56
5340 82 524	5340Z 828	50	5340 88 270	5340Z 890	65	5341 75 770	5340Z 755	21
5340 82 530-3	5340Z 828	32	5340 89 145	5340Z 895	5	5341 75 780	5340Z 755	28
5340 82 541-1	5340Z 828	45	5340 89 146	5340Z 895	2	5341 89 138-1	5340Z 895	21

PART NUMBER INDEX

P A R T Na	SECTION Na	Na
5341 89 139-1	5340Z 895	13
5341 89 422	5340Z 892	56
5341 89 423	5340Z 892	63
5341 89 822-1	5340Z 680	8
5342 72 333	5340Z 720	59
5342 72 732-1	5340Z 720	60
5342 72 733-1	5340Z 720	59
5342 74 625	5340Z 710	59
5342 74 681-1	5340Z 720	57
5344 36 571	5340Z 365	8
5344 38 210	5340Z 380	
5344 38 220	5340Z 380	19
5344 65 200-1	5340Z 652	
5344 65 220-1	5340Z 652	8
5344 65 231-2	5340Z 652	3
5344 72 332-2	5340Z 720	60
5344 74 113-1	5340Z 710	55
5344 74 181-1	5340Z 720	57
5344 74 213-1	5340Z 710	53
5344 74 314	5340Z 110	49
5344 74 412	5340Z 710	48
5344 75 621-2	5340Z 750	50
5344 75 722	5340Z 755	32
5344 82 261	5340Z 820	75
5344 82 261	5340Z 825	88
5344 83 031	5340Z 830	28
5344 83 032	5340Z 830	52
5344 83 050-1	5340Z 830	
5346 61 251-2	5340Z 620	31
5346 61 270-1	5340Z 620	3
5346 61 280-1	5340Z 620	33
5346 65 220-1	5340Z 652	
5346 65 221-1	5340Z 652	6
5346 65 222-1	5340Z 652	8
5346 65 223-3	5340Z 652	a
5346 65 224-1	5340Z 652	5
5346 71 113-1	5340Z 710	15
5346 71 116-1	5340Z 720	46
5346 71 130-1	5340Z 710	19
5346 71 160-1	5340Z 710	24
5346 71 230-2	5340Z 720	15
5346 71 240-1	5340Z 720	18
5346 71 260-1	5340Z 720	19
5346 72 040-1	5340Z 710	13
5346 72 050-2	5340Z 720	14
5346 73 027-1	5340Z 720	7
5346 73 035-1	5340Z 710	8
5346 73 040-1	5340Z 720	4
5346 73 060-1	5340Z 710	40
5346 73 062-1	5340Z 710	39
5346 74 011-1	5340Z 710	49
5346 74 012-1	5340Z 720	53
5346 74 013	5340Z 710	50
5346 74 013	5340Z 720	54
5346 74 014	5340Z 710	51
5346 74 015	5340Z 710	52
5346 74 016	5340Z 720	55
5346 74 017	5340Z 710	53
5346 74 018	5340Z 710	54
5346 74 019	5340Z 720	56
5346 74 021	5340Z 710	57
5346 74 022	5340Z 710	58
5346 89 523-1	5340Z 720	9
5346 89 530-1	5340Z 710	5
5430 11 219	5340Z 250	21
5430 14 431	5340Z 830	24
5430 14 433-1	5340Z 830	23
5430 14 437	5340Z 830	13
5430 14 438	5340Z 830	25
5430 14 450	5340Z 830	
5430 14 451	5340Z 830	36
5430 14 452	5340Z 830	32
5430 14 453	5340Z 830	34
5430 14 454	5340Z 830	35
5430 14 460	5340Z 830	21
5430 14 470-1	5340Z 830	20
5430 21 518-1	5340Z 820	48
5430 21 518-1	5340Z 825	51
5430 24 124-1	5340Z 240	5
5430 24 124-1	5340Z 245	5
5430 24 125	5340Z 240	4

P A R T Na	SECTION Na	Na
5430 24 125	5340Z 245	4
5430 32 815	5340Z 830	5
5430 35 212	5340Z 350	107
5430 35 224	5340Z 350	28
5430 35 311-2	5340Z 350	58
5430 35 314	5340Z 350	15
5430 35 314	5340Z 355	163
5430 35 314	5340Z 530	143
5430 35 321-2	5340Z 350	38
5430 35 322	5340Z 350	19
5430 35 324-1	5340Z 350	18
5430 35 332-1	5340Z 350	33
5430 36 620-1	5340Z 355	
5430 36 621-1	5340Z 355	117
5430 36 622-1	5340Z 355	8
5430 36 623-1	5340Z 355	10
5430 36 624-1	5340Z 355	9
5430 36 640-1	5340Z 355	
5430 36 641-1	5340Z 355	4
5430 36 650-1	5340Z 355	
5430 36 660-1	5340Z 355	
5430 38 414	5340Z 820	60
5430 38 414	5340Z 825	22
5430 39 118	5340Z 355	57
5430 39 118	5340Z 830	12
5430 39 614	5340Z 355	50
5430 51 537	5340Z 511	131
5430 78 294-3	5340Z 650	38
5430 83 100-2	5340Z 650	
5430 83 111-1	5340Z 650	31
5430 83 115-1	5340Z 650	33
5430 83 210-4	5340Z 650	
5430 83 213-3	5340Z 650	25
5430 83 214-1	5340Z 650	27
5430 83 215-1	5340Z 650	29
5430 83 216-3	5340Z 650	26
5430 83 217	5340Z 650	28
5430 83 218	5340Z 650	24
5480 14 428-1	5340Z 830	6
5480 23 221	5340Z 230	3
5480 23 222	5340Z 230	10
5480 23 222	5340Z 365	7
5480 23 223	5340Z 230	11
5480 23 223	5340Z 365	6
5480 23 224-1	5340Z 230	15
5480 23 224-1	5340Z 365	29
5480 25 418	5340Z 755	19
5480 53 126	5340Z 820	61
5480 53 126	5340Z 825	23
5480 53 222	5340Z 530	122
5486 25 423	5340Z 820	10
5486 25 423	5340Z 825	71
5486 35 198-1	5340Z 380	61
5486 42 517	5340Z 892	17
5486 44 174	5340Z 520	8
5486 61 643	5340Z 710	32
5486 61 933-1	5340Z 680	12
5486 78 274-1	5340Z 720	37
5486 78 275-2	5340Z 720	37
5512 51 141-1	5340Z 513	80
5512 71 114	5340Z 710	1
5512 71 114	5340Z 720	10
5521 55 142	5340Z 511	106
5521 55 143	5340Z 511	107
5522 45 126	5340Z 870	27
5522 53 191	5340Z 350	20
5640 23 136	5340Z 355	164
5640 23 136	5340Z 530	142
5640 35 624	5340Z 830	58
5640 36 223	5340Z 350	116
5640 48 107	5340Z 870	64
5663 11 342	5340Z 355	157
5663 74 131	5340Z 611	40
5663 74 131	5340Z 616	43
5663 74 131	5340Z 618	48
5722 07 222	5340Z 511	127
90072	5340Z 250	9
90101	5340Z 170	19
90102	5340Z 170	19
90111002	5340Z 310	15
90164	5340Z 710	18

P A R T Na	SECTION Na	Na
90178	5340Z 540	115
90179	5340Z 230	13
90179	5340Z 365	31
90181	5340Z 230	62
90200	5340Z 350	90
90200	5340Z 355	47
90200	5340Z 360	14
90200	5340Z 511	71
90200	5340Z 530	71
90202	5340Z 360	3
90203	5340Z 520	28
90203	5340Z 535	26
90203	5340Z 872	5
90204	5340Z 350	61
90204	5340Z 514	27
90205	5340Z 514	3
90207	5340Z 250	13
90207	5340Z 260	21
90207	5340Z 870	20
90211	5340Z 250	6
90211	5340Z 890	13
90212	5340Z 355	116
90214	5340Z 350	8
90214	5340Z 355	115
90214	5340Z 880	45
90218	5340Z 355	3
90230	5340Z 512	46
90230	5340Z 513	38
90241	5340Z 530	124
90242	5340Z 540	128
90242	5340Z 890	27
90301005	5340Z 350	113
90307	5340Z 350	46
90308	5340Z 355	166
90315	5340Z 870	56
90318	5340Z 310	17
90318	5340Z 512	9
90318	5340Z 513	9
90319	5340Z 210	104
90319	5340Z 220	31
90319	5340Z 365	50
90319	5340Z 870	69
90324036	5340Z 230	5
90331	5340Z 511	62
90352	5340Z 360	40
90355010	5340Z 530	119
90355011	5340Z 511	102
90364	5340Z 514	38
90368	5340Z 540	54
90371	5340Z 530	131
90408	5340Z 650	30
90436	5340Z 530	129
90441	5340Z 230	39
90441	5340Z 365	45
90447	5340Z 520	37
90461	5340Z 535	36
90477	5340Z 240	71
90477	5340Z 245	71
90479	5340Z 540	57
90480	5340Z 540	55
90502	5340Z 170	54
90505	5340Z 830	9
90510	5340Z 320	96
90510	5340Z 511	1
90510	5340Z 830	46
90511	5340Z 830	10
90512	5340Z 828	37
90514	5340Z 330	23
90599	5340Z 540	72
90601	5340Z 513	75
90601	5340Z 892	49
90603	5340Z 320	52
90603	5340Z 540	82
90603	5340Z 890	57
90607	5340Z 892	28
90609	5340Z 830	22
90610	5340Z 513	29
90626	5340Z 310	44
90627	5340Z 511	61
90628	5340Z 210	48
90628	5340Z 220	105

g5 t T I
PART NUMBER INDEX

PART Na	SECTION Na	Na	PART Na	SECTION Ma	Na	II PART Na	SECTION Na	Na
90628	5340Z 360	70	91062	5340Z 655	19	91531	5340Z 650	10
90628	5340Z 380	36	91063	5340Z 655	20	91532-2	5340Z 650	23
90628	5340Z 520	16	91065	5340Z 655	29	91551	5340Z 680	19
90628	5340Z 890	69	91066	5340Z 655	9	91609	5340Z 355	168
90629	5340Z 828	15	91066	5340Z 656	2	91620	5340Z 240	89
90630	5340Z 895	4	91067	5340Z 656	24	91620	5340Z 245	89
90640	5340Z 820	4	91100-2	5340Z 170		91621	5340Z 230	52
90640	5340Z 825	65	91137	5340Z 655	17	91622	5340Z 240	25
90643	5340Z 365	2	91150	5340Z 170	55	91622	5340Z 245	25
90643	5340Z 710	33	91152	5340Z 656	32	91623	5340Z 240	85
90643	5340Z 720	41	91160	5340Z 655	7	91623	5340Z 245	85
90644	5340Z 240	115	91160	5340Z 656	4	91624	5340Z 240	32
90644	5340Z 245	115	91161	5340Z 655	8	91624	5340Z 245	32
90644	5340Z 880	53	91161	5340Z 656	3	91625	5340Z 535	60
90651	5340Z 710	6	91162	5340Z 655	21	91626	5340Z 512	38
90651	5340Z 720	26	91162	5340Z 656	17	91627	5340Z 530	93
90652	5340Z 355	73	91165	5340Z 655	16	91627	5340Z 535	49
90654	5340Z 310	18	91165	5340Z 656	34	91628	5340Z 240	29
90675	5340Z 820	13	91167	5340Z 655	18	91628	5340Z 245	29
90675	5340Z 825	68	91169	5340Z 655	22	91629	5340Z 240	28
90679	5340Z 530	39	91169	5340Z 656	18	91629	5340Z 245	28
90680	5340Z 680	10	91170	5340Z 655	23	91630	5340Z 230	6
90688	5340Z 240	83	91171	5340Z 656	26	91630	5340Z 365	19
90688	5340Z 245	83	91172	5340Z 655	10	91632	5340Z 540	94
90688	5340Z 511	118	91172	5340Z 656	11	91633	5340Z 540	100
90690	5340Z 260	32	91173	5340Z 655	11	91706	5340Z 511	100
90692	5340Z 210	62	91173	5340Z 656	12	91710001	5340Z 210	50
90692	5340Z 220	14	91180	5340Z 655	14	91710001	5340Z 220	106
90692	5340Z 355	167	91180	5340Z 656	20	91710001	5340Z 360	69
90699	5340Z 230	4	91186	5340Z 655	25	91710001	5340Z 380	40
90699	5340Z 365	9	91186	5340Z 656	30	91710001	5340Z 520	15
90700	5340Z 240	74	91190	5340Z 830	15	91710003	5340Z 828	46
90700	5340Z 245	74	91191	5340Z 320	107	91929	5340Z 355	169
90701	5340Z 513	28	91200	5340Z 170	60	92312008	5340Z 880	24
90701	5340Z 535	7	91203	5340Z 655	24	92314012	5340Z 540	125
90703	5340Z 512	66	91203	5340Z 656	19	92701006	5340Z 650	19
90703	5340Z 540	127	91211	5340Z 170	2	9430040100	5340Z 656	40
90703	5340Z 820	58	91211	5340Z 320	88	9430040110	5340Z 656	37
90703	5340Z 825	20	91211	5340Z 330	45	9430040130	5340Z 656	38
90710	5340Z 260	33	91211	5340Z 880	2	9430040140	5340Z 655	35
90720	5340Z 540	45	91213	5340Z 170	49	9430040140	5340Z 656	35
90721	5340Z 540	46	91213	5340Z 330	53	9430040150	5340Z 656	36
90730	5340Z 240	59	91231	5340Z 170	37	9430040160	5340Z 656	5
90730	5340Z 245	59	91232	5340Z 170	59	9430040255	5340Z 655	42
90730	5340Z 751	41	91233	5340Z 170	24	9430040260	5340Z 655	34
90730	5340Z 840	40	91234	5340Z 170	35	9430040325	5340Z 655	37
90741	5340Z 355	5	91235	5340Z 830	17	9430040330	5340Z 655	41
90758	5340Z 520	57	91236	5340Z 170	31	9430040340	5340Z 655	36
90760	5340Z 620	22	91237	5340Z 170	30	9430040350	5340Z 655	32
90770	5340Z 880	25	91238	5340Z 830	16	9430040355	5340Z 656	47
90773	5340Z 840	37	91240	5340Z 170	23	9430040370	5340Z 655	38
90790	5340Z 840	11	91251	5340Z 170	52	9430040395	5340Z 655	43
90802	5340Z 895	17	91258	5340Z 830	18	9430040410	5340Z 655	33
90804	5340Z 320	28	91280	5340Z 830	38	9430040435	5340Z 655	39
90812	5340Z 350	122	91298	5340Z 240	68	9430040460	5340Z 655	44
90813	5340Z 360	46	91298	5340Z 245	68	9430040470	5340Z 655	40
90813	5340Z 710	1	91303010	5340Z 365	12	9430040520	5340Z 655	6
90813	5340Z 720	10	91310006	5340Z 750	17	9431060140	5340Z 655	46
90840	5340Z 350	80	91310006	5340Z 751	6	9431060185	5340Z 656	44
90842	5340Z 260	35	91310006	5340Z 755	7	9431060250	5340Z 656	42
90843	5340Z 880	35	91314004	5340Z 620	16	9431060600	5340Z 656	41
90852	5340Z 320	29	91314005	5340Z 720	25	9431060650	5340Z 655	48
90852	5340Z 350	81	91316004	5340Z 320	5	9431060730	5340Z 656	43
90853	5340Z 872	25	91319007	5340Z 312	2	9431060735	5340Z 656	46
90856	5340Z 260	36	91321	5340Z 750	57	9431060760	5340Z 655	47
90856	5340Z 880	39	91331	5340Z 655	1	9431060770	5340Z 655	49
90890	5340Z 820	56	91331	5340Z 656	1	9431061110	5340Z 656	45
90890	5340Z 825	17	91375	5340Z 655	31	95101001-1	5340Z 110	11
90900	5340Z 240	69	91381	5340Z 656	14	95103006	5340Z 110	28
90900	5340Z 245	69	91400	5340Z 650	17	95103010	5340Z 110	28
90900	5340Z 250	17	91401	5340Z 650	18	95103011	5340Z 110	28
90900	5340Z 365	54	91402	5340Z 650	20	95117	5340Z 350	3
90904	5340Z 170	8	91420	5340Z 650	13	95119	5340Z 350	108
90904004-1	5340Z 830	19	91421	5340Z 650	14	95147	5340Z 110	40
90906	5340Z 170	8	91422	5340Z 650	15	95302001-1	5340Z 350	105
91040	5340Z 230	66	91423	5340Z 650	16	95338	5340Z 750	28
91040	5340Z 365	69	91430	5340Z 650	6	95338	5340Z 750	28
91057	5340Z 656	29	91431	5340Z 650	7	95338	5340Z 751	15
91058	5340Z 656	33	91442	5340Z 650	22	95338	5340Z 755	2
91060	5340Z 655	28	91452	5340Z 650	6	95511014-1	5340Z 614	16
91060	5340Z 656	31	91470	5340Z 620	10	95511014-1	5340Z 615	16

PART NUMBER INDEX

PART Na	SECTION Na	
95511014-1	5340Z 616	16
95511014-1	5340Z 618	16
95511018	5340Z 614	42
96010	5340Z 650	8
96519	5340Z 860	6
96522	5340Z 620	25
96522	5340Z 860	6
96531	5340Z 892	6
96549	5340Z 614	26
96549	5340Z 615	26
96549	5340Z 616	26
96549	5340Z 618	26
96550	5340Z 614	24
96550	5340Z 615	24
96550	5340Z 616	24
96550	5340Z 618	24
96554	5340Z 620	20
96559	5340Z 614	13
96559	5340Z 615	13
96559	5340Z 616	13
96559	5340Z 618	13
96559	5340Z 620	17
96561	5340Z 614	41
96561	5340Z 615	41
96561	5340Z 616	41
96561	5340Z 618	41
96562	5340Z 614	21
96562	5340Z 615	21
96562	5340Z 616	21
96562	5340Z 618	21
96564	5340Z 614	25
96564	5340Z 615	25
96564	5340Z 616	25
96564	5340Z 618	25
96564	5340Z 620	14
96589	5340Z 380	58
96589	5340Z 860	26
96591	5340Z 620	12
96591	5340Z 620	12
96592	5340Z 620	18
96593	5340Z 620	19
96594	5340Z 614	22
96594	5340Z 615	22
96594	5340Z 616	22
96594	5340Z 618	22
96606	5340Z 620	25
97034	5340Z 170	6
97038-1	5340Z 110	11
97054	5340Z 170	6
97125	5340Z 614	8
97125	5340Z 615	8
97125	5340Z 616	8
97125	5340Z 618	8
97190	5340Z 611	16
97192	5340Z 611	14
97192	5340Z 611	14
97201	5340Z 614	7
97202	5340Z 614	46
97207	5340Z 615	47
97253	5340Z 614	9
97253	5340Z 615	9
97253	5340Z 616	9
97253	5340Z 618	9
97303	5340Z 240	37
97303	5340Z 245	37
97303	5340Z 250	28
97313	5340Z 880	55
97380	5340Z 240	38
97380	5340Z 245	38
97380	5340Z 250	27
97381	5340Z 880	56
97501	5340Z 520	46
97602	5340Z 530	100
97606-2	5340Z 360	60
97606-2	5340Z 520	19
97628	5340Z 511	56
97630-1	5340Z 220	104
97630-1	5340Z 380	34
97630-1	5340Z 890	71
97632-1	5340Z 210	57
97657-3	5340Z 828	17

PART Na	SECTION Na	Na
97722	5340Z 611	10
97729-2	5340Z 614	28
97729-2	5340Z 615	28
97729-2	5340Z 616	28
97729-2	5340Z 618	28
97825	5340Z 290	23
97837	5340Z 870	12
97976	5340Z 611	11
98102011	5340Z 615	7
98102011	5340Z 616	7
98102011	5340Z 618	7
98103019	5340Z 618	49
98103032	5340Z 615	57
98103032	5340Z 616	44
98191	5340Z 630	4
98303001	5340Z 750	12
98303001	5340Z 751	8
98303002-1	5340Z 750	12
98303002-1	5340Z 751	8
98304004	5340Z 892	57
98334002	5340Z 620	32
98501	5340Z 240	40
98501	5340Z 245	40
98501	5340Z 880	57
98504015	5340Z 615	45
98705051	5340Z 110	5
98737	5340Z 614	4
98737	5340Z 615	4
98737	5340Z 616	4
98737	5340Z 618	4
98784	5340Z 614	5
98784	5340Z 615	5
98784	5340Z 616	5
98784	5340Z 618	5
98799	5340Z 614	6
98799	5340Z 615	6
98799	5340Z 616	6
98799	5340Z 618	6
98810	5340Z 611	20
98899	5340Z 110	40
98926	5340Z 614	23
98926	5340Z 615	23
98926	5340Z 616	23
98926	5340Z 618	23
98926	5340Z 620	13
98930	5340Z 620	24
98947	5340Z 614	10
98947	5340Z 615	10
98947	5340Z 616	10
98947	5340Z 618	10
98982	5340Z 614	19
98982	5340Z 615	19
98982	5340Z 615	19
98982	5340Z 616	19
98982	5340Z 618	19
99111004	5340Z 540	61
99307001	5340Z 614	11
99307001	5340Z 615	11
99307001	5340Z 616	11
99307001	5340Z 618	11
99308003	5340Z 614	45
99308003	5340Z 615	54
99711001	5340Z 630	4
99771	5340Z 618	47
99776	5340Z 110	42
99779	5340Z 611	19
99923	5340Z 720	23
99928	5340Z 614	17
99928	5340Z 615	17
99928	5340Z 616	17
99928	5340Z 618	17
99938	5340Z 614	30
99938	5340Z 615	30
99938	5340Z 616	30
99938	5340Z 618	30
99948	5340Z 840	27
99953-1	5340Z 110	34
99960	5340Z 290	10
99962	5340Z 616	42
99962	5340Z 618	42
99963	5340Z 615	42

3a3 P ART Na	4 lb. h. r./g :/t-g Na	Na
99963	5340Z 616	42
99963	5340Z 618	42

